


**Mates w/ Series 310...023 Surface Mount Z-Bend Socket (See Fig. 3)**

Coplanarity .005". For Pin Counts >10 positions consult Technical Support.

**Fig. 1**

- Series 351 and 800 horizontal Surface Mount headers are available with .018" dia. pluggable pins (MM #5102) and .028" dia. pluggable pins (MM #1502). See page 185 for details.
- Series 310 horizontal Surface Mount Z-Bend sockets use MM #1023 receptacles that accept pin diameters from .015"-.025". Series 801 use MM #1303 receptacles that accept pin diameters from .025"-.037" and .025" square leads. See pages 142 and 150 for details.
- Insulators are high temp. thermoplastic.



**Mates w/ Series 801...002 Surface Mount Z-Bend Socket (See Fig. 4)**

Coplanarity .005". For Pin Counts >10 positions consult Technical Support.

**Fig. 2**

<b>Ordering Information</b>	
<b>Fig. 1</b>	<b>Series 351...002 .018 Dia. Surface Mount Header</b>  351-10-1__-40-002000 Specify # of pins      →      02-10
	<b>Series 800...002 .028 Dia. Surface Mount Header</b>  800-10-0__-40-002000 Specify # of pins      →      02-10

**Mates w/ Series 351...002 Surface Mount Header (See Fig. 1)**

Coplanarity .005". For Pin Counts >10 positions consult Technical Support.

**Fig. 3**

*For Electrical, Mechanical & Environmental Data, See pg. 4*

*For RoHS compliance select ◇ plating code.*

PLATING CODE =	10 ◇			
Pin Plating	10 μ" Au			

**Mates w/ Series 800...002 Surface Mount Header (See Fig. 2)**

Coplanarity .005". For Pin Counts >10 positions consult Technical Support.

**Fig. 4**

<b>Fig. 3</b>	<b>Series 310...023 .018 Dia. SMT Z-Bend Socket</b>  310-43-1__-40-023000 Specify # of pins      →      02-10
	<b>Series 801...002 .028 Dia. SMT Z-Bend Socket</b>  801-XX-0__-40-002000 Specify # of pins      →      02-10

*For Electrical, Mechanical & Environmental Data, See pg. 4*

**XX=Plating Code See Below**

*For RoHS compliance select ◇ plating code.*

SPECIFY PLATING CODE XX=		93	99	43 ◇	44 ◇
Sleeve (Pin)		200μ" Sn/Pb	200μ" Sn/Pb	200μ" Sn	200μ" Sn
Contact (Clip)		30μ" Au	200μ" Sn/Pb	30μ" Au	200μ" Sn