



SULLINS | MicroPlastics
760.744.0125 | fax 760.744.6081
801 E. Mission Rd.
San Marcos Ca. 92069
<http://www.SullinsElectronics.com>
<http://www.Micro-Plastics.com>

PCN 09001

December 10, 2009

CUSTOMERS' NOTIFICATION OF
MATERIAL SPECIFICATION AND PART NUMBERS CHANGES

Effective January 15th 2010, Sullins Connector Solutions will make the following changes to the material specification and part numbers:

- | | | |
|-----------------------------------|----------------------------------|--------------------|
| 1. <u>MATERIAL CHANGE:</u> | <u>FROM:</u> | <u>TO:</u> |
| | BLACK
THERMOPLASTIC POLYESTER | BLACK
NYLON 6-T |

This change is to increase the connectors' processing temperature rating from 210°C for 5 seconds to 260°C for 10 seconds.

- | | | |
|--------------------------------------|---------------------|-------------------|
| 2. <u>PART NUMBER CHANGE:</u> | <u>FROM:</u> | <u>TO:</u> |
| | PRPN_ _ 1PAEN-RC | NRPN_ _ 1PAEN-RC |
| | PRPN_ _ 2PAEN-RC | NRPN_ _ 2PAEN-RC |
| | PRPN_ _ 1PARN-RC | NRPN_ _ 1PARN-RC |
| | PRPN_ _ 2PARN-RC | NRPN_ _ 2PARN-RC |
| | PRPN_ _ 4RCCN-RC | NRPN_ _ 4RCCN-RC |
| | PPPN_ _ 1BFCN-RC | NPPN_ _ 1BFCN-RC |
| | PPPN_ _ 2AFCN-RC | NPPN_ _ 2AFCN-RC |
| | PPRN_ _ 4EFCN-RC | NPRN_ _ 4EFCN-RC |
| | PPPN_ _ 4EFCN-RC | NPPN_ _ 4EFCN-RC |
| | PPPN_ _ 1FGGN-RC | NPPN_ _ 1FGGN-RC |
| | PPPN_ _ 2FJFN-RC | NPPN_ _ 2FJFN-RC |

ONLY the first letter of the part number will be changed (from **P** to **N**). The old part numbers will no longer be offered.

Anticipated impact on Fit, Form, Function & Reliability (positive/negative): Positive – increased processing temperature. Fully Backwards compatible

Changed parts can be identified by the part numbers called out on the accompanying shipping documents and packaging labels - No change

Tom Huynh
Engineering Manager