



PART NO. IN TUBE	CKT. SIZE	DIM. B	DIM. A
87340-04**	4	2.00	4.00
87340-06**	6	4.00	6.00
87340-08**	8	6.00	8.00
87340-10**	10	8.00	10.00
87340-12**	12	10.00	12.00
87340-14**	14	12.00	14.00
87340-16**	16	14.00	16.00
87340-18**	18	16.00	18.00
87340-20**	20	18.00	20.00

QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	mm	INCH	MM ONLY	DATE			
▽=0	4 PLACES ±	---	---	JKACHL I	1991/07/02	TITLE	MGRID
▽=0	3 PLACES ±	---	---	CHECKED BY	DATE		VLPR II, 2MM DUAL ROW
▽=0	2 PLACES ±	0.20	---	JNG	1991/07/09		TOP ENTRY RECEPT., SMT
▽=0	1 PLACE ±	---	---	APPROVED BY	DATE		MOLEX INCORPORATED
	ANGULAR ±		3°	MLONG	2009/11/24		
	DRAFT WHERE APPLICABLE		MUST REMAIN	MATERIAL NO.	SEE TABLE	DOCUMENT NO.	SD-87340-**-01
	WITHIN DIMENSIONS			SIZE	A3	SHEET NO.	1 OF 3

10 9 8 7 6 5 4 3 2 1



- NOTES:
- LEADER AND TRAILER TAPE
  - PEELING OFF FORCE OF THE TOP TAPE: 20-80gf. (PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)
  - PACKAGING STANDARD IS AS PER EIA-481.
  - NO FIX ORIENTATION OF ASSEMBLY PART IN T&R.
  - TAPE & REEL QUANTITY : TBA

ADD T&R OPTION E.C. NO: S2010-0879 DRWNSKANG 2010/04/27 CHYKATSEE 2010/04/26 APPR:MLONG 2010/04/27 L4	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
		$\nabla=0$ $\nabla=0$ $\nabla=0$	mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- ANGULAR ± 3°	MM ONLY	NTS	METRIC	DRAWN BY JKACHL I CHECKED BY JNG APPROVED BY MLONG DATE 1991/07/02 DATE 1991/07/09 DATE 2009/11/24	TITLE MGRID VLPR II, 2MM DUAL ROW TOP ENTRY RECEPT., SMT MOLEX INCORPORATED
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. SEE TABLE SIZE A3	DOCUMENT NO. SD-87340-**01 SHEET NO. 2 OF 3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

tb\_frame\_A3\_P\_AM\_T Rev. F 2009/06/18 9 8 7 6 5 4 3 2 1

