


| NO. | MASSE / DIMENSION |
|-----|-------------------|
| A | 7/8-20UNEF-2A |
| B | 14.2 |
| C | 3.2 |
| D | 25.1 |
| E | 19 |
| F | 23 |
| G | 30 |
| H | 3.1 |

| NO. | BESCHREIBUNG / DESCRIPTION |
|-----|---|
| 2 | ISOLIERKÖRPER BUCHSE / INSULATOR SOCKET |
| 6 | KONTAKTBUCHSE / CONTACT SOCKET |
| 8 | DOSENGEHÄUSE / SHELL |



| |
|--|
| Note: Due to an automatic nomenclature system, numbers generated may not be sequential. |
| Notiz: Durch ein automatisches Benennungssystem können Nummerierungen entstehen, die nicht fortlaufend sind. |
| Material Specification: |
| Shell Material: Aluminium alloy |
| Shell Plating: Olive drab chromate coating over cadmium plating |
| Insulator Material: Neoprene |
| Contact Material: Copper alloy |
| Contact Plating: Hard silver |

| | | | | | |
|---|---|--|------|----------|-----|
| all dimensions are in mm Dimensions without tolerance indications are general tolerances in acc. with DIN7168m | | drawing for CUSTOMER | | | |
| ITT <i>Engineered for life</i> <small>ITT CANON GmbH</small> <small>D-71284 Wessling, Germany</small> | description MS3102R14S-2S Box mounting receptacle | | | | |
| | Solder Cup / Socket / Layout: 14S-2 | <small>© All rights reserved. Reproduction or issue to third in any form whatsoever is only permitted with written authorization of ITT Canon.</small> <table border="1"> <tr> <td>page</td> <td>revision</td> </tr> <tr> <td>1/1</td> <td>302.8, Feb 11</td> </tr> </table> | page | revision | 1/1 |
| page | revision | | | | |
| 1/1 | 302.8, Feb 11 | | | | |