


Note: Notiz:

_	2 ±0	.25

NO.	MASSE / DIMENSIO
А	53.4
B1	21.5
B2	16.6
с	76



		s s
	••• ••• •••	

Note: Due to an automatic nomenclature system, numbers generated may not be sequential. Notiz: Durch ein automatisches Benennungssystem können	all dimensions are in mm Dimensions without tolerance indications are general tolerances in acc. with DIN7168m		drawing for CUSTOMER
Nummerierungen entstehen, die nicht fortlaufend sind.	description	CA3106E28-21S-E	3-A232
Material Specification:	Plug, straig		, 202
Shell Material: Aluminium alloy			
Shell Plating: Zinc cobalt, black	Engineered for life ITT CANNON GebH Solder Cup / Socket / Layout: 28-21	4	
Insulator Material: CR-Elastomere	ITT CANNON GmbH D - 71384 Weinstadt/Germany SOIGER CUP	/ Socket / Layout: 28-2	1
Contact Material: Copper alloy	© All rights reserved. Reproduction or issue to third in any for	m i page revisi	ion
Contact Plating: Hard silver	whatever is only pentitted with written authorization of ITT Cannon U 1/1 392 12. Apr		2. Apr 11

	C max.
	1-
NO.	BESCHREIBUNG / DESCRIPTION
2	ISOLIERKÖRPER BUCHSE / INSULATOR SOCKET
3	DICHTKÖRPER / GROMMET
4	ENDRING / ENDRING
6	KONTAKTBUCHSE / CONTACT SOCKET
7	ZYLINDERGHÄUSE / BARREL

- ÜBERWURFMUTTER / COUPLING NUT 9
- DICHTRING FRONT / FRONT SEALING RING 10
- 12 ENDGEHÄUSE / ENDBELL