



NO.	MASSE / DIMENSION
A	60.1
B1	26.8
B2	21.5
C	51.7
D	66
E	72

NO.	BESCHREIBUNG / DESCRIPTION
1	ISOLIERKÖRPER STIFT / INSULATOR PIN
3	DICHTKÖRPER / GROMMET
4	ENDRING / ENDRING
5	KONTAKTSTIFT/ CONTACT PIN
7	ZYLINDERGHÄUSE / BARREL
9	ÜBERWURFMUTTER / COUPLING NUT
10	DICHTRING FRONT / FRONT SEALING RING
12	ENDGEHÄUSE / ENDBELL

Note: Due to an automatic nomenclature system, numbers generated may not be sequential. Note: Durch ein automatisches Benennungssystem können Nummernungen unsequenziell sein.	
Material Specification: Shell Material: Aluminium alloy Shell Plating: Olive drab chromate over cadmium plating Insulator Material: CR-Elastomere Contact Material: Copper alloy Contact Plating: Gold 0,5 µm	

all dimensions are in mm Dimensions without tolerance indications are general tolerances in acc. with DIN71891		drawing for CUSTOMER
	description CA3108E32-7P-B-F80-A176 Plug, 90° Endbell with clamp and bushing AWG Crimp / Pin / Layout: 32-7	
© All rights reserved. Reproduction or use in third party files without the prior written authorization of ITT Connectors.		page 1/1 revision 392 12, Apr 11