

PDM: Rev:C 3 STATUS:Released Printed: Nov 17, 2010 4

Copyright FCI





FCIconnect.com


1 | 2

3 |

4

PRODUCT NUMBER	SERIES NAME	PITCH
20020013-CXXXXXXLF	03-350	3.50 mm



POLE		2	3	4	5	6	7	8	
DIM.A		7.80[.307]	11.30[.445]	14.80[.583]	18.30[.720]	21.80[.858]	25.30[.996]	28.80[1.134]	
DIM.B		3.50[.138]	7.00[.276]	10.50[.413]	14.00[.551]	17.50[.689]	21.00[.827]	24.50[.965]	
Tol.		±0.10[.004]				±0.15[.006]			±0.20[.008]
POLE		9	10	11	12	13	14	15	16
DIM.A		32.30[1.272]	35.80[1.409]	39.30[1.547]	42.80[1.685]	46.30[1.823]	49.8[1.961]	53.3[2.098]	56.8[2.236]
DIM.B		28.00[1.102]	31.50[1.240]	35.00[1.378]	38.50[1.516]	42.00[1.654]	45.5[1.791]	49.0[1.929]	52.50[2.067]
Tol.		±0.20[.008]				±0.25[.010]			
POLE		17	18	19	20	21	22	23	24
DIM.A		60.3[2.374]	63.8[2.512]	67.3[2.650]	70.8[2.787]	74.3[2.925]	77.8[3.063]	81.30[3.20]	84.8[3.339]
DIM.B		56.00[2.205]	59.50[2.342]	63.00[2.480]	66.50[2.618]	70.00[2.756]	73.50[2.894]	77.00[3.031]	80.50[3.169]
Tol.		±0.25[.010]				±0.30[.012]			

mat'l. code	surface ASME Y14.5	tolerance ASME Y14.5	projection MM [INCH]	product family TERMINAL BLOCK
ltr	ecr	no	dr	date
c	tolerances unless otherwise specified			
	angles	X.±0.5		
	X'±1"	X.XX±0.3		
		X.XX±0.1		
	dr	WENDY CHEN	051810	
	enr	JASON HSU	051810	
	chr	GARY HSIEH	051810	
	appd	JOSEPH HSIA	051810	
sheet index	revision sheet			

form: A4mmXLc

1 |

2

PDM: Rev:C 3 | STATUS:Released Printed: Nov 17, 2010 4

Copyright FCI





FCIconnect.com

1 | 2




3 |

4

PRODUCT NUMBER	SERIES NAME	PITCH
20020013-DXXXXXXLF	03-381	3.81 mm



POLE		2	3	4	5	6	7	8
Dim.A		8.42[.331]	12.23[.481]	16.04[.631]	19.85[.781]	23.66[.931]	27.47[1.081]	31.28[1.231]
Dim.B		3.81[.150]	7.62[.300]	11.43[.450]	15.24[.600]	19.05[.750]	22.86[.900]	26.67[1.050]
Tol.		±0.15[.006]				±0.20[.008]		
POLE	9	10	11	12	13	14	15	16
Dim.A	35.09[1.381]	38.90[1.531]	42.71[1.681]	46.52[1.831]	50.33[1.981]	54.14[2.131]	57.95[2.281]	61.76[2.431]
Dim.B	30.48[1.2"]	34.29[1.350]	38.10[1.500]	41.91[1.650]	45.72[1.800]	49.53[1.95]	53.34[2.100]	57.15[2.250]
Tol.	±0.20[.008]				±0.25[.010]			
POLE	17	18	19	20	21	22	23	24
Dim.A	65.57[2.581]	69.38[2.731]	73.19[2.881]	77.00[3.181]	80.81[3.331]	84.62[3.481]	88.43[3.631]	92.24[3.781]
Dim.B	60.96[2.400]	64.77[2.550]	68.58[2.700]	72.39[2.850]	76.20[3.000]	80.01[3.150]	83.82[3.300]	87.63[3.450]
Tol.	±0.25[.010]				±0.30[.012]			

mat'l. code					surface ASME Y14.5		tolerance ASME Y14.5		projection 		product family TERMINAL BLOCK				
ltr	ecn	no	dr	date	tolerances unless otherwise specified							title			
C					angles		linear		X.±0.5		MM		TERMINAL BLOCK		
									X.X±0.3				PLUGGABLE, PLUG, SIGNAL, W/O FLANGE		
					X'±1"				X.XX±0.1		scale		FRONT SCREW		
			dr	WENDY CHEN					051810				dwg no		
			engr	JASON HSU					051810				sheet 3 of 5 size		
			chr	GARY HSIEH					051810				20020013		
			appd	JOSEPH HSIA					051810				A4		
sheet index		revision sheet										type CUSTOMER Drawing			

form: A4mmXLc

1 |

2




PDM: Rev:C 3 | STATUS:Released Printed: Nov 17, 2010 4

Copyright FCJ



FCIconnect.com

PRODUCT NUMBER	SERIES NAME	PITCH
20020013-GXXXXXXLF	03-500	5.00 mm



POLE		2	3	4	5	6	7	8	
DIM.A		10.0[.394]	15.0[.590]	20.0[.787]	25.0[.984]	30.0[1.181]	35.0[1.377]	40.0[1.574]	
DIM.B		5.0[0.197]	10.0[.394]	15.0[.590]	20.0[.787]	25.0[.984]	30.0[1.181]	35.0[1.377]	
Tol.		±0.15[.006]							±0.25[.010]
POLE	9	10	11	12	13	14	15	16	
DIM.A	45.0[1.771]	50.0[1.968]	55.0[2.165]	60.0[2.362]	65.0[2.559]	70.0[2.755]	75.0[2.952]	80.0[3.149]	
DIM.B	40.0[1.574]	45.0[1.771]	50.0[1.968]	55.0[2.165]	60.0[2.362]	65.0[2.559]	70.0[2.755]	75.0[2.952]	
Tol.	±0.25[.010]				±0.30[.012]				
POLE	17	18	19	20	21	22	23	24	
DIM.A	85.0[3.346]	90.0[3.543]	95.0[3.740]	100.0[3.937]	105.0[4.133]	110.0[4.330]	115.0[4.527]	120.0[4.724]	
DIM.B	80.0[3.149]	85.0[3.346]	90.0[3.543]	95.0[3.740]	100.0[3.937]	105.0[4.133]	110.0[4.330]	115.0[4.527]	
Tol.	±0.30[.012]			±0.40[.016]					

mat'l. code	surface ASME Y14.5	tolerance ASME Y14.5	projection MM [INCH]	product family TERMINAL BLOCK
ltr ecn no dr date	tolerances unless otherwise specified			title TERMINAL BLOCK PLUGGABLE, PLUG, SIGNAL, W/O FLANGE FRONT SCREW
C	angles 5° X'±1"	X.±0.5 X.X±0.3 X.XX±0.1	scale MM [INCH]	dwg no 20020013
dr	WENDY CHEN	051810		sheet 4 of 5
enr	JASON HSU	051810		size A4
chr	GARY HSIEH	051810		
appd	JOSEPH HSIA	051810		type CUSTOMER Drawing
sheet index	revision sheet			

form: A4mmXLc





PDM: Rev:C 3 STATUS:Released Printed: Nov 17, 2010 4

Copyright FCI



FCIconnect.com

PRODUCT NUMBER	SERIES NAME	PITCH
20020013-HXXXXXXLF	03-508	5.08 mm



POLE		2	3	4	5	6	7	8	
DIM.A		10.16[.400]	15.24[.600]	20.32[.800]	25.4[1.000]	30.48[1.200]	35.56[1.400]	40.64[1.600]	
DIM.B		5.08[.200]	10.16[.400]	15.24[.600]	20.32[.800]	25.4[1.000]	30.48[1.200]	35.56[1.400]	
Tol.		±0.15[.006]						±0.25[.010]	
POLE		9	10	11	12	13	14	15	16
DIM.A		45.72[1.800]	50.8[2.000]	55.88[2.200]	60.96[2.400]	66.04[2.600]	71.12[2.800]	76.2[3.000]	81.28[3.200]
DIM.B		40.64[1.600]	45.72[1.800]	50.8[2.000]	55.88[2.200]	60.96[2.400]	66.04[2.600]	71.12[2.800]	76.2[3.000]
Tol.		±0.25[.010]				±0.30[.012]			
POLE		17	18	19	20	21	22	23	24
DIM.A		86.36[3.400]	91.44[3.600]	96.52[3.800]	101.6[4.000]	106.68[4.200]	111.76[4.400]	116.84[4.600]	121.92[4.800]
DIM.B		81.28[3.200]	86.36[3.400]	91.44[3.600]	96.52[3.800]	101.6[4.000]	106.68[4.200]	111.76[4.400]	116.84[4.600]
Tol.		±0.30[.012]				±0.40[.016]			

mat'l. code	surface ASME Y14.5	tolerance ASME Y14.5	projection	product family
tr ecn no dr date	tolerances unless otherwise specified	angles X±0.5 X.X±0.3 X°±1° X.XX±0.1	MM [INCH] scale	TERMINAL BLOCK
c	dr WENDY CHEN 051810	enr JASON HSU 051810	chr GARY HSIEH 051810	appd JOSEPH HSIA 051810
sheet index	revision sheet			
				title TERMINAL BLOCK PLUGGABLE, PLUG, SIGNAL, W/O FLANGE FRONT SCREW
				dwg no 20020013 sheet 5 of 5 size A4
				type CUSTOMER Drawing

form: A4mmXLc

PDM: Rev:C 3 STATUS:Released Printed: Nov 17, 2010 4