



NO.	MASSE / DIMENSION
A	53.4
B1	21.5
B2	16.6
C	43.3
D	58
E	66

NO.	BESCHREIBUNG / DESCRIPTION
1	ISOLIERKÖRPER STIFT / INSULATOR PIN
3	DICHTKÖRPER / GROMMET
4	ENDRING / ENDRING
5	KONTAKTSTIFT/ CONTACT PIN
7	ZYLINDERGHÄUSE / BARREL
9	ÜBERWURFMUTTER / COUPLING NUT
10	DICHTRING FRONT / FRONT SEALING RING
12	ENDGEHÄUSE / ENDBELL

Note: Due to an automatic nomenclature system, numbers generated may not be sequential.
 Note: Durch ein automatisches Benennungssystem können Nummernungen entstehen, die nicht fortlaufend sind.

Material Specification:
Shell Material: Aluminium alloy
Shell Plating: Olive drab chromate over cadmium plating
Insulator Material: CR-Elastomere
Contact Material: Copper alloy
Contact Plating: Hard silver

<p>all dimensions are in mm Dimensions without tolerance indications are general tolerances in acc. with DIN71891</p>		<p>drawing for CUSTOMER</p>
<p>ITT Engineered for Life ITT PACIFIC CORP. 17100 Woodside Drive</p>	<p>description CA3108E28-16P-B-F80</p>	
	<p>Plug, 90° Endbell with clamp and bushing AWG Crimp / Pin / Layout: 28-16</p>	
<p>© All rights reserved. Reproduction or use in third party files without the prior written authorization of ITT Connectors</p>	<p>page 1/1</p>	<p>revision 392 12 Apr 11</p>