



Anaren Integrated Radio EZ4x Module Series

The A2500R24A-EZ4x is a high-performance demonstration platform, designed to showcase Anaren's family of FCC & IC certified and ETSI compliant Radio Modules. It features an A2500R24A AIR 2.4 GHz Radio Module with integral antenna, and is designed to quickly connect to the Texas Instruments eZ430 Development Kit battery board or USB debugging interface

Product Overview

The A2500R24A-EZ4x is a target board assembly showcasing the Anaren A2500R24A radio module in the industry's smallest package (9 x 12 x 2.5mm) mounted on it.


This module is fully compliant with Texas Instruments eZ430-RF2500 Development Kit, and plugs directly into either the battery board or USB debugging interface via the 6 pin header. It is designed to be a direct-replacement for the access point and end point target board modules included with the Texas Instrument eZ430-RF2500 Development Kit. Each Anaren A2500R24A Radio Module is FCC & IC certified, ETSI compliant, and incorporates the Texas Instruments CC2500 transceiver chip.

As a stand-alone module for your final design implementation Anaren's A2500R24A has an LGA pad footprint with an integral printed antenna, this

module is designed to effortlessly integrate into a wide range of applications, including: industrial control, building automation, low-power wireless sensor networks, lighting control, and automated meter reading.



Layout












Anaren Integrated Radio

Pin Diagram

EZ4x Connections



Battery / USB:

ST1 P3.4 / UCA0TXD / UCA0SIMO

ST2 GND

ST3 RST / SBWTDIO ST4 TEST / SBWTCK ST5 VCC (3.6V)

ST6 P3.5 / UCA0RXD / UCA0SOMI

Interface:

P1 GND P2 VCC

P3 P2.0 / ACLK / A0 / OA0I0

P4 P2.1 / TAINCLK / SMCLK / A1 /A00

P5 P2.2 / TA0 / A2 / OA0I1

P6 P2.3 / TA1 / A3 / VREF- / VeREF-/ OA1I1 / OA1O

P7 P2.4 / TA2 / A4 / VREF+ / VeREF+/ OA1I0

P8 P4.3 / TB0 / A12 / OA0O P9 P4.4 / TB1 / A13 / OA1O P10 P4.5 / TB2 / A14 / OA0I3 P11 P4.6 / TBOUTH / A15 / OA1I3

P12 GND

P13 P2.6 / XIN (GDO0) P14 P2.7 / XOUT (GDO2)

P15 P3.2 / UCB0SOMI / UCB0SCL P16 P3.3 / UCB0CLK / UCA0STE P17 P3.0 / UCB0STE / UCA0CLK / A5

P18 P3.1 / UCB0SIMO / UCB0SDA



This product shall not be used in any of the following products or systems without prior express written permission from Anaren Microwave, Inc:
(i) implantable cardiac rhythm management systems, including without limitation pacemakers, defibrillators and cardiac resynchronization devices;
(ii) external cardiac rhythm management systems that communicate directly with one or more implantable medical devices; or
(iii) other devices used to monitor or treat cardiac function, including without limitation pressure sensors, biochemical sensors and neurostimulators.

Nomenclature



A (Anaren)
1 Chip series (1101, 2500)
2 Function (R = radio only)
3 Frequency band (x100MHz)

4 Form factor (A = Internal Antenna, C = Connector) 5 Module Type (EM1 = Eval Module, EZ4 = EZ-430

Module)

6 Firmware (EZ4 only) (A = Access Point, E = End Point, X = Custom (or no firmware)

To view the entire available family of AIR Modules & Development options, please visit our website at:

http://www.anaren.com/content/File/AIR/AIRoverview.cfm



PLEASE NOTE: Additional information on the Texas Instruments CC2500 Development Kit can be found in the company's latest datasheet release at http://www.ti.com



Caution! ESD sensitive device. Precautions should be used when handling the device in order to prevent permanent damage.







What'll we think of next?®

Anaren, Inc. / 6635 Kirkville Road / East Syracuse, NY 13057 800.411.6596 / http://www.anaren.com / air@anaren.com