






10	9	8	7	6	5	4	3	2	1	71629
ENGINEERING NO.	PART NO.	DESCRIPTION								
71629-3000	71629-3000	INTERNAL THREADS								
71629-4000	71629-4000	LEAD-IN COUNTERSINK								



71629-4000:
Countersink .050 x 45°



- NOTES:
1. MATERIAL: COLD DRAWN STEEL.
 2. FINISH: NICKEL PLATED.
 3. MAXIMUM APPLIED BODY TORQUE: 5 IN-LBS.
 4. SOCKET SIZE: 3/16 IN.
 5. TO BE BULK PACKED IN A BAG WITH A QUANTITY OF 500 PARTS PER BAG

ADD NOTE 5 EC NO: LCP2008-0088 DRAWN BY: RARRA 2007/07/26 CHECKED BY: CHYKUNO 2007/08/06 APPROVED BY: MILLER 2007/08/08	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE INCH ONLY		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
	▽=0	mm	INCH	DRAWN BY	DATE	TITLE		
	▽=0	4 PLACES ±---	±---	MOS	1993/03/11	GUIDE SLEEVE LFH CONNECTOR SYSTEM		
		3 PLACES ±---	±.010	CHECKED BY	DATE			
		2 PLACES ±---	±---	BIXLER	1993/03/11			
	1 PLACE ±---	±---	APPROVED BY	DATE	MOLEX INCORPORATED			
		ANGULAR ±1/2°	BIXLER	1993/03/11	DOCUMENT NO. SDA-71629-****			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. SEE TABLE		STEEL NO. 1 OF 1			
			SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			