



- NOTES:
 1. MATERIAL: SEE TABLE.
 2. FINISHES: SEE TABLE.
 3. PRODUCT SPECIFICATION: NOT REQUIRED.
 4. 'XX' REFERS TO QUANTITY OF CIRCUITS.
 5. ROHS COMPLIANT.

7	XX	TERMINAL TURRET 6C SN/B (STYLE 2) (B)	BRASS	TIN PLATE
6	XX	SCREW, #6-32 X .250 PAN HEAD PH-SL W/SQ WASHER (-50 OPT.)	STEEL	ZN, CLEAR CHROMATE
5	XX	SCREW, #6-32 X .250 PAN HEAD PHIL-SLOT (-49 OPT.)	BRASS	NICKEL PLATE
4	XX	SCREW, #6-32 X .250 PAN HEAD PHIL-SLOT (-47 OPT.)	STEEL	ZN, CLEAR CHROMATE
3	XX	SCREW, #6-32 X .250 BINDING HEAD PHIL-SLOT (STD)	STEEL	ZN, CLEAR CHROMATE
2	XX	TERMINAL, STYLE 3, WW	BRASS	TIN PLATE
1	1	INSULATOR, MOLDED MTG. INSUL. BASE	THERMOPLASTIC	BLACK

ADD OPTION STYLE #2 TERM.
 EC NO: WNA-2008-0035
 DRWN: JENCINAS 2008/02/17
 CHYD: CYORK 2008/02/17
 APPR: JMACNEIL 2008/02/17

QUALITY SYMBOLS
 ▽=0
 ▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± .005	± .0005
3 PLACES	± .005	± .0005
2 PLACES	± .013	± .001
1 PLACE	± .03	± .001
ANGULAR ± 2 °		

DRAFT WHERE APPLICABLE
 MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE MM/IN

DRAWN BY CYORK DATE 2005/08/16

CHECKED BY DATE

APPROVED BY DATE

MATERIAL NO. SEE CHART

SIZE B

SCALE 2:1

DESIGN UNITS INCH

THIRD ANGLE PROJECTION

TITLE SR BTS PCINSUL ASSY 11.11MM .438" CENTERS

MOLEX INCORPORATED

DOCUMENT NO. SD-38730-002

SHEET NO. 1 OF 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

# OF CIRC. "XX"	DIM. "A"	DIM. "B"	DIM. "C"	DIM. "D"	MATERIAL NO. (STD)	MATERIAL NO. (-47)	MATERIAL NO. (-49)	MATERIAL NO. (-50)	MATERIAL W/TERMINAL STYLE# 2	MATERIAL # TERM. STYLE 2 OPTION -49
02	43.5 [1.71]	11.1 [4.38]	33.34 [1.313]	24.5 [0.97]	387304602	387305502	387304902	387305202	387303102	387303402
03	54.6 [2.15]	22.23 [875]	44.45 [1750]	35.7 [1.40]	387304603	387305503	387304903	387305203	387303103	387303403
04	65.7 [2.59]	33.34 [1.313]	55.56 [2.188]	46.8 [1.84]	387304604	387305504	387304904	387305204	387303104	387303404
05	76.8 [3.03]	44.45 [1.750]	66.68 [2.625]	57.9 [2.28]	387304605	387305505	387304905	387305205	387303105	387303405
06	87.9 [3.46]	55.56 [2.188]	77.79 [3.063]	69.0 [2.72]	387304606	387305506	387304906	387305206	387303106	387303406
07	99.1 [3.90]	66.68 [2.625]	88.90 [3.500]	80.1 [3.15]	387304607	387305507	387304907	387305207	387303107	387303407
08	110.2 [4.34]	77.79 [3.063]	100.01 [3.938]	91.2 [3.59]	387304608	387305508	387304908	387305208	387303108	387303408
09	121.3 [4.78]	88.90 [3.500]	111.13 [4.375]	102.3 [4.03]	387304609	387305509	387304909	387305209	387303109	387303409
10	132.4 [5.21]	100.01 [3.938]	122.24 [4.813]	113.4 [4.47]	387304610	387305510	387304910	387305210	387303110	387303410
11	143.5 [5.65]	111.13 [4.375]	133.35 [5.250]	124.6 [4.90]	387304611	387305511	387304911	387305211	387303111	387303411
12	154.6 [6.09]	122.24 [4.813]	144.46 [5.688]	135.7 [5.34]	387304612	387305512	387304912	387305212	387303112	387303412
13	165.7 [6.53]	133.35 [5.250]	155.58 [6.125]	146.8 [5.78]	387304613	387305513	387304913	387305213	387303113	387303413
14	176.8 [6.96]	144.46 [5.688]	166.69 [6.563]	157.9 [6.22]	387304614	387305514	387304914	387305214	387303114	387303414
15	188.0 [7.40]	155.58 [6.125]	177.80 [7.000]	169.0 [6.65]	387304615	387305515	387304915	387305215	387303115	387303415
16	199.1 [7.84]	166.69 [6.563]	188.91 [7.438]	180.1 [7.09]	387304616	387305516	387304916	387305216	387303116	387303416
17	210.2 [8.28]	177.80 [7.000]	200.03 [7.875]	191.2 [7.53]	387304617	387305517	387304917	387305217	387303117	387303417
18	221.3 [8.71]	188.91 [7.438]	211.14 [8.313]	202.3 [7.97]	387304618	387305518	387304918	387305218	387303118	387303418
19	232.4 [9.15]	200.03 [7.875]	222.25 [8.750]	213.5 [8.40]	387304619	387305519	387304919	387305219	387303119	387303419
20	243.5 [9.59]	211.14 [8.313]	233.36 [9.188]	224.6 [8.84]	387304620	387305520	387304920	387305220	387303120	387303420
21	254.6 [10.03]	222.25 [8.750]	244.48 [9.625]	235.7 [9.28]	387304621	387305521	387304921	387305221	387303121	387303421
22	265.7 [10.46]	233.36 [9.188]	255.59 [10.063]	246.8 [9.72]	387304622	387305522	387304922	387305222	387303122	387303422
23	276.9 [10.90]	244.48 [9.625]	266.70 [10.500]	257.9 [10.15]	387304623	387305523	387304923	387305223	387303123	387303423
24	288.0 [11.34]	255.59 [10.063]	277.81 [10.938]	269.0 [10.59]	387304624	387305524	387304924	387305224	387303124	387303424
25	299.1 [11.78]	266.70 [10.500]	288.93 [11.375]	280.1 [11.03]	387304625	387305525	387304925	387305225	387303125	387303425
26	310.2 [12.21]	277.81 [10.938]	300.04 [11.813]	291.2 [11.47]	387304626	387305526	387304926	387305226	387303126	387303426
27	321.3 [12.65]	288.93 [11.375]	311.15 [12.250]	302.4 [11.90]	387304627	387305527	387304927	387305227	387303127	387303427
28	332.4 [13.09]	300.04 [11.813]	322.26 [12.688]	313.5 [12.34]	387304628	387305528	387304928	387305228	387303128	387303428
29	343.5 [13.53]	311.15 [12.250]	333.38 [13.125]	324.6 [12.78]	387304629	387305529	387304929	387305229	387303129	387303429
30	354.6 [13.96]	322.26 [12.688]	344.49 [13.563]	335.7 [13.22]	387304630	387305530	387304930	387305230	387303130	387303430

SEE SHEET #1 EC NO. WNA2008-0035 DRAWN: JENC INAS 2008/02/12 CHKD: CYORK 2008/02/12 APPR: JMACNEIL 2008/02/12	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 2:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		
		4 PLACES ± --- ± --- 3 PLACES ± --- ± .005 2 PLACES ± .13 ± .01 1 PLACE ± .3 ± ---	mm INCH	DRAWN BY CYORK	DATE 2005/08/16	TITLE SR BTS PCINSUL ASSY 11.1MM .438" CENTERS				
		ANGULAR ± 2 °		CHECKED BY	DATE	APPROVED BY				DATE
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		MATERIAL NO.	DOCUMENT NO. SD-38730-002	MOLEX INCORPORATED		
				SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				SHEET NO. 2 OF 2	