


VS-PG11 (3- 7)

Order No.: 1688117

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1688117>

D-SUB cap nut with line seal, for conductor diameter of 3 mm ... 7 mm,
for sleeve housing VS-15-...

Commercial data

GTIN (EAN)	 4 017918 182274
sales group	D500
Pack	5 pcs.
Customs tariff	39269097
Catalog page information	Page 327 (PC-2009)

Product notes

WEEE/RoHS-compliant since:
02/01/2008



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**General data**

Color	gray
Type of the screw connection	Pg11

External cable diameter	3 mm ... 7 mm
Degree of protection	IP67
Ambient temperature (operation)	-40 °C ... 80 °C
Housing material	PA
Seal material	Neoprene
Inflammability class acc. to UL 94	V0

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;