




RECOMMENDED PCB PATTERN LAYOUT

NEW RELEASE EC NO: DRWN: QLZHANG 2005/01/27 CHKD: HARVEY APPR:	QUALITY SYMBOLS 0 0 0	GENERAL TOLERANCES (UNLESS SPECIFIED) 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.25 ± --- 1 PLACE ± 0.25 ± --- ANGULAR ± 3°	SCALE 3:1 DESIGN UNITS METRIC DIMENSION STYLE MM ONLY DRAWN BY QLZHANG DATE 2004/12/06 CHECKED BY DATE APPROVED BY DATE	THIRD ANGLE PROJECTION REVISE ON CAD ONLY TITLE SD MEMORY CARD CONN. ASS'Y(TOP MOUNT TYPE 1.8 MM STAND OFF, LEAD-FREE) MOLEX MOLEX INCORPORATED MATERIAL NO. 67840-8001 DOCUMENT NO. SD-67840-007 SHEET NO. 2 OF 3
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	A3	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			




NOTES:

1. NUMBER OF CONNECTORS: 250 PCS/REEL
- 2.



3. PEEL-OFF FORCE OF TOP TAPE: 0.1~1.3N (10.2~130gf)
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE.)
(PEEL-OFF SPEED:300mm/min REF)



NEW RELEASE EC NO: OLZHANG 2005/01/27 DRWN: OLZHANG CHKD: HARVEY APPR:	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	REVISE ON CAD ONLY	
	DESCRIPTION 0 0 0 REV		mm INCH	DIMENSION STYLE MM ONLY		TITLE	
		4 PLACES ± --- ± ---		DRAWN BY OLZHANG DATE 2004/12/06		SD MEMORY CARD CONN. ASS'Y(TOP MOUNT TYPE 1.8 MM STAND OFF, LEAD-FREE)	
		3 PLACES ± --- ± ---		CHECKED BY DATE		MATERIAL NO. 67840-8001 DOCUMENT NO. SD-67840-007 SHEET NO. 3 OF 3	
	2 PLACES ± 0.25 ± ---		APPROVED BY DATE		MOLLEX MOLEX INCORPORATED		
	1 PLACE ± 0.25 ± ---		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		