


ZBF 6:UNBEDRUCKT

Order No.: 0808710


The illustration shows versions ZBF 6- UNPRINTED, -LGS:CONSEC.NOS, -QR:CONSEC.NOS and -SO/CMS



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=0808710>

Zack strip, flat, unprinted: 10-section, for individual labeling with M-PEN or ZBF-T, sufficient for 100 terminal blocks, color: white

Commercial data

| | |
|--------------------------|--|
| GTIN (EAN) |  4 017918 180317 |
| sales group | B101 |
| Pack | 10 pcs. |
| Customs tariff | 39269097 |
| Catalog page information | Page 493 (CL-2009) |

Product notes

WEEE/RoHS-compliant since:
01/01/2005



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

| | |
|------------------------------------|--------------------------------|
| Width (a) | 6 mm |
| Color | white |
| Inflammability class acc. to UL 94 | V2 |
| Wipe resistance | DIN EN 61010-1 (VDE 0411-1) |
| Ambient temperature (operation) | -40 °C ... 100 °C |
| Components | free from silicone and halogen |

| | |
|----------|--------|
| Pitch | 6.2 mm |
| Material | PA |
| Pitch | 6.2 mm |

Accessories

| Item | Designation | Description |
|----------------|--------------|--|
| General | | |
| 5144709 | CMS-P1-M/ZBF | Plastic magazine for CMS-P1 plotter. Accepts 26 flat Zack strip or ZB strips |

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;