


ZB 4:SO/CMS

This product has been replaced by a newer version.

Order No.: 0805823

The illustration shows versions ZB 4- UNPRINTED, -LGS:CONSEC.NOS, -QR:CONSEC.NOS and -SO/CMS

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=0805823>



Zack strip, 10-section, divisible, special printing, marking according to customer requirements

Commercial data

GTIN (EAN)	 4 017918 138080
Note	Made-to-order
sales group	B109
Pack	1 pcs.
Customs tariff	39269097
Catalog page information	Page 426 (CL-2007)

Product notes

WEEE/RoHS-compliant since:
01/01/2003



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Width (a)	4 mm
Color	white
Inflammability class acc. to UL 94	V2
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
Ambient temperature (operation)	-40 °C ... 100 °C
Components	free from silicone and halogen

Pitch	4 mm
Material	PA
Pitch	4 mm

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;