Paladin Tools
OrimpALL
Series

**Crimp & Terminate** 

1530R


**8000 Series – Ergonomic crimper** that uses the same dies as the 1300 Series. Easiest crimper on the market to use – crimp with one hand effortlessly. Ultra-smooth ratchet design, rubber grip handles with reduced grip distance. Over 50 interchangeable die sets available.

P/N 8000 - Frame only

## 1300 Series -The original crimp frame


with interchangeable die sets. Ratcheted crimper with quick change EZI-CHANGE™ die screws. Precision crimping at an affordable price.

P/N 1302 - Frame only



P/N 1600 - Frame only





cut, strip & crimp *round and flat cables* for RJ45, RJ11/12 & RJ22 modular plugs. Ratcheted design.

**P/N 1556** for WE/SS-style **P/N 1557** for AMP-style plugs



P/N 1530R for WE/SS-style P/N 1540 for AMP-style




## SealTite® Pro Crimper -

easily crimps **all** compression connectors with a **single** tool! Head reverses to accommodate CATV "F", BNC & RCA connectors eliminating need for additional attachments. Thumb screw adjusts crimp height. Advanced ratchet system & comfortable rubber-embedded handles.

P/N 1555





## 1300 SERIES CRIMP TOOL

The 1300 Series Crimp tool is comprised of a universal tool frame and a comprehensive range of interchangeable dies. Designed for most popular interconnect applications this fully ratcheting tool utilises hardened dies for long life. A high impact storage case is available for the frame and selected dies.

## Crimp Size (mm)

|          | $\overline{\bigcirc}$ | <u>~</u>     | Ŏ       | ()<br>z | •        |      |  |
|----------|-----------------------|--------------|---------|---------|----------|------|--|
| Part No. | <b>A</b>              | $\checkmark$ | Ŷ       | ♦       | <u> </u> | \$   | Application                                  |
|          |                       |              |         |         |          |      | COAX   |
| 2027     |                       |              |         |         | 5.33     | 1.24 | RG58, BNC, TNC, AMP                          |
| 2028     |                       |              |         |         | 6.30     | 1.24 | RG59, 62AU, BNC, TNC, AMP                    |
| 2034     | 6.50                  | 5.41         | 1.73    |         |          |      | RG58, 59, 62AU, BNC, TNC                     |
| 2039     | 10.54                 |              | 2.41    |         |          |      | N Type for RG8, 11, 213, 216 cable.          |
| 2041     | 8.00                  | 5.79         | 1.73    |         |          |      | Cambridge CP88 and CP89                      |
| 2042     | 8.78                  | 8.00         | 6.50    | 1.07    |          |      | F Type for RG6, 59 cable.                    |
| 2046     | 5.41                  | 4.52         | 1.73    | 1.07    |          |      | RG58, 174, 50 and 75 ohm.                    |
| 2047     | 8.00                  | 6.40         | 1.73    | 2.00    |          |      | RG59, 828, 50 and 75 ohm.                    |
| 2050     | 10.21                 |              | 2.39    |         |          |      | RG8, BNC                                     |
| 2051     | 4.52                  | 3.25         | 1.73    |         |          |      | RG174  |
| 2075     | 8.25                  | 5.46         | 1.65    |         |          |      | RG58, 59, 62 teflon BNC, TNC.                |
| 2076     | 8.13                  | 5.33         | 4.70    |         |          |      | RG6, 58, BNC (Amphenol & Kings)              |
| 2084     | 10.90                 |              | 2.54    |         |          |      | N Type RG213 Amphenol                        |
|          |                       |              |         |         |          |      | TERMINALS & SPLICES                          |
| 2029     |                       |              |         |         |          |      | 14-26 AWG Terminal & Splices insulated       |
| 2031     |                       |              |         |         |          |      | 14-22 AWG Terminal & Splices non-insulated   |
| 2033     |                       |              |         |         |          |      | 14-22 AWG Open barrel non-insulated contacts |
| 2035     |                       |              | <b></b> |         |          |      | 14-22 AWG Terminal & Splices insulated       |
| 2040     |                       |              |         |         |          |      | 14-22 AWG Terminal & Splices insulated max   |
|          |                       |              |         |         |          |      | FIBRE OPTIC                                  |
| 2043     | 5.46                  | 4.52         | 3.83    |         |          |      | Universal fibre optic.                       |
|          |                       |              |         |         |          |      | TELEPHONE PLUGS                              |
| 2061     |                       |              |         |         |          |      | RJ45 Stewart/WE type                         |
| 2062     |                       |              |         |         |          |      | RJ11 Stewart/WE type                         |
| 2063     |                       |              |         |         |          |      | Handset We type                              |
| 2064     |                       |              |         |         |          |      | RJ45 AMP                                     |
| 2065     |                       |              |         |         |          |      | RJ11 AMP                                     |
|          |                       |              |         |         |          |      | RJII DEC-MMJ AMP                             |
| 2067     |                       |              |         |         |          |      |  |

| Part No.  | Description       |  |
|-----------|-------------------|--|
| 1302      | 1300 Tool Frame   |  |
| 9582.1920 | 1300 Storage Case |  |