




## PANDUIT LS3E HAND HELD PRINTER

**FEATURES:** Prints wire markers and labels in widths from 1/4" to 1-1/2" in a variety of materials, including self-laminating vinyl, vinyl cloth, and heat shrink tubing. Versatile way to identify wires, cables, terminal blocks, and components.

### PRINTER AND ACCESSORIES



Cat. No.	Description	Net Price
LS3E	Includes printer, battery pack, battery charger, printer ribbon, wrist strap, and operators manual.	\$629.00
LS3EKIT	Includes all components of LS3E printer shown above plus LS3EAK-S AC adapter and carrying case.	749.00
LS3-RIB	Replacement printer ribbon.	17.94
LS3E-BP	Replacement battery pack.	134.86
LS3EC-S	Replacement battery charger.	76.44
LS3E-MAN-A	Replacement operators manual (English).	21.65
LS3EACS	1 each: universal AC adapter, battery charging pack and power cord; to power LS3E directly from power outlet and charge battery pack at the same time.	194.65
LS3EAKS	1 each: universal AC adapter and power cord; to power LS3E directly from power outlet.	103.74
LS3-BS	Optional belt strap.	98.91
LS3CASE	Optional carrying case.	57.41



## LS3E HAND-HELD PRINTER ASSET/QUALITY ASSURANCE LABELS

**MATERIAL:** LC-38 and LC-41: Polyester. LC-39 and LC-40: Vinyl cloth.



Cat. No.	Label Code	Width A Inches	Length B Inches	Colour (Legend/Background)	Labels Per Row	Net Price Per Roll
LC-38	3611	1.50	0.75	Black/Silver	250	\$63.12
LC-39	3811	1.50	0.75	Green/White	250	63.12
LC-40	3813	1.50	0.75	Black/White	250	63.12
LC-41	3617	1.50	0.75	Black/Silver	250	43.32



## LS3E HAND-HELD PRINTER TERMINAL BLOCK LABELS

Used to make on-demand terminal block label strips. 35 ft. (10.7mm) continuous roll. **MATERIAL:** White vinyl cloth.

Cat. No.	Label Code	Width A Inches	Length B Inches	Labels Per Row	Net Price Per Roll
LC-14	0900	0.31	35	1	\$39.61
LC-15	1000	0.38	35	1	39.79



LWS-11P

LC-6

## LS3E HAND-HELD PRINTER LAMINATED LABEL

Print and apply top white label and overlaminates with clear bottom label. Label Code: 3819. Labels per roll: 100. **MATERIAL:** GMV3 Vinyl.

Cat. No.	Print-On Label Size A x B Inches	Overlaminates Label Size A x C Inches	Normal Text**		Net Price Per Roll
			Lines Per Label	Characters Per Line	
LWS-11P	1.50 x 0.75	1.50 x 1.75	5	16	\$34.87



\*\*Similar information for other text sizes provided in LS3E manual.

## LS3E HAND-HELD PRINTER COMPONENT LABELS

Available in a wide range of sizes. **MATERIAL:** White vinyl cloth.


Cat. No.	Label Code	Width A Inches	Length B Inches	Normal Text**		Labels Per Roll	Net Price Per Roll
				Lines Per Label	Characters Per Line		
LC-6	1307	0.50	0.28	1	4	500	\$29.74
LC-3	1313	0.50	0.50	3	4	500	37.99
LC-7	2507	1.00	0.28	1	10	500	34.13
LC-9	2510	1.00	0.40	2	10	500	42.55
LC-10	2513	1.00	0.50	3	10	500	42.53
LC-4	2519	1.00	0.75	5	10	250	29.71
LC-2	2525	1.00	1.00	7	10	250	32.31
LC-8	3807	1.50	0.28	1	16	500	38.81
LC-11	3813	1.50	0.50	3	16	500	47.79
LC-5	3819	1.50	0.75	5	16	250	27.46
LC-1	3832	1.50	1.25	9	16	250	41.03

\*\*Similar information for other text sizes provided in LS3E manual.



Standard

Butt-Cut




## LS3E HAND-HELD PRINTER WIRE MARKER LABELS HEAT SHRINK TUBING FOR PERMANENT WIRE AND CABLE IDENTIFICATION

Service temperature range: -22°F to 220°F (-30°C to 105°C). Shrink Ratio: 3:1 @ 212°F (100°C). Flammability: Meets U.L. Standard 224 for flammability. Colour: White. **MATERIAL:** Flattened Polyolefin.

Cat. No.	Label Code	Width A Inches	Markers Per Row	Normal Text**		Markers Per Roll	Net Price
				Lines Per Label	Characters Per Line		
<b>OUTSIDE CABLE DIAMETER RANGE—0.04"—0.13"</b>							
LHSW-1	T206	0.50*	2	1	4	200	\$28.71
LHSW-2	T106	1.00	1	1	10	100	29.23
<b>OUTSIDE CABLE DIAMETER RANGE—0.06"—0.19"</b>							
LHSW-6	T208	0.50*	2	2	4	200	43.60
LHSW-7	T108	1.00	1	2	10	100	47.94
<b>OUTSIDE CABLE DIAMETER RANGE—0.08"—0.25"</b>							
LHSW-3	T211	0.50*	2	2	4	200	39.52
LHSW-4	T111	1.00	1	2	10	100	39.52
<b>OUTSIDE CABLE DIAMETER RANGE—0.17"—0.50"</b>							
LHSW-5	T121	1.00	1	5	10	100	67.76

\*Denotes but-cut label, 2 half-wide marker strips.

\*\*Similar information for other text sizes provided in LS3E manual. Comes in yellow also, add suffix Y in place of W in Cat. No. ex: LHSY-1.




## LS3E HAND-HELD PRINTER WIRE MARKER LABELS

Can be used as wrap-around or flag style markers. Can also be used for component labeling. **MATERIAL:** White vinyl cloth.

Cat. No.	Label Code	Width A Inches	Length B Inches	Normal Text**		Labels Per Roll	Net Price Per Roll
				Lines Per Label	Characters Per Line		
LW-4	1319	0.50	0.75	5	4	250	\$24.98
LW-6	2519	0.50*	0.75	5	4	500	36.27
LW-3	1325	0.50	1.00	7	4	250	27.04
LW-1	1332	0.50	1.25	9	4	250	29.06
LW-5	2532	0.50*	1.25	9	4	500	40.24
LW-2	2532	1.00	1.25	9	10	250	34.77

\*Denotes but-cut label, 2 half-wide marker strips.

\*\*Similar information for other text sizes provided in LS3E manual.



## LSE3 HAND-HELD PRINTER WIRE MARKER LABELS

Designed to identify all sizes of wires and cables quickly and economically. Clear overlaminates protect legend. Cat. Nos. shown have white print-on area. Multiple across labels available.

## DIMENSIONS

Cat. No.	Total Area A x B Inches	Print-On Area A x B Inches	Outside Cable Diameter Range Inches
LWS-6	0.50 x 0.75	0.50 x 0.38	0.12-0.12
LWS	0.50 x 0.75	0.50 x 0.38*	
LWS-7	1.00 x 0.75	1.00 x 0.38	
LWS-4	0.50 x 1.00	0.50 x 0.38	0.12-0.20
LWS-5	1.00 x 1.00	1.00 x 0.38	0.12-0.20
LWS-1	0.50 x 1.25	0.50 x 0.50	0.16-0.24
LWS-9	0.50 x 1.25	0.50 x 0.50*	0.24-0.56
LWS-2	1.00 x 1.25	1.00 x 0.50	
LWS-3	1.50 x 1.25	1.50 x 0.50	
LWS-10	1.00 x 2.50	1.00 x 0.75	0.32-0.95
LWS-11	1.50 x 2.50	1.50 x 0.75	
LWS-12	1.00 x 4.00	1.00 x 1.00	
LWS-13	1.50 x 4.00	1.50 x 1.00	0.32 x 1.59
LWS-14	1.00 x 6.00	1.00 x 1.00	
LWS-14	1.00 x 1.25	1.00 x 0.05	

\*Denotes but-cut label, 2 half-wide marker strips.


Cat. No.	Label Code	Normal Text**		Labels Per Roll	Net Price
		Lines Per Label	Characters Per Line		

## VINYL MATERIAL (INDOOR APPLICATIONS)

LWS-6	1310	2	4	250	\$19.94
LWS-8	2510	2	4	500	34.53
LWS-7	2510	2	10	250	26.55
LWS-4	1310	2	4	250	23.65
LWS-5	2510	2	10	250	29.06
LWS-1	1313	3	4	250	23.45
LWS-9	2513	3	4	500	39.50
LWS-2†	2513	3	10	250	31.15
LWS-3	3813	3	16	250	37.41
LWS-10†	2519	5	10	100	22.27
LWS-11	3819	5	16	100	27.74
LWS-12†	2525	7	10	100	26.73
LWS-13	3825	7	16	100	35.93
LWS-14	2525	7	10	10	49.37

\*\*Similar information for other text sizes provided in LS3E manual.

†Other colours available, add suffix YL = Yellow, RD = Red, BU = Blue, GR = Green, IG = Grey, OR = Orange, PR = Purple and BR = Brown to Cat. No. ex: LWS-6YL.



## LS3E HAND-HELD PRINTER WIRE MARKER STRIPS

Eliminate the carrying costs, shelf-life and inventory concerns of preprinted marker cards. Marker strips are perforated so they can be used as full size or half size markers in wraparound or flag style. Custom firmware for fast and easy on-site wire marking. Backscore on liner makes strips easy to remove and apply. **MATERIAL:** White vinyl cloth.

Cat. No.	Label Code	Width A Inches	Length B Inches	Normal Text**		Labels Per Roll	Net Price Per Roll
				Lines Per Label	Characters Per Line		
L3PCM36	W107/W207	1.50	0.25	3/6	1	500	\$48.28
L3PCM25	W109/W209	1.50	0.36	3/6	2	500	56.01
L3PCM18	W113/W213	1.50	0.50	3/6	4	500	66.02

\*\*Similar information for other text size provided in LS3E manual.



## PANDUIT VIPER™ LS6 THERMAL TRANSFER PORTABLE PRINTER

**FEATURES:** Crisp 203 dpi thermal transfer printer for professional looking labels with no smearing. Automatically recognizes label size and adjusts printer settings to eliminate wasted setup time. Tracks number of labels remaining on the roll and warns operator if there are not enough labels on the roll to finish a print job. Nickel Metal Hydride battery provides battery life, is less susceptible to memory effect, and is more environmentally friendly. AC adapter included so you can start printing right out of the box. Internal overnight battery charger built into printer. Fast loading ribbon cartridge lets you slide, lock and go! —No difficult ribbon threading. 128K file memory reduces setup time by recalling frequently used labels. Large, ergonomic input keys are easy to find and manipulate. Rugged mechanical cutter—no need for scissors. Annunciator sounds after each key stroke to improve data entry speed and accuracy. Bi-directional feeding automatically feeds label forward for cutting and automatically reverse feeds to eliminate wasted label stock. Handy calculator function included. PCMCIA Card factory upgradeable. Size: H 6.2" x W 4.9" x L 13.8". Weight: 4.1 lbs. Display: 3.0" x 1.5" tall graphics screen display. Keyboard: 49 colour coded keys with ergonomically designed keypad.

### PRINTER AND ACCESSORIES

Cat. No.	Description	Net Price
LS6-KIT	Includes printer, LS6-RWBLK ribbon, battery pack, 120VAC adapter/charger, hardside case and operator's manual.	\$1242.25
LS6-RWBLK	Wax ribbon, black 2" x 100' for use with self-laminating, heat shrink and vinyl cloth materials.	40.60
LS6-RRBLK	Resin ribbon, black 2" x 100' for use with polyester, polyolefin and vinyl materials.	40.60
LS6-RRWHT	Resin ribbon, white, 2" x 100' for use with clear polyester tape.	55.83
LS6-BP	Replacement battery pack.	111.25
LS6-ACS	Replacement 120VAC adapter/charger.	111.25
LS6-ACE	Optional Euro 230VAC adapter/charger.	163.70
LS6-ACU	Optional U.K. 240 VAC adapter/charger.	163.70
LS6-ACA	Optional Australia 240VAC adapter/charger.	163.70
LS6-PCKIT	PC interface kit series cable and ViperLink™ software.	73.79
LS6-CLN	Package of 5 printer cleaning cards.	19.63

## SELF-LAMINATING LABELS FOR WIRE AND CABLE, FOR USE WITH MODEL LS6

Vinyl material with white print-on area. Clear overlaminates protect legend. Print with LS6-RWBLK wax ribbon.

Cat. No.	Label Width x Height A x B (Inches)	Print-On Height C (Inches)	Typical Electrical (THHN)	Labels/ Roll	Net Price Per Roll
TWS-6V	0.50x0.75	0.38	12 AWG	500	\$37.47
TWS-7V	1.00x0.75	0.38	12 AWG	200	32.29
TWS-4V	0.50x1.00	0.38	12-10 AWG	400	39.81
TWS-5V	1.00x1.00	0.38	12-10 AWG	250	35.56
TWS-1V	0.50x1.25	0.50	8 AWG	350	48.85
TWS-2V	1.00x1.25	0.50	8 AWG	250	45.61
TWS-3V	1.50x1.25	0.50	8 AWG	250	47.22
TWS-40V	2.00x1.50	0.50	8-6 AWG	250	92.82
TWS-10V	1.00x2.50	0.75	6 AWG-2/0	100	27.50
TWS-11V	1.50x2.50	0.75	6 AWG-2/0	100	36.19
TWS-13V	1.50x4.00	1.00	4 AWG-500 MCM	100	43.94

## HEAT SHRINK LABELS FOR WIRE AND CABLE, FOR USE WITH MODEL LS6

Flattened polyolefin material. Service temperature range: -22°F to 220°F (-30°C to 105°C). Shrink ratio 3:1 @ 212°F (100°C). Flammability meets UL Standard 224 for flammability. Colour: White. Print with LS6-RWBLK wax ribbon.

Cat. No.	Tubing O.D. In. (mm)	Label Width x Height A x B (Inches)	Typical Electrical (THHN)	Labels/ Roll	Net Price Per Roll
THSW-1*	0.13	0.50x0.25	18-12 AWG	200	\$36.24
THSW-2	0.13	1.00x0.25	18-12 AWG	100	36.24
THSW-6*	0.19	0.50x0.34	18-10 AWG	200	42.03
THSW-7	0.19	1.00x0.34	18-10 AWG	100	42.03
THSW-3*	0.25	0.50x0.44	18-8 AWG	200	49.23
THSW-4	0.25	1.00x0.44	18-8 AWG	100	49.23
THSW-5	0.50	1.00x0.84	8-1 AWG	10	82.99

\*Indicates butt-cut style label.

## WIRE AND CABLE LABELS FOR USE WITH MODEL LS6

Wrap around or flat wiring for effective identification. Vinyl cloth material. Colour White. Print with LS6-RWBLK wax ribbon.

Cat. No.	Label Width x Height A x B (Inches)	Labels/Roll	Net Price Per Roll
TW-4C	0.50x0.75	250	\$45.61
TW-6C*	0.50x0.75	500	48.16
TW-2C	1.00x1.25	250	53.50

\*Indicates butt-cutt style label.

## COMPONENT LABELS FOR USE WITH LS6

Property control, inventory tracking, product identification. Available in polyester for permanent applications. Colour: White. Print vinyl cloth labels with LS6-RWBLK wax ribbon. Print polyester labels with LS6-RRBLK resin ribbon.

Cat. No.	Label Width x Height A x B (Inches)	Material	Labels/ Roll	Net Price Per Roll
TC-19Y	0.65x0.20	Polyester	750	\$41.46
TC-17Y	1.00x0.38	Polyester	500	41.87
TC-10C	1.00x0.50	Vinyl Cloth	500	55.89
TC-4C	1.00x0.75	Vinyl Cloth	250	38.05
TC-11Y	1.50x0.50	Polyester	500	46.45
TC-16Y	2.00x0.25	Polyester	250	46.03

## TERMINAL BLOCK LABELS FOR USE WITH LS6

Polyolefin material. Colour: White. Print with LS6-RRBLK resin ribbon.

Cat. No.	Label Width A (Inches)	Roll Length B (Feet)	Labels/ Roll	Net Price
TCT-13PO	0.24	30	1	\$42.30
TCT-14PO	0.31	30	1	43.43
TCT-15PO	0.38	30	1	44.18



## PANDUIT PANACEA™ LS7 THERMAL TRANSFER PRINTER AND CASSETTES

The PANACEA™ LS7 Hand-Held Thermal Transfer printer is the solution for your network labeling. This printer is designed for fast and easy TIA/EIA-606-A compliant labeling. **FEATURES:** High quality labels that stay where you put them and won't smear. Mark patch panels, faceplates, components, and cable with precision. Fast loading cassettes and simple operation. Affordable and feature abundant.

Cat. No.	Description	Net Price
LS7	Includes printer, 3/4" non-laminated black/white cassette, hardside carrying case, wrist strap, 6AA alkaline batteries, label separator tool, and operator's manual	\$286.25
LS7-ACS	120 VAC Adapter*	60.00
LS7-CLN	Cleaning Cassette	49.28

\*Cannot be used to recharge batteries.

## LAMINATED ADHESIVE\* LABEL CASSETTES FOR MODEL LS7

For flat applications only. Laminated materials provide resistance to abrasion, chemicals, and UV exposure.

Cat. No.	Colour	Width (Inches)	Length (Feet)	Applications	Net Price
LS7-25-1	Black/White	1/4	26.2	110 punchdown blocks, patch panels	\$30.89
LS7-25-2	Black/Clear	1/4	26.2		30.89
LS7-38-1	Black/White	3/8	26.2	Faceplates, junction boxes, patch panels	33.85
LS7-38-2	Black/Clear	3/8	26.2		33.85
LS7-50-1	Black/White	1/2	26.2	Pathways, racks spaces	33.85
LS7-50-2	Black/Clear	1/2	26.2		33.85

\*Liner can be left on for non-adhesive applications.

## NON-LAMINATED ADHESIVE LABEL CASSETTES FOR MODEL LS7

Ideal for marking cables and flat label applications.

Cat. No.	Colour	Width (Inches)	Length (Feet)	Applications	Net Price
LS7-75NL-1	Black/White	3/4	26.2	Cables, pathways, racks, spaces	\$38.61
LS7-75NL-2	Black/Clear	3/4	26.2		38.61



## PANDUIT TDP43M THERMAL TRANSFER DESKTOP PRINTER

**FEATURES:** Compact lightweight design enables use in office or remote locations. 300 dpi thermal transfer printer creates crisp, clear legends with superior legibility. Up to 2.00" per second print speed for fast label production. Use to print a wide variety of self-laminating labels, component labels, non-laminated labels, continuous tapes and heat shrink labels up to 4.00" wide. Easy-Mark™ labeling software and hybrid ribbon included with printer. Compatible with most standard PCs and Panduit® Easy-Mark™ or Pan-Mark® 2.5 for WINDOWS labeling software.

Cat. No.	Description	Net Price
TDP43M	300 dpi printer; includes printer, Panduit® Easy-Mark™ labeling software, RMH4BL hybrid black ribbon, AC power adapter with US and Europlug power cords, manual and quick start card.	\$1813.59

## TDP43M THERMAL TRANSFER LABELS

Cat. No.	Material	Size HxW (Inches)	Colour	Labels Per Roll	Price Per 1000
C025X025KBT	Polyimide	.25 x .25	White	10000	\$52.01
C060X020TJT	Tedlar	.20 x .60			28.62
C025X025YJT	Polyester	.25 x .25			3.72
C038X038YJT	Polyester	.38 x .38			7.55
C038X038KBT	Polyimide	.38 x .38			43.26
C050X044CBT	Vinyl Cloth	.44 x .50			22.12
C050X044KBT	Polyimide	.44 x .50			85.40
C050X044YJT	Polyester	.44 x .50			9.92
C060X020KBT	Polyimide	.20 x .60			46.60
C060X020CBT	Vinyl Cloth	.20 x .60			21.68
C060X020YJT	Polyester	.20 x .60			7.50
C075X025CBT	Vinyl Cloth	.25 x .75			26.12
C075X025KBT	Polyimide	.25 x .75			65.04
C075X025YJT	Polyester	.25 x .75			7.50
C080X020YJT	Polyester	.20 x .80			7.50
C080X020KBT	Polyimide	.20 x .80			65.04
C100X025CBT	Vinyl Cloth	.25 x 1.00			47.48
C100X025KBT	Polyimide	.25 x 1.00			68.64
C100X025YJT	Polyester	.25 x 1.00			10.13
C100X050CBT	Vinyl Cloth	.50 x 1.00			51.03
C100X050YJT	Polyester	.50 x 1.00	16.20		
C150X075YJT	Polyester	.75 x 1.50	29.65		
C160X020CBT	Vinyl Cloth	.20 x 1.60	51.50		
C160X020KBT	Polyimide	.20 x 1.60	117.97		
C160X020YJT	Polyester	.20 x 1.60	45.97		
C200X050CBT	Vinyl Cloth	.50 x 2.00	70.91		
C200X050YJT	Polyester	.50 x 2.00	32.82		
C200X100YJT	Polyester	1.00 x 2.00	49.83		
C400X100CBT	Vinyl Cloth	1.00 x 4.00	283.60		
C400X100YJT	Polyester	1.00 x 4.00	96.36		
C400X200YJT	Polyester	2.00 x 4.00	192.93		
C400X400YJT	Polyester	4.00 x 4.00	385.43		

## TDP43M SELF-LAMINATING THERMAL TRANSFER LABELS. CLEAR OVERLAMINATE PROTECTS THE LEGEND FOR CLEAR AND DURABLE IDENTIFICATION

Cat. No.	Material	Size HxW (Inches)	Min. Cable O.D. (In.)	Print-On Area Height (In.)	Labels Per Roll	Price Per 1000
<b>COLOUR: WHITE</b>						
S100X075TAT	Tedlar	.75 x 1.00	.08	.25	2500	\$157.59
S100X125TAT	Tedlar	1.25 x 1.00	.12	.38	2500	167.69
S100X150TAT	Tedlar	1.50 x 1.00	.16	.50	2500	179.05
S100X225TAT	Tedlar	2.25 x 1.00	.24	.75	2500	224.70
S200X400TAT	Tedlar	4.00 x 2.00	.32	1.00	2500	896.99

Continued on next page....