


# RAD-ISM-2400-ANT-OMNI-6-0

Order No.: 2885919



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2885919>

Omni-directional antenna, degree of protection IP55, 6 dBi gain, linear vertical, N (female), impedance 50 ohms, apex angle h/v 360°/30°

Commercial data	
GTIN (EAN)	 4 046356 146319
sales group	H179
Pack	1 pcs.
Customs tariff	85177019
Catalog page information	Page 620 (IF-2009)

#### Product notes

WEEE/RoHS-compliant since:  
04/18/2008



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Technical data

General data	
Frequency range	2.4 GHz ... 2.5 GHz
Horizontal beamwidth	360 °
Vertical beamwidth	30 °
Impedance	50 Ω
Gain	6 dBi

Type of connection	N (female)
Degree of protection	IP55
Ambient temperature (operation)	-40 °C ... 75 °C
Ambient temperature (storage/transport)	-40 °C ... 75 °C
Width	22 mm
Height	250 mm

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact  
Technical modifications reserved;