


RAD-ISM-2400-ANT-OMNI-9-0

Order No.: 2867623

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2867623>

Omni-directional antenna, IP65 degree of protection, 9 dBi gain, linear vertical, N (female) connection, impedance 50 ohms, apex angle h/v 360°/15°

Commercial data

GTIN (EAN)	
sales group	H179
Pack	1 pcs.
Customs tariff	85177019
Catalog page information	Page 524 (IF-2007)

Product notes

WEEE/RoHS-compliant since:
09/03/2007



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**General data**

Frequency range	850/900/1800/1900/2100 MHz
	2.4 GHz
Horizontal beamwidth	360 °
Vertical beamwidth	15 °

Impedance	50 Ω
Gain	9 dBi
Type of connection	N (female)
Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 75 °C
Ambient temperature (storage/transport)	-40 °C ... 75 °C
Width	25 mm
Height	625 mm

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;