

Audio: XLB2



XLB2

The XLB2 is a general purpose audio connector used for low level circuit applications when EMI/RFI elimination is required. Available in 2 to 7 position plugs and receptacles. This is a cost reduced version of XLR series with metal shell. Black or silver color shell available.

Applications:

- Audio Mixers
- Microphones

Product Features:

- Separate ground contact.
- Streamlined shell design.

 www.ittcannon.com/cat338

Audio: XLB-PC



XLB-PC

The XLB-PC audio connector is a low-cost PCB mounting receptacle with plastic shell. Intermateable with both XLB2 and XLR products.

Applications:


- Audio Mixers
- Microphones

Product Features:

- Lightweight design.
- Easy installation.

 www.ittcannon.com/cat339

Audio: XLM-PC



XLM-PC

The XLM-PC audio connector is a PCB mount type with metal shell. Improved EMI shielding. Intermateable with XLB2 and XLR products.

Applications:

- Broadcasting Equipment
- Public Address (PA) System

Product Features:

- Separate ground contact.
- Space-saving (smaller shell).

 www.ittcannon.com/cat340

Audio: XLR



XLR

The XLR is the most reliable commercial audio connector available. It is used for high grade, professional use audio and other low level circuit applications. 2 to 7 position plugs and receptacles feature precision machined contacts, a shock absorbing resilient rubber insulator and a lightweight aluminum shell.

Applications:

- Audio Visual Equipment
- Broadcasting Equipment

Product Features

- Rugged design to withstand extreme field use.
- Quick disconnect latch lock.

 www.ittcannon.com/cat341