



TECHNICAL CHARACTERISTICS

MATERIAL
 CONTACT MATERIAL: COPPER ALLOY
 CONTACT TYPE: STAMPED
 CONTACT PLATING: TIN
 QUALITY CLASS: 25 MATING CYCLES
 PITCH: FOR 4.20MM

ENVIRONMENTAL
 OPERATING TEMPERATURE: -40 UP TO 105°C
 COMPLIANCE: LEAD FREE AND ROHS

ELECTRICAL
 CURRENT RATING: 6 TO 9A
 WORKING VOLTAGE: 600V AC
 INSULATOR RESISTANCE: >1000 MOHM
 DIELECTRIC WITHSTANDING VOLTAGE: 1500V AC/MN
 CONTACT RESISTANCE: 20 mOHM MAX

WIRE DIMENSION
 64900113722 AWG 22-16

DIMENSION

ORDER CODE	AWG	A	B	C	D
64900113722	22-16	4.00	4.40	2.50	2.25

PACKAGING
 BULK/LOOSE DELIVERY IN A BAG
 EACH CONTACT SEPARATED FROM EACH OTHER
 NOT ON A REEL
 100PCS/PER BAG. MULTIPLE OF 100PCS ONLY
 1PCS OF 64900113722DEC=1 CRIMP CONTACT
 SO 1 BAG MEANS 100 PCS OF 64900113722DEC

RoHS Compliant				PROJECTION: 	GENERAL TOLERANCE .X = +/- 0.2 .XX = +/- 0.15		DESCRIPTION: 4.2MM FEMALE CRIMP TERMINAL 22-16 AWG	SIZE
G								A4
F								
E								
D								
C				APPROVAL: RJ	UNIT: MM	WERI PART NO: 649 001 137 22 DEC		
B					SCALE:			
A	12-MAY-10	PDF	JP		SHEET: 1/1			
REV	DATE	FILE	BY		DRAW: MIKE			