Series 22 22mm x 30mm **IP65** 10A 400VAC









Choose one component from each of the colored sections to assemble a complete switch. For other options or further information please contact EAO Switch directly.

Product Profile

The Series 22 is a high quality switch range that includes pushbuttons, indicators, mushroom headed switches and key switches.

Options include:

Technical drawings see page 39

- IP65 Protection
- Switch Rating, 10A, 400VAC/DC
- Self cleaning snap-action switching elements.
- Mounting into 22 x 30mm cut out
- Illumination using T-13/4 Lamps or LED's
- The standard lenses are available in many different versions, transparent, opaque or translucent
- Screw terminal or plug-in connections



Indicator body raised, rectangular, black plastic



Illuminated pushbutton actuator, raised, rectangular, black plastic, screw terminals

Part No.	Part No.	Action	Contact type
22-040.001	22-211.011	Momentary	1NO
	22-212.011	Momentary	1NC
	22-213.011	Momentary	2N0
	22-214.011	Momentary	2NC
	22-215.011	Momentary	1NO/1NC
	22-221.011	Maintained	1NO
	22-222.011	Maintained	1NC
	22-223.011	Maintained	2N0
	22-224.011	Maintained	2NC
	22-225.011	Maintained	1NO/1NC

For complete switch also order 🍟 🛕



For complete switch also order 💆 🛕





Keylock switch



Keylock switch actuator, 2 position raised, rectangular, screw terminals



Q LED



LED, T-1 $^{3}/_{4}$ MG, single chip, 12 Volt and 28 Volt. Also available in 6 Volt, 24 Volt and 48 Volt.





Translucent lens, flat with white translucent diffuser for rectangular indicator and pushbutton actuators

Drawing	Part No.	Contact type	Key rem.	Color	Part No.	Voltage	Color	Part No.
1	22-331.111D	1NO	Α	Red	10-2J09.1062	12VAC/DC, 7/14mA	Red	22-901.2
1	22-331.311D	1NO	С	Yellow	10-2J09.1064	12VAC/DC, 7/14mA	Yellow	22-901.4
1	22-331.511D	1NO	A+C	Green	10-2J09.1065	12VAC/DC, 4/7mA	Green	22-901.5
1	22-333.111D	2N0	Α	-		· · · · · · · · · · · · · · · · · · ·		
1	22-333.311D	2N0	С	Blue	10-2J09.1066	12VAC/DC, 7/14mA	Blue	22-901.6
1	22-333.511D	2N0	A+C	O White	10-2J09.1069	12VAC/DC, 7/14mA	O White	22-901.9
1	22-335.111D	1NC/1NO	А	Red	10-2J13.1062	28VAC/DC, 7/14mA		
1	22-335.311D	1NC/1NO	С	Yellow	10-2J13.1064	28VAC/DC, 7/14mA		
1	22-335.511D	1NC/1NO	A+C			· · · · · · · · · · · · · · · · · · ·		
2	22-351.111D	1NO	A	Green	10-2J13.1065	28VAC/DC, 4/7mA		
2	22-353.111D	2N0	А	Blue	10-2J13.1066	28VAC/DC, 7/14mA		
2	22-355.111D	1NC/1NO	А	O White	10-2J13.1069	28VAC/DC, 7/14mA		

For complete switch also order



Series 22 22mm x 30mm **IP65** 400VAC 10A

> Choose one component from each of the colored sections to assemble a complete switch. For other options or further information please contact EAO Switch directly.





A Accessories Lens, opaque for rectangular Transparent lens, flat with white translucent Transparent lens, flat with white translucent pushbutton actuators, not for illumination diffuser for rectangular indicator and diffuser for rectangular indicator and pushbutton actuators pushbutton actuators Color Part No. Color Part No. Color Part No. Grey 22-901.8 Red 22-903.2 Red 22-905.2 Yellow 22-903.4 Yellow 22-905.4 Green Green 22-903.5 22-905.5 O Clear Blue 22-903.6 22-905.7 O Clear 22-903.7












Choose one component from each of the colored sections to assemble a complete switch. For other options or further information please contact EAO Switch directly.







Blanking plate


Lens remover for flat bezel, lens remover for raised bezel and LED and lamp remover

Part No.	Image	Part No.	Product description
22-949.0	1	02-905	Lens remover for flat bezel
	2	98-968	Lens remover for raised bezel
	3	51-996	LED remover
	4	02-906	Lamp remover




22 Indicator

Raised




22 Pushbutton

Illuminated, Raised



22 Keylock

2-Position, Raised



22 Cut-outs

For all Series 22

