



NOTE :  
 - MARKING "B" IS USED TO IDENTIFY "HP" TERMINAL  
 - CRIMPING SPECIFICATION ACCORDING TO CS-64322-001

ISKO COTES CARACTERISTIQUES SPECIALES  
 SPECIAL KEY CHARACTERISTICS  
 INDICATION DIMENSIONS S.P.C  
 DENOTES S.P.C DIMENSIONS  
 INDICATION DIMENSIONS CRITIQUES  
 DENOTES CRITICAL DIMENSIONS  
 INDICATION DIMENSIONS FONCTIONNELLES  
 DENOTES FUNCTIONAL DIMENSIONS  
 QUANTITE PAR FEUILLE INDIVIDUELLE  
 QUANTITY PER INDIVIDUAL SHEET  
 1 0 4 ISKO 0

2	BOX TERMINAL	STAINLESS STEEL thickness = 0.15 mm									
1	BODY TERMINAL	HIGH CONDUCTIVITY COPPER ALLOY thickness = 0.2mm									
MARK	DESIGNATION	MATERIAL									
0643221339	Au 127H MINI	Sn	Ni	0.75	2.5	2.4	0.6	3.3	2.8	0.75	0.119
0643221359	Au 127H MINI	Sn	Ni	0.50	2.3	2.2	0.6	3.1	2.6	0.75	0.117
0643221549	Au 127H MINI	Sn	Ni	0.22 TO 0.44	2.0	1.7	0.6	3.1	2.6	0.75	0.112
MATERIAL NUMBER	CONTACT AREA	CRIMPING AREA	UNDERLAYER	CRIMPING RANGE (mm <sup>2</sup> )	A±0.2	B±0.2	C <sup>+0.15</sup> <sub>-0.1</sub>	D±0.2	E±0.2	F±0.1	WEIGHT (g)

Revised Dwg. 2008/05/19 Drawn: JILLOU Checked: PAROLARI Appr.: LSTICKEIR 2008/05/19 2008/05/19 2008/05/19	QUALITY SYMBOLS 0	GENERAL TOLERANCES (UNLESS SPECIFIED): 2 PLACES ±0.10 3 PLACES ±0.15 2 PLACES ±0.10 1 PLACE ±0.1 ANGULAR ± 2°	DIMENSION STYLE MM ONLY	SCALE 10:1	DESIGN UNITS METRIC	FIRST ANGLE PROJECTION
	DRAWN BY VGUERIN	DATE 2007/04/18	CHECKED BY PAROLARI	DATE 2007/04/19	TITLE CP HP RCPT TRM 0.6	
	APPROVED BY LSTICKEIR	DATE 2007/04/20	MATERIAL NO. SEE CHART	DOCUMENT NO. SD-64322-002	SHEET NO. 1 OF 1	MOLEX INCORPORATED
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					