

DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
1423	A	RELEASED	HO	11/15/02	JWM	11/15/02	DJC	11/15/02



Specifications:

16-oz. static dissipative hand triggered spray bottle for dispensing liquids such as antistats, water or various cleaners. This spray bottle offers an average surface resistivity of 10^9 to 10^{10} Ohms and can dissipate a $\pm 5000V$ charge in less than 2 seconds at 40% relative humidity.

SPC-F004.DWG

<p>TOLERANCES: UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.</p>	<p>DRAWN BY: HISHAM ODISH</p>	<p>DATE: 11/15/02</p>	<p>DRAWING TITLE: ESD SAFE 16 OZ. SPRAY BOTTLE</p>			
	<p>CHECKED BY: JEFF MCVICKER</p>	<p>DATE: 11/15/02</p>	<p>SIZE A</p>	<p>DWG. NO. 1470</p>	<p>ELECTRONIC FILE 10N693.DWG</p>	<p>REV A</p>
	<p>APPROVED BY: DANIEL CAREY</p>	<p>DATE: 11/15/02</p>	<p>SCALE: NTS</p>		<p>U.O.M.: INCHES [mm]</p>	<p>SHEET: 1 OF 1</p>

ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY. DISCLAIMER: ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.