## Material Handling Productivity Solutions

















## Akro-Mils® Productivity Solutions

store, organize, transport & more!









## Ready, Set, Organize . . . & Save!

Akro-Mils is all about storage, organization and transport solutions that increase material handling efficiency and reduce costs in virtually any industry. Our broad range of products are used to shorten assembly times, maintain accurate inventories, optimize storage space and improve parts protection - all in support of Lean practices and other initiatives to increase productivity and profitability in any setting, from industrial to commercial to retail.

## **Simplify Organization**

Storage Bins - Replace the mess and expense of cardboard boxes with our wide selection of reusable bins. Simplify organization and maintain quality to improve efficiency in any operation.



## **Improve Handling Efficiency**

Hand-Held Containers – Reusable containers deliver flexibility and savings. From Attached Lid to Straight Wall styles, our selection matches your needs in any industry - industrial, distribution, healthcare and more!

## Maximize Space Usage

Bin Systems - Take back valuable floor space and improve storage efficiency with bin systems, including shelving, cabinets, racks, rails, carts and louvered panels.





## **Move With Efficiency**

work centers, carts, platform trucks and dollies to complement any warehouse or workflow system. We can customize to fit your unique needs.

Transport Systems - We offer a broad selection of

## Clean & Safe Work Environments

Waste Handling Systems - Durable, cost-effective carts provide years of dependable service for industrial waste collection and handling systems.





#### **Quality You Can Trust**



2

Manufactured under rigorous ISO 9001 standards, Akro-Mils products are quality tested to ensure they continuously meet your performance expectations. In doing so, they optimize productivity and, ultimately, customer satisfaction throughout the supply chain. Akro-Mils is proud of the quality and service awards from our customers, and we apply the recognition we receive to work toward continuous improvement.

## **Custom Products**

You can order a variety of custom products, **OEM solutions and unique merchandising** systems — all from Akro-Mils!



Our unrivaled production resources, dependable quality and dedicated customer service support provide custom solutions to meet your exact needs. With five thermoplastic molding processes, extensive metal and

wood fabrication and quality powder-coating, Akro-Mils can match your custom project to the most effective process for optimal performance and cost-efficiency. From product concept to final product design, your project will be guided in an efficient process that incorporates quality at every stage.

> To learn more, **call 800-253-2467** or visit www.akro-mils.com







## Storage Bins, Racks & Hanging Systems

- AkroBins®
- EarthSaver AkroBins®
- ProHANGER™
- Rail Hanging Systems
- Louvered Hanging Systems
- ReadySpace™ Storage System
- Shelf Bins
- ShelfMax<sup>™</sup> Bins
- EarthSaver<sup>™</sup> Shelf Bins

- Pick Rack Systems
- AkroDrawers<sup>™</sup>
- TiltView<sup>™</sup>
- VantageBins<sup>™</sup>
- 1800 Series AkroBins®
- ESD Containers
- Economy Bins
- System Bins™
- Easy Flow Gravity Hopper

## Heavy Duty Bins, Totes, Containers & Small Parts Storage

- Super-Size AkroBins®
- Stak-N-Store Bins
- Nest & Stack Totes
- Akro-Grids
- Attached Lid Containers
- Straight Wall Containers
- Cross-Stack Akro-Tubs
- Akro-Tubs
- Storage Cabinets
- · Storage-Go-Round
- Storage Cases
- Roto-Shelf
- Tote Caddy

#### **Shelving Systems & Cabinets**

- Wire Shelving Systems
- Steel Shelving Systems
- Heavy-Duty Cabinets
- Standard Cabinets

#### 36-44

45-59

26-35

4-25

## **Mobile Systems & Work Centers**

- ProCart<sup>™</sup>
- Louvered Carts
- Multi-Shelf Carts
- Tray Service Cart
- Box Trucks
- High-End Narrow Aisle Trucks
- Dollies
- Hand Trucks

- Specialty Hand Trucks
- Drum Handling Equipment
- VERSA/Deck™
- Platform Trucks
- Skids (Semi-Live)
- Portable Tables & Carts
- Mobile Work Tables
- Heavy-Duty Work Benches

## **Waste Transport Systems**

- Akro-Tilt Trucks
- Akro-Carts
- MegaKart®
- 60

#### **Materials/Casters & Wheels**

- Materials Definitions& Benefits
- Casters & Wheels
   Selection Information

61

**Product Index** 

62-63









- Control inventories, shorten assembly times and minimize parts handling
- · Heavy-duty bins securely stack atop each other, sit on shelving and hang from Akro-Mils racks, panels, rails and carts
- Molded of high-impact polypropylene, AkroBins are unaffected by weak acids and alkalis
- Products made of polypropylene block copolymer are autoclavable up to 250° F
- Sturdy, one-piece construction is water, rust and corrosion-proof
- Guaranteed not to crack or break under normal load conditions as stated in our 1-year limited warranty
- Available in 14 sizes and 7 colors: Red, Yellow, Blue, Stone, Green, Semi-Clear and Black




"See-through" Crystal Styrene **Lids** keep contents dust-free and protected



Lenathwise Dividers keep items separated in the bin



AkroBins: Dividers available in two sizes







## 33" Wide AkroBin

## **Great Lengths** to Organize More Efficiently

- 1 to 8 compartments, depending on divider placement
- Optional lid sold separately
- 2½" and 4" dividers available (comes with two 4" dividers)
- Fits on standard Akro-Mils rail, louvered and 36" shelf systems
- Reinforced sides for secure stacking



30320 33" Wide AkroBin with Optional Lid

## features 1125



Anti-slide stop prevents stacked bins from shifting forward



Full-width hanger lip supports bin on hanging system



Reinforced side ribs add strength and prevent spreading when stacked



Extra-wide stacking ledge saves space and prevents spills



Large front label area for easy coding and scanning




Curved-bottom hopper front makes it easy to retrieve small parts



Dividers allow you to create customizable compartment sizes







AkroBins			Outsi	de Dimen Inches	sions	E	Bottom D Inc	imensior hes	ıs				Acce	ssories	
		Model No.	L	w	Н	L	W	Н	Х	Bin Load Capacity On Rack	Bin Ctn. Qty.	Dividers**	Divider Pkg. Qty.	Bin Lids***	Lid Pkg. Qty.
		30210	53/8	41/8	3	4¾	37/16	213/16	4	10 lbs.	24	40210 (1)	6	30211	24
		30220	73/8	41/8	3	6¾	37/16	213/16	6	10 lbs.	24	40220 (1)	6	30221	24
		30224	10%	41/8	4	101/4	3¾16	3¾	9	30 lbs.	12	-	-	-	-
	В	30230	10%	5½	5	101/4	43/8	43/4	9	30 lbs.	12	40230 (1)	6	30231	12
	В	30234	14¾	51/2	5	141/16	43/8	43/4	1213/16	50 lbs.	12	-	-	-	-
		30239	10¾	81/4	7	10	6%6	6¾	8	50 lbs.	6	40239 (1)	6	-	_
		30240	14¾	81/4	7	14	6%	6¾	12	60 lbs.	12	40245 (1)	6	-	-
		30265	18	81/4	9	171/8	6¾	81/4	141/2	60 lbs.	6	40265 (1)	6	-	-
	D	30235	10%	11	5	101/4	10	43/4	9	50 lbs.	6	40230 (3)	6	30236	6
	ע	30260	18	11	10	17	9½	9¾	143/16	60 lbs.	6	40260 (3)	6	-	-
		30255	10%	16½	5	93/4	15	43/4	9	60 lbs.	6	40230 (3)	6	-	-
		30250	14¾	16½	7	14	14¾	6¾	12	75 lbs.	6	40245 (3)	6	-	-
		30270	18	16½	11	171/8	14¾	101/4	14	100 lbs.*	3	40270 (3)	6	-	-
	F	30320	85%	33	5	7	31½	43/16	6	80 lbs.	4	40321 & 40220 (7)	7	30321	4

One color per carton: Specify Red, Blue, Yellow, Stone, Semi-Clear, Green or Black. Order in carton quantities. \*Note 30270 not designed for use with hanging systems. CAUTION: When using bins with hanging systems, do not exceed the weight capacity for the rack, which may be less than the total sum of bin capacities. \*\*() = Max. # of dividers per bin. \*\*\*Assembly required - hinge pins included.



## related products

Create the perfect storage system – mix and match your selection of AkroBins with compatible products including:

- Rail Hanging Systems.....pg. 8
- Louvered Hanging Systems ..... pg. 9
- ReadySpace Storage Systems .... pgs. 10-11
- Wire Shelving Systems ......pgs. 36-39
- Steel Shelving Systems ......pgs. 40-42
- Bin Cabinets......pgs. 43-44
- ProCart.....pg. 45





storage bins, racks & hanging systems 5

## **EarthSaver** Series: AkroBins ®

storage bins, racks & hanging systems





**Go Green** 

the environment!





With 100% Recycled Bins –

**Boost Productivity,** Reduce Waste!

Feeling the need to "Go Green"? Akro-Mils

introduces the EarthSaver Series - AkroBins

and Shelf Bins (see pg. 14) made from 100%



- AkroBins now made from 100% recycled material
- Three color options Hunter Green, Sandstone and Terra Cotta
- Optional dividers keep items neatly separated
- An eco-friendly choice in storage and organization products



## related products

Create the perfect storage system – mix and match your selection of AkroBins with compatible products including:

- Rail Hanging Systems......pg. 8
- Louvered Hanging Systems ..... pg. 9
- ReadySpace Storage Systems .... pgs. 10-11
- Wire Shelving Systems ......pgs. 36-39
- Steel Shelving Systems ......pgs. 40-42
- Bin Cabinets.....pgs. 43-44
- ProCart......pg. 45

# accessories Ories


"See-through" Crystal Styrene Lids keep contents dust-free and protected



AkroBins		Outsid	le Dime Inches	nsions	I	nside Dii Inc	mension hes	IS			Accessories					
	Model No.	L		н	L				Bin Load Capacity On Rack	Bin Ctn. Qty.	Dividers**	Divider Pkg. Qty.	Bin Lids***	Lid Pkg. Qty.		
-/2 <sup>(5)</sup> 37	30210RECYSS	5%	41/8	3	4¾	31/16	213/16	4	10 lbs.	24	40210 (1)	6	30211	24		
	30210RECYTC	5%	41/8	3	4¾	31/16	213/16	4	10 lbs.	24	40210 (1)	6	30211	24		
	30210RECYHG	53/8	41/8	3	4¾	31/16	213/16	4	10 lbs.	24	40210 (1)	6	30211	24		
	30220RECYSS	73/8	41/8	3	6¾	37/16	213/16	6	10 lbs.	24	40220 (1)	6	30221	24		
	30220RECYTC	73/8	41/8	3	6¾	37/16	213/16	6	10 lbs.	24	40220 (1)	6	30221	24		
	30220RECYHG	73/8	41/8	3	6¾	37/16	213/16	6	10 lbs.	24	40220 (1)	6	30221	24		
	30230RECYSS	10%	51/2	5	101/4	43/8	43/4	9	30 lbs.	12	40230 (1)	6	30231	12		
	30230RECYTC	10%	51/2	5	101/4	43/8	4¾	9	30 lbs.	12	40230 (1)	6	30231	12		
	30230RECYHG	10%	5½	5	101/4	43/8	4¾	9	30 lbs.	12	40230 (1)	6	30231	12		
22.	30240RECYSS	14¾	81/4	7	14	6%6	6¾	12	60 lbs.	12	40245 (1)	6	-	-		
	30240RECYTC	14¾	81/4	7	14	6%	6¾	12	60 lbs.	12	40245 (1)	6	-	-		
	30240RECYHG	14¾	81⁄4	7	14	6%6	6¾	12	60 lbs.	12	40245 (1)	6	-	-		
	30250RECYSS	14¾	16½	7	14	14¾	6¾	12	75 lbs.	6	40245 (3)	6	_	-		
	30250RECYTC	14¾	16½	7	14	14¾	6¾	12	75 lbs.	6	40245 (3)	6	-	-		
	30250RECYHG	14¾	16½	7	14	14¾	6¾	12	75 lbs.	6	40245 (3)	6	-	-		

One color per carton: SS = Sandstone, TC = Terra Cotta and HG = Hunter Green. Order in carton quantities. CAUTION: When using bins with hanging systems, do not exceed the weight capacity for the rack, which may be less than the total sum of bin capacities.

\*\*() = Max. # of dividers per bin. \*\*\*Assembly required – hinge pins included.



## 



- storage bins, racks & hanging systems
- ProHANGERs can be placed side-by-side on walls, rail rack or panel systems to support extra-long parts, supplies or materials
- Unique "J-hook design" cradles various shapes and sizes of contents
- · Available End Cap inserts keep items from sliding out
- One-piece construction; molded of high-impact plastic for durability
- Each ProHANGER is capable of supporting up to 75 lbs.

# Easy Long Parts Storage Wherever You Need It!

- ProHANGER can be used alone or with a variety of Akro-Mils products, including a wide range of AkroBins®
- ProHANGER can even be mounted (using Louvered Hanging System) in service trucks for maintenance workers, plumbers, electricians, carpenters or other tradespeople
















#### 

## related products

Use your ProHANGER with:

- AkroBins.....pgs. 4-6
- Rail Hanging Systems.....pg. 8
- Louvered Hanging Systems ..... pg. 9





Smooth surface protects suspended parts or products



End Caps help keep items contained and fit easily into molded-in slots



Full-width hanger lip supports ProHANGER on hanging systems



Notches provided in hanger lip for mounting to wall surface with screws



Substantial ribbing in base gives added strength to support heavier


# Rail Hanging Systems


storage bins, racks & hanging systems











- Double-sided rail units can "float" in any room environment and be picked from both sides
- Mobile Kit available to mobilize two-sided racks
- Steel rail is ideal for workstations
- AkroBins sold separately









Rails securely support AkroBins



Heavy-duty steel for strength and durability



Attractive, durable powder-coated finish stands up to heavy-duty use



- 1-Sided, can be assembled as
   12 or 16 Rail
- 250 lb. capacity



- 2-Sided, can be assembled as 12 or 16 Rail
- 500 lb. capacity



- 14-gauge steel worktop
- · 250 lb. capacity



30148 Steel Rail

Wall-mountable unit accepts 7 sizes of AkroBins. 110 lb. capacity

Rail Hanging Systems				D	imensio Inches	ns				Akrol	Bins Model	No. (Bin W	/eight Cap	acity)		
	Model No.	Description	Ctn. Qty.	L	w	Н	30210 (10 lbs.)	30220 (10 lbs.)	30224 (30 lbs.)	30230 (30 lbs.)	30234 (50 lbs.)	30235 (60 lbs.)	30239 (50 lbs.)	30240 (60 lbs.)	30250 (75 lbs.)	30255 (60 lbs.)
	30008*	Rack, 1-Sided	1	36	141/8	53	96	96	48	48	48	24	24	24	12	16
	30016*	Rack, 2-Sided	1	36	20	53	192	192	96	96	96	48	48	48	24	32
	30148	Steel Rail	1	4713/16	5/8	3	11	11	11	8	6	3	-	-	-	3
	30812	Bin Cart	1	38½	24	36½	96	96	64	48	48	24	24	24	12	16

\*Can be assembled as a 12 or 16 rail rack.

#### Mohile Kit

MODITE KIL				
Model No.	Description	Ctn. Qty.	Fits Hanging System No.	Casters
30424	Mobile Kit - Casters & Handle	1	30016	4″ Polyolefin



Two-Sided Racks can be mobilized with the Mobile Kit

## Louvered Hanging Systems

storage bins, racks & hanging systems

- Louvered Hanging Systems allow for easy placement and configuration of AkroBins\*
- Wall-mounted units keep items out of the way, off the floor and off the work table
- · Floor standing racks can be placed near work areas to improve productivity
- · Single-sided floor racks can be placed against wall to save floor space
- · Double-sided units allow for picking from both sides
- Bench racks are used on work tables to keep parts within easy reach
- 11 different models available accommodates up to 288 AkroBins
- Easy, one-person assembly
- \*AkroBins sold separately, see pg. 4-6



## related products

Use the following products with Louvered Hanging Systems:

- AkroBins.....pgs. 4-6
- 33" Wide AkroBins......pgs. 4-5
- ProHANGER ...... Pg. 7













Louvered Hangin	g Systems			Dimer	nsions (l	nches)						AkroBin	s Model No	. (Bin Weig	ht Capacit	y)		
	Model No.	Description	Ctn. Qty	L		н	Rack Wt. Cap.(lbs.)	30210 (10 lbs.)	30220 (10 lbs.)	30224 (30 lbs.)	30230 (30 lbs.)	30234 (50 lbs.)	30235 (60 lbs.)	30239 (50 lbs.)	30240 (60 lbs.)	30250 (75 lbs.)	30255 (60 lbs.)	30320 (80 lbs.)
	30618*	Louvered Panel	4	18	5/16	19	160	16	16	12	9	9	3	4	4	2	3	-
000000000000000000000000000000000000000	30636*	Louvered Panel	4	35¾	5/16	19	160	32	32	24	18	18	9	8	8	4	6	3
00000000000		2 Panels		35¾	5/16	37		72	72	36	36	36	18	16	16	8	12	5
000000000000000000000000000000000000000		3 Panels		35¾	5/16	55		104	104	54	54	54	27	28	28	14	18	8
		4 Panels		35¾	5/16	73		144	144	72	72	72	36	36	36	18	24	11
	98600*	Bench Rack	1	2715/16	8%16	19%	120	30	30	18	12	12	6	6	6	-	-	0
	98636	Bench Rack	1	36	8	20	120	40	40	24	18	18	9	8	8	4	6	3
	30161	Louvered Panel	1	36	5/16	61	120	96	96	72	54	54	28	24	24	12	18	10
	30118	Louvered Panel	1	18	5/16	61	160	48	48	36	28	28	14	12	12	6	9	- 1
	30653	Louvered Floor Rack	1	32	35¾	751/8	2000	288	288	192	144	144	72	72	72	36	48	0
000000	30661*	Louvered Rack Single-Sided	1	36¾6	13½	66%	500	96	96	72	54	54	28	24	24	12	18	10
0000000	30638*	Louvered Rack Single-Sided	1	18	13½	66%	250	48	48	36	28	28	14	12	12	6	9	- 1
00000000000000000000000000000000000000	30676*	Louvered Rack Double-Sided	1	36¾6	25	66¾	1000	192	192	144	108	108	56	48	48	24	36	20
*Also available in Poi	30651	Heavy Duty Louvered Rack Single-Sided	1	35¾	17	75%	1000	144	144	98	72	72	36	36	36	18	24	11

features I'es



Formed from 16-gauge cold-rolled steel for strength and durability



Attractive, durable powder-coated finish stands up to heavy-duty use



Horizontal ribs provide added strength







## ReadySpace™ Storage System

storage bins, racks & hanging systems

- Wall, Bench or Mobile Floor Units can be purchased alone or with AkroBins
- Create a neat, attractive storage space in any environment
- Customer-friendly appearance
- Frees up valuable workspace
- Pre-configured packages with Stone color AkroBins are available or create your own custom system – see pg. 4-6 for more AkroBins!
- Easy to assemble!



- Quickly create organized storage space virtually anywhere!
- laboratories and medical offices
- Akro-Mils AkroBins®
- Clean, sleek look with a durable white, powder-coated finish
- ReadySpace Bench or Mobile Floor Units can double as a privacy wall!











 Can be assembled single- or double-sided





Casters come standard with the Mobile Floor Unit



Wall Unit is shipped complete with its own mounting bracket for easy installation



Bench Unit has a two-piece base for placement against or away from wall for assembly as single- or double-sided



Durable white, powder-coated finish





## related products

Maximize your organization options with:

- AkroBins.....pgs. 4-6
- Bin Cabinets.....pg. 43-44

#### **Wall Unit**

Accommodates multiple sizes of AkroBins





- **Wall Unit** • Free up valuable workspace
- Can be rearranged as needed
- Use alone or side-by-side with additional wall mount units
- Wt. capacity 50 lbs.



#### 98536 **Bench Unit**

- Utilizes valuable floor or wall space that might otherwise be wasted
- Two-piece base allows placement against or away from wall
- Can be assembled single- or double-sided
- Wt. capacity 50 lbs. (single), 100 lbs. (double)



- Organize, share and transport supplies and products
- Perfect for "high demand" items
- Panel locks into posts on base easily and without tools
- Wt. capacity 150 lbs.



ReadySpace™ Wall Unit					
	Model No.	Description (L x W x H)	No. of Ctns.	Ship Weight (lbs.)	Bin Qty.
	30536	37½" x 1¾" x 25%", Panel	1	35	N/A
000000000000000000000000000000000000000	30536210S	Unit with 30210STONE Bins	3	45	48
	305362205	Unit with 30220STONE Bins	3	51	48
000000000000000000000000000000000000000	30536230S	Unit with 30230STONE Bins	3	55	24
	305362355	Unit with 30235STONE Bins	3	55	12
	30536320S	Unit with 30320STONE Bins	2	47	4

ReadySpace™ Mobile Floor Unit

	Model No.	Description (L x W x H)	No. of Ctns.	Ship Weight (lbs.)	Bin Qty.
000000	30553	24%" x 23" x 52"	1	82	N/A
000000	305532105	Unit with 30210STONE Bins	6	117	120
0000000	305532205	Unit with 30220STONE Bins	6	122	120
0000000	305532305	Unit with 30230STONE Bins	6	142	60
00000000	305532355	Unit with 30235STONE Bins	6	127	30
•	30553LF	Leveling Feet for Floor Unit	-	1	-

ReadySpace™ Bench Unit (Assemble as Single or Double-Sided)

Model No.	Description (L x W x H)	No. of Ctns.	Ship Weight (lbs.)	Bin Qty.
98536	37¾" x 12" x 26¾" (Single)	1	51	N/A
	37¾" x 22½" x 26¾" (Double)	1	51	N/A

ReadySpace™ Single-Sided Bench Unit Kits

	Model No.	Description	No. of Ctns.	Ship Weight (lbs.)	Bin Qty.
	98536210SS	Unit with 30210STONE Bins	3	61	48
00000000000 00000000000 966000000000 00000000	98536220SS	Unit with 30220STONE Bins	3	67	48
	98536230SS	Unit with 30230STONE Bins	3	71	24
	98536235SS	Unit with 30235STONE Bins	3	71	12
	98536320SS	Unit with 30320STONE Bins	2	63	4

ReadySpace Double-S	raca Denen o	ine rates			
	Model No.	Description	No. of Ctns.	Ship Weight (lbs.)	Bin Qty.
	98536210SD	Unit with 30210STONE Bins	5	71	96
	98536220SD	Unit with 30220STONE Bins	5	83	96
	98536230SD	Unit with 30230STONE Bins	5	91	48
	98536235SD	Unit with 30235STONE Bins	5	91	24
	98536320SD	Unit with 30320STONE Bins	3	75	8









Built-in rear hanglock allows bin to tilt out for complete access



area identifies

Molded-in label contents

## accessories 0



**Dividers** create additional storage compartments. Each Bin accepts up to 7 dividers (except 30110)




**Extended Label Holders** are designed for larger bar code scanning



Bin Cups lift out easily for parts retrieval (see chart)

- Shelf Bins outlast corrugated bins paying for themselves in reduced replacement costs
- Superior construction allows Shelf Bins to be fully loaded without spreading or cracking
- Durable polypropylene bins provide an attractive, neat appearance
- Works with 12", 18" and 24" deep shelving or vertical storage and retrieval units
- One-piece construction is waterproof and unaffected by grease or oil
- Available in 13 sizes and 5 colors: Red, Yellow, Blue, Green and White





## related products


Expand your sorting options with:

- Pick Rack Systems.....pg. 15
- Wire Shelving Systems.....pgs. 36-39
- Steel Shelving Systems ......pgs. 40-42

helf Bins & Acces	sories		Outsid	e Dimen Inches	sions	Botto	m Dime	nsions		Cups p		sories	
	Ltr	Model No.	L	w	Н	L	w	Н	Ctn. Qty.	Small 30101	Large 30102	Optional Dividers*	Divider Pkg. Qty.
_		30110	11%	23/4	4	101/4	15/8	4	24	3	-	-	-
		30120	115/8	41/8	4	101/4	3	4	24	5	2	40120	24
	A	30130	115/8	65/8	4	101/4	5½	4	12	9	4	40130	24
12//51 15		30150	11%	83/8	4	101/4	71/8	4	12	11	4	40150	24
12″ Shelf Bins		30170	11%	111/8	4	101/4	10	4	12	15	6	40170	24
		30128	17%	41/8	4	16½	3	4	12	8	3	40120	24
		30138	17%	65/8	4	16½	51/2	4	12	15	6	40130	24
	В	30158	17%	83/8	4	16½	71/8	4	12	15	6	40150	24
18″ Shelf Bins		30178	17%	111/8	4	16½	10	4	12	25	12	40170	24
		30124	23%	41/8	4	221/8	3	4	12	11	4	40120	24
		30164	23%	6%	4	221/8	5½	4	6	21	8	40130	24
	C	30184	23%	83/8	4	221/8	71/8	4	6	25	8	40150	24
24″ Shelf Bins		30174	23%	111/8	4	221/8	10	4	6	35	16	40170	24
24 Dividers per pack	cage. Or	e color per cart	on: Specify	Red, Blue	, Yellow, G	ireen or W	hite. Orde	r in carton	quantities.				
		30101	2	31/4	3	-	-	-	48	-	-	-	
Bin Cups	D	30102	2¾	5	3	-	-	-	24	-	-	-	
Extended	10°	40410	-	4	21/4	_	-	-	24	-	-	-	
Label Holder	45°	40445	-	4	21/4	-	-	-	24	_	-	-	



- Go deep! Expand your storage capacity up to 85% over traditional 4" bins
- Front opening is .75" higher than comparable products
- Superior, durable construction compared to corrugated bins
- Four sizes and five color options: Red, Blue, Yellow, Green and White
- Width dividers keep items neatly separated
- ShelfMax bins can be used alone, or with Akro-Mils' open or closed steel shelving, wire shelving, bench racks or pick racks
- Rolled ridge for added strength when filled to maximum capacity





ShelfMax can be used with steel shelving, wire shelving, bench



**NEW! ShelfMax** 

## **Maximize Your Storage Capacity!**

ShelfMax offers you the versatility you need to make the most





ShelfMax™		Outsi	Inches	11510115	DULLU	Inches		Storage Capacity			
	Model No.	L	W	Н	L	W	Н	Cubic Inches	Ctn. Qty.	Optional Dividers	Divider Pkg. Qty.
1-W-1	30040	11%	41/8	6	9¾	21/2	5 <sup>15</sup> / <sub>16</sub>	175	16	40020	12
L	30048	17%	41/8	6	16	21/2	5 <sup>15</sup> / <sub>16</sub>	280	8	40020	12
	30090	11%	65/8	6	9¾	5	5 <sup>15</sup> / <sub>16</sub>	310	10	40030	12
	30098	17%	65/8	6	16	5	5 <sup>15</sup> /16	505	10	40030	12



## related products

Use your ShelfMax bins with:

- Bench Pick Rack Systems ...... pg. 15
- Pick Rack Systems.....pg. 15
- Wire Shelving Systems .....pgs. 36-39
- Steel Shelving Systems ......pgs. 40-42



Accessories

40120

40120

40120

40130

40130

40130

40120

40120 40120

40130 40130

40130

40120

40130

21

24

24

24

24

24

24

24

24

24



## **G**earthsaver

- Shelf Bins now made from 100% recycled material
- Three color options Hunter Green, Sandstone and Terra Cotta
- · Optional dividers keep items neatly separated
- An eco-friendly choice in storage and organization products

## related products

Create the perfect storage system – mix and match your selection of bins with compatible products including:

- Wire Shelving Systems ......pgs. 36-39
- Steel Shelving Systems ...... pgs. 40-42
- Bin Cabinets......pgs. 43-44

# **Go Green With 100% Recycled Bins – Boost Productivity,** Reduce Waste!

Feeling the need to "Go Green"? Akro-Mils introduces the **EarthSaver Series** – Shelf Bins and AkroBins (see pg. 6) made from 100% recycled plastic. Make a positive impact on the environment!

11%

41/8 4 101/4 3

30120RECYSS

		30120RECYTC	115/8	41/8	4	101/4	3	4	24	5	2	
		30120RECYHG	11%	41/8	4	101/4	3	4	24	5	2	
		30130RECYSS	11%	6%	4	101/4	5½	4	12	9	4	
12"5		30130RECYTC	11%	6%	4	101/4	5½	4	12	9	4	
12″S Bir		30130RECYHG	115/8	65/8	4	101/4	51/2	4	12	9	4	
		30128RECYSS	17%	41/8	4	161/2	3	4	12	8	3	
	_	30128RECYTC	17%	41/8	4	161/2	3	4	12	8	3	
		30128RECYHG	17%	41/8	4	16½	3	4	12	8	3	
		30138RECYSS	17%	65/8	4	16½	51/2	4	12	15	6	
		30138RECYTC	17%	6%	4	16½	5½	4	12	15	6	
18″S Bir		30138RECYHG	17%	65/8	4	16½	5½	4	12	15	6	
		30124RECYSS	235/8	41/8	4	22%	3	4	12	11	4	Π
			-				_					H
		30124RECYTC	23%	41//8	4	221/8	3	4	12	11	4	L
		30124RECYHG	23%	41/8	4	221/8	3	4	12	11	4	

221/8


Outside Dimensions Inside Dimensions

Bin Cups	L	w	Н	Ctn. Qty.
30101	2	31/4	3	48
30102	2¾	5	3	24
Extended Label Hold	or.	W	Н	Ctn. Qty.

24

21/4 24





30164RECYSS 30164RECYTC

30164RECYHG

- Angled shelves keep parts at the front of bins for easy access
- · Improve workspace organization and efficiency with rack and bin systems
- Convenient, high-density storage with up to 192 bins
- Easy to assemble
- Choose from 4 styles available separately or with bin packages
- 16-gauge steel construction
- Compatible with:



Shelf Bins, pgs. 12-14







#### **Single-Sided Pick Rack**

- Model No. APRS130Y
- Holds up to 96 Shelf Bins on 8 shelves
- Holds up to 64 ShelfMax Bins
- Maximum 400 lb. weight capacity



#### **Double-Sided Pick** Rack & Mobile Kit

- Model No. APRD120Y
- Creates a mobile, double-sided pick rack with APRDMOBILE
- Holds up to 192 Shelf Bins
- Holds up to 128 ShelfMax Bins
- Maximum 500 lb. weight capacity



#### **Bench Pick Rack**

- Model No. APRBENCH040
- 12" D x 36¾" W x 25" H
- Holds up to 24 Shelf Bins or ShelfMax Bins
- Holds up to (3) 30312 System Bins



Single-Sided 12" D x 363/" W x 601/" H

APRS090\*\*

APRSAST00\*\*







	Jiligie Jidea 12 D	X 30 /4 W X 00 /	4 11		ווע וווע	Helisions	(menes)		
		Model No.	Description	Bin Model No.	L	W	Н	Bin Qty.	Bonus Bins*
w		APRS	Single-Sided Pick Rack (no bins)	=	-	-	-	-	-
ign		APRS110Y	Rack with Shelf Bins	30110YELLO	11%	23/4	4	96	-
		APRS120Y	Rack with Shelf Bins	30120YELLO	11%	41/8	4	64	8
		APRS130Y	Rack with Shelf Bins	30130YELLO	11%	65%	4	40	8
		APRS150Y	Rack with Shelf Bins	30150YELLO	11%	83/8	4	32	4
		APRS170Y	Rack with Shelf Bins	30170YELLO	11%	111/8	4	24	-
		APRS040**	Rack with ShelfMax	30040	11%	41/8	6	64	-

30090

30040 / 30090

11%

65/8

See above

32/20

\*Due to case pack, Bonus Bins are included at no extra charge. \*\*Specify color of bins when ordering: Red, Blue, Yellow, Green or White.

Rack with ShelfMax

Rack with ShelfMax

W			
jn!	1		
	١,		
	F		
	E		
	اءا	-	

upie-Siaea 24	U X 30% W X OU	<b>74 ⊓</b>		BIN VIM	iensions (	incnes)		
	Model No.	Description	Bin Model No.	L	W	Н	Bin Qty.	Bonus Bins*
	APRD	Double-Sided Pick Rack (no bins)	-	-	-	-	-	-
	APRD110Y	Rack with Shelf Bins	30110YELLO	11%	23/4	4	192	-
	APRD120Y	Rack with Shelf Bins	30120YELLO	11%	41/8	4	128	16
	APRD130Y	Rack with Shelf Bins	30130YELLO	11%	65%	4	80	4
	APRD150Y	Rack with Shelf Bins	30150YELLO	11%	83/8	4	64	8
7	APRD170Y	Rack with Shelf Bins	30170YELLO	11%	111/8	4	48	-
	APRD040**	Rack with ShelfMax	30040	11%	41/8	6	128	-
Mr.	APRD090**	Rack with ShelfMax	30090	11%	65%	6	80	-
	APRDAST00**	Rack with ShelfMax	30040 / 30090	S	ee abov	e	64 / 40	-
	APRDMOBILE	Mobil	e Kit (Handle & D	olly) for	Double-	Sided Pid	k Rack	

\*Due to case pack, Bonus Bins are included at no extra charge. \*\*Specify color of bins when ordering: Red, Blue, Yellow, Green or White.

accessories Ories



APRDMOBILE Mobile Kit For double-sided Pick Rack

	Bench Rack 12" D	x 36¾" W x 25" H			Bin Dir	mensions (	(Inches)	
		Model No.	Description	Bin Model No.	L			Bin Qty.
		APRBENCH	Bench Pick Rack, No Bins	-	-	-	-	-
W in:		APRBENCH120	Bench Pick Rack with Shelf Bins	30120YELLO	11%	41/8	4	24
_		APRBENCH150	Bench Pick Rack with Shelf Bins	30150YELLO	11%	83/8	4	12
		APRBENCH040*	Bench Pick Rack with ShelfMax	30040	11%	41/8	6	24
		APRBENCH090*	Bench Pick Rack with ShelfMax	30090	11%	6%	6	15
	*Specify color of bins v	vhen orderina: Red.	Blue, Yellow, Green or White.					





- Available in five convenient sizes and five colors including Crystal Clear – which keeps AkroDrawer contents highly visible!
- Colors made of high-impact polystyrene
- Crystal Clear made of durable acrylic blend
- Offered in 12" or 18" depths to work with compatible shelving
- Easy to label and color code inventory for quick identification of parts and supplies
- Drawers can be stacked to optimize space
- Wide front handle for easy gripping when AkroDrawers are loaded or contain heavy contents
- Dividers available to keep contents neatly separated in drawers
- · Colors: Crystal Clear, Red, Blue, Yellow and Gray











## **AkroDrawers**

## **Cover, Store, Protect & More!**


- Designed for use in a variety of environments from industrial to healthcare to other applications, AkroDrawers will help keep supplies, parts, tools and other materials secure and dust-free.
- Can be used with available shelving, racks, mobile carts or can be used by themselves

# Sturdy backstop tab ensures AkroDrawers can hang securely from shelves



AkroDrawers™	Out	side Dimen Inches	sions	Bott	om Dimen Inches	sions			
Model No.	L	w	Н	L	w	Н	Weight Capacity	Ctn. Qty.	Dividers
31142	115/8	3¾	45/8	101/4	3	47/16	15 lbs.	6	41440
31162	115/8	5%6	45/8	101/4	47/8	47/16	20 lbs.	6	41460
31182	115/8	83/8	45/8	101/4	75/8	47/16	20 lbs.	4	41480
31168	17%	5%6	45/8	161/4	47/8	47/16	25 lbs.	6	41460
31188	17%	83/8	45/8	161/4	75/8	47/16	25 lbs.	4	41480
Specify drawer color	when ordering:	Red, Blue, Ye	llow, Gray or 0	Crystal Clear.					

Dividers		Dimensions			
Model No.	w	Н	D	Pkg. Qty.	Ctn. Qty.
41440	3%16	41/5	13/16	6	30
41460	521/64	41/s	13/16	6	26
41480	8%4	41/5	1/10	6	26





## **Super Modular Cabinets**



- · Organize your AkroDrawers on specially designed stackable or wall-mountable cabinets
- Units can be safely stacked up to three high
- · AkroDrawers fit snugly on each shelf so open top on each AkroDrawer is protected from dust and debris
- Drawers hang securely in place from shelves by sturdy back stop tab
- Ships fully assembled
- 11" cabinets can be mounted to wall (light assembly required for wall mounting)
- Durable powder-coated finish
- Weight capacity: 60 lbs. 18" Modular Cabinets
- 75 lbs. 24" Modular Cabinets
- Combined stack weight capacity: 100 lbs.
- · Colors: Textured Charcoal Gray or Textured Putty



Small and Medium Super Modular Cabinets can be mounted on two rails under ProCart. \*Optional two-rail hanging system (No. 30902) required.







AD1811P62



AD1817CAST




Super Modular Ca	abinets 18"W x 11"D x 16-1/2"H		Bin Din	nensions	(Inches)	Shelf Dir	nensions	(Inches)	
Model Number	Description	Cabinet Color	L	W	Н	D	L	Н	Qty. of Drawers
AD1811C AD1811P	Small Cabinet with no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	11	17	419/32	-
AD1811C62 AD1811P62	Small Cabinet with 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	5%16	45/8	11	17	419/32	9
AD1811C82 AD1811P82	Small Cabinet with 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	83%	45/8	11	17	419/32	6
AD1811CAST AD1811PAST	Small Cabinet with 31162 and 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	S	iee Abov	e	11	17	419/32	6/2
c :c		11 + DI C + ICI 11 II		11 1 0 1					

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.

Super Modular Ca	abinets 23"W x 11"D x 16-1/2"H		Bin Din	nensions	(Inches)	Shelf Di	mensions	(Inches)	
Model Number	Description	Cabinet Color	L			D			Qty. of Drawers
AD2311C AD2311P	Medium Cabinet with no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	11	22¾	419/32	-
AD2311C42 AD2311P42	Medium Cabinet with 31142 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	3¾	45/8	11	22¾	419/32	18
AD2311C62 AD2311P62	Medium Cabinet with 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	5%6	45/8	11	22¾	419/32	12
AD2311CAST AD2311PAST	Medium Cabinet with 31142 and 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	S	ee Abov	e	11	22¾	419/32	6/8
Specify drawer color	when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray C	abinet. Blue or Crystal Clear available w	ith Putty Ca	binet. Only	one color	per unit.			

Super Modular Cabinets 18"W x 17"D x 16-1/2"H					(Inches)	Shelf Dir	nensions		
Model Number	Description	Cabinet Color	L	W	Н	D	- 1	Н	Qty. of Drawers
AD1817C AD1817P	17" Deep Cabinet with no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	17	17	419/32	-
AD1817C68 AD1817P68	17" Deep Cabinet with 31168 AkroDrawers	Textured Charcoal Gray Textured Putty	17%	5%16	45/8	17	17	419/32	9
AD1817C88 AD1817P88	17" Deep Cabinet with 31188 AkroDrawers	Textured Charcoal Gray Textured Putty	17%	83/8	45/8	17	17	419/32	6
AD1817CAST AD1817PAST	17" Deep Cabinet with 31168 and 31188 AkroDrawers	Textured Charcoal Gray Textured Putty	S	ee Abov	e	17	17	419/32	6/2

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.






## **Stackable Cabinets**

#### storage bins, racks & hanging systems

- Increased storage capacity for AkroDrawers by providing more space to organize and color code inventory
- Units can be safely stacked up to three high
- Available in two sizes one for 12"
   AkroDrawers and one for 18" AkroDrawers
- Optional 8" high Base Stands for each size cabinet available in matching colors for either cabinet – keeps cabinets off the floor for easier clean-up underneath
- Durable powder-coated finish
- · Cabinets ship fully assembled
- Weight capacity: 120 lbs.
- Combined stacked weight capacity: 200 lbs.
- Colors for Stackable Cabinets and optional Base Stands: Textured Charcoal Gray or Textured Putty







Stackable Cabinet 35"W x 11"D x 22"H Bin Dimensions (	nches) 9	Shelf Dimensions (Inches

Statestable tability	C 33 11 X 11 D X 22 11	Sitisfunctions (menes)										
Model Number	Description	Cabinet Color	L	W	Н	D	L	Н	Qty. of Drawers			
AD3511C AD3511P	Stackable Cabinet with no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	11	34	411/16	-			
AD3511C42 AD3511P42	Stackable Cabinet with 31142 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	3¾	45/8	11	34	411/16	32			
AD3511C62 AD3511P62	Stackable Cabinet with 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	5%16	45/8	11	34	411/16	24			
AD3511C82 AD3511P82	Stackable Cabinet with 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	83/8	4%	11	34	411/16	16			
AD3511CAST AD3511PAST	Stackable Cabinet with 31142, 31162 & 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	S	See Above		11	34	411/16	8/12/4			

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.

Stackable Cabine	t 35"W x 17"D x 22"H	Bin Dimensions (Inches) Shelf Dime					ensions (Inches)		
Model Number	Description	Cabinet Color	L W H			D	1.	Н	Qty. of Drawers
AD3517C AD3517P	Stackable Cabinet with no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	17	34	411/16	-
AD3517C68 AD3517P68	Stackable Cabinet with 31168 AkroDrawers	Textured Charcoal Gray Textured Putty	17%	5%16	45/8	17	34	411/16	24
AD3517C88 AD3517P88	Stackable Cabinet with 31188 AkroDrawers	Textured Charcoal Gray Textured Putty	17%	83/8	45/8	17	34	411/16	16
AD3517CAST AD3517PAST	Stackable Cabinet with 31168 & 31188 AkroDrawers	Textured Charcoal Gray Textured Putty	See Above		e	17	34	411/16	12/8

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit. Color code: B = Blue, CRY = Crystal Clear, GRY = Gray, R = Red, Y = Yelllow



Optional Base S	ands for Stackable	<b>Cabinets Dimensions</b>
-----------------	--------------------	----------------------------

Model No.	Description	Base Stand Color	w		
AD3511BS	Base Stand for 11" Stackable Cabinet	Textured Charcoal Gray or Textured Putty	351/4	11¼	8
AD3517BS	Base Stand for 17" Stackable Cabinet	Textured Charcoal Gray or Textured Putty	351/4	17¼	8



# **Secure Mini-Cabinets**



storage bins, racks & hanging systems



- Lockable cabinet provides secure storage for sensitive supplies
- Accommodates 12" AkroDrawers
- Made from 18-gauge steel
- Wall mountable
- Features standard four adjustable shelves with fully louvered panel built into back for hanging AkroBins®
- Available with a quick-view door to keep contents visible
- Solid door option keeps sensitive contents secure and out of sight
- Foam gasket around door frame seals out dust
- Welded frame and durable powder-coated finish
- Ships fully assembled
- Weight capacity: 350 lbs.
- Colors: Textured Charcoal Gray or Textured Putty







ACS4C





keeps cabinet contents visible



Solid Door option keeps sensitive contents out of sight



Lockable latch rotates and recesses into door when closed for flush look



Louvered back panel extends organizing options



**Textured Charcoal Gray** 




Ouick-View Mini-Cahinet 19-1/4"W x 13-1/4"D x 38"H

Quick view min	1 Cabillet 17 1/4 W X 13 1/4 D X 30 11					
Model Number	Description	Cabinet Color	L	W	Н	Qty. of Drawers
ACQV4C ACQV4P	Secure Mini-Cabinet, Quick-View Door, no AkroDrawers	Textured Charcoal Gray Textured Putty	-	-	-	-
ACQV4C42 ACQV4P42	Secure Mini-Cabinet, Quick-View Door with 31142 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	3¾	45/8	20
ACQV4C62 ACQV4P62	Secure Mini-Cabinet, Quick-View Door with 31162 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	5%6	45%	12
ACQV4C82 ACQV4P82	Secure Mini-Cabinet, Quick-View Door with 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	11%	83%	45%	8
ACQV4CAST ACQV4PAST	Secure Mini-Cabinet, Quick-View Door with 31142, 31162 & 31182 AkroDrawers	Textured Charcoal Gray Textured Putty	S	ee Abov	e	5/6/2

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.

Steel Door Mini-Cabinet 19-1/4"W x 13-1/4"D x 38"H



Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit







## 2" & 18" Enclosed Steel Shelving Systems



storage bins, racks & hanging systems



- Steel shelving will accommodate new 12" and 18" AkroDrawers
- Manufactured from high-grade, 22-gauge steel with powder-coated finish
- Can be ordered independently or purchased with AkroDrawers for a complete system
- Closed back and sides keep drawers contained to one side of shelves and further eliminate dust and debris
- Drawers can hang securely in place from shelves by sturdy backstop tab
- · Easy to assemble using shelf clips
- Each shelving system can hold up to a maximum of 8,500 lbs.
  - 12" x 36" shelf holds 500 lbs.
  - 18" x 36" shelf holds 550 lbs.
- Color: Grav



## **Pick Racks**

- Angled shelves keep parts and supplies at the front of AkroDrawers for easy access
- Improve workspace organization and efficiency
- 16-gauge steel construction
- Durable powder-coated finish
- Weight capacity: 400 lbs. Single-Sided; 500 lbs. Double-Sided
- · Color: Gray







Mobile Kit For double-sided Pick Rack





12" Enclosed Shel	ving Systems (13 Shelves)	Bin Din	nensions	(Inches)	Shelf Dir	nensions	(Inches)			
Model Number	Description	Drawer Model No.	L W H		D	L	Н	Qty. of Drawers	Drawer Color	
ASC1279	Shelving (no AkroDrawers)	-	-	-	-	12	36	79	-	-
ASC1279142	Shelving with AkroDrawers	31142	11%	3¾	45/8	12	36	79	108	R,B,Y,GRY,CRY
ASC1279162	Shelving with AkroDrawers	31162	11%	5%16	45/8	12	36	79	72	R,B,Y,GRY,CRY
ASC1279182	Shelving with AkroDrawers	31182	11%	83/8	45/8	12	36	79	48	R,B,Y,GRY,CRY
ASC1279AST	Shelving with AkroDrawer Mix	31142, 31162, 31182	S	ee Abov	e	12	36	79	27 / 36 / 12	R,B,Y,GRY,CRY

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear. Only one color per unit.

Bin Dimensions (Inches) Shelf Dimensions (Inches)

Model Number	Description	Drawer Model No.	L	W	Н	D	L	Н	Qty. of Drawers	Drawer Color
ASC1879	Shelving (no AkroDrawers)	_	-	-	-	18	36	79	-	-
ASC1879168	Shelving with AkroDrawers	31168	17%	5%16	45/8	18	36	79	72	R,B,Y,GRY,CRY
ASC1879188	Shelving with AkroDrawers	31188	17%	83/8	45/8	18	36	79	48	R,B,Y,GRY,CRY
ASC1879AST	Shelving with AkroDrawer Mix	31168, 31188	S	ee Abov	e	18	36	79	36 / 24	R,B,Y,GRY,CRY

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear. Only one color per unit.

e-Sided Pick Rack 12" D x 36-3/4"W x 60-1/4" H (8 Shelves APRS142 Rack with AkroDrawers 31142 11% 3¾ 72 R,B,Y,GRY,CRY APRS162 R,B,Y,GRY,CRY Rack with AkroDrawers 31162 11% Rack with AkroDrawers 83/8 R,B,Y,GRY,CRY Rack with AkroDrawer Mix 31142, 31162, 31182 18/24/8 R,B,Y,GRY,CRY See Above

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear. Only one color per unit.

<b>Double-Sided Pic</b>	k Rack 24" D x 36-3/4"W x 60-1/4" H (16 Shelves)		Draw	er Dimen	sions					
Model Number	Description	Drawer Model No.	L	W	Н	Qty. of Drawers	Drawer Color			
APRD142	Rack with AkroDrawers	31142	11%	3¾	45/8	144	R,B,Y,GRY,CRY			
APRD162	Rack with AkroDrawers	31162	11%	5%6	45/8	96	R,B,Y,GRY,CRY			
APRD182	Rack with AkroDrawers	31182	11%	8%	45/8	64	R,B,Y,GRY,CRY			
APRDAST	Rack with AkroDrawer Mix	31142, 31162, 31182	S	ee Abov	e	36 / 48 / 16	R,B,Y,GRY,CRY			
Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear. Only one color per unit. Color code: B = Blue, CRY = Crystal Clear, GRY = Gray, R = Red, Y = Yelllow										





- Space-saving bin system improves organization and efficiency
- Ideal for small and medium-sized parts and components
- · Keeps parts clean by keeping out dust and dirt
- Made of high-impact polystyrene
- Can be stacked or wall mounted or used with optional rail systems
- Available in 6 sizes
- Color: Stone

## Tilting Bins Are the Clear Choice

- Bins can be removed for cleaning
- Perfect for Healthcare, Retail, Supply Rooms, Offices


















ilt View™		Dimensions (Inches)								
Model No.	Number of Bins									
06702	2	11¾	23%	13%						
06703	3	73/4	23%	91/2						
06704	4	6%	23%	81/8						
06705	5	51/4	23%	6½						
06706	6	3%	23%	41/2						
06709	9	2½	23%	31/8						















#### **Dividable VantageBin™**

- Sturdy bin holds dovetailed dividers to customize compartments
- Fits on standard 24" deep or wide shelving and counters
- Bins nest when empty to conserve storage space
- 24" x 5½" x 7" bin is dividable in up to 10 sections
- Sturdy polypropylene construction
- Available in two colors: White and Gray
- Longer and taller than VantageBin
- 9 divider positions per bin

#### VantageBin™





- Durable, injection-molded polypropylene construction
- Quick, easy access and identification when organizing envelopes, bags, jewel cases, photographs and more
- Ideal for retail and material handling as well as home and office storage applications
- Available in three colors: White, Gray and Yellow

antageBin			Outs	ide Dimen Inches	sions			mensions hes			
	Model No.	Description	L	W	Н	L	W	Н	Х	Ctn. Qty.	Dividers/Pk
	30420WHI6PK	Dividable Bin	24	5½	7	22%	43/8	7	20¾6	6	40420/12
	30420GRY6PK	Dividable Bin	24	5½	7	22%	43/8	7	20¾16	6	40420/12
	30400YEL10PK	Standard Bin	16¾	71/4	5%	15%	67/16	51/8	151/16	10	-
X	30400WHI10PK	Standard Bin	16¾	71/4	53/8	15%	61/16	5%	151/16	10	-
	30400GRY10PK	Standard Bin	16¾	71/4	53/8	15%	67/16	51/8	151/16	10	-



## related products

Organize your VantageBin on:

- Wire Shelving Systems .....pgs. 36-39
- Steel Shelving Systems ......pgs. 40-42

## 1800 Series AkroBins°, ESD Containers & Economy Bins

storage bins, racks & hanging systems







#### 1800 Series AkroBins

- Strong, durable copolymer polypropylene construction
- Storage systems for large, heavy and bulky items
- One black crosswise divider included per bin
- Color: Beige

#### **ESD Containers**

- Akro-Mils ESD containers dissipate electrostatic charges, which can severely damage sensitive electronic components
- Grounding Wire 98100 Designed to convert existing Akro-Mils rail and hanging systems (see pgs. 8-9). Conducts static charges away from the storage system





Grounding Wire 98100

#### **Economy Bins**

- Versatile Economy Bins make full use of shelf depth on 12" or 18" deep shelving and stack to fill space between shelves
- The only small parts bin that can nest and stack
- Molded from copolymer polypropylene
- Generous opening allows easy access to stacked items

	800 Series		Outside Dimensions Inches				Inside Dimensions Inches						
		Model No.	L		Н	L				Ctn. Qty.	Dividers	Pkg. Qty.	Capacity (lbs.)
	I-W-I	30348BEIGE	20½	81⁄4	7	20	73/8	6½	20	6	40348 (3)	6	60
ĺ		30358BEIGE	20½	11	7	20	101/8	6½	20	6	40358 (3)	6	75

Available in Beige. Order in carton quantities.

ESDs		Vutsi	Inches	IISIUIIS		Inch				
	Model No.	L	W	Н	L	W	Н	Х	Cap. on Rack	Ctn. Qty.
	30210ESD	5%	41//8	3	43/4	31/16	213/16	4	10 lbs.	24
T H	30220ESD	73/8	41/8	3	6¾	37/16	213/16	6	10 lbs.	24
	30230ESD	10%	5½	5	101/4	43/8	43/4	9	30 lbs.	12
	30235ESD	10%	11	5	101/4	10	43/4	9	50 lbs.	6
	30240ESD	14¾	81/4	7	14	6%16	6¾	12	60 lbs.	12

Order in carton quantities.

Economy Bins		Outs	ide Dimen Inches	sions	Insi	de Dimens Inches	sions	
	Model No.	L	W	Н	L	W	Н	Ctn. Qty.
	30796BLACK	81//8	6%	5	63/25	4	4%0	10 each
L W-I	30716BLACK	111%	6%	5	93/25	4	4%10	10 each
	30776BLACK	17%	6%	7	14%	31/5	6‰	10 each
	30718BLACK	11%	83%	5	9	5¾	4%o	8 each
	30778BLACK	17%	83%	7	14%	5½	6‰	8 each
Order in carton quantities.								



1800 Series AkroBins



**ESD Container** 



**Economy Bins** 

## System Bins™

storage bins, racks & hanging systems







# **Convenient, Efficient Organization**in a Single-Piece Six-Bin Unit

- Configured six across in a single unit, 33" wide x 5" high
- Available in 12" or 18" depths to fit standard shelving
- Separate and sort parts to increase efficiency, shorten assembly times and maintain accurate inventories
- A cost-efficient alternative to flimsy, individual cardboard boxes
- Can be safely stacked using a 3/8" wood dowel rod
- Available colors: Blue, Red, Yellow and Green



#### **Nests When Empty**

 Saves space in storage areas



System Bins shown on Steel Shelving

## related products

System Bins work great with:

- Pick Rack Systems.....pg. 15
- Wire Shelving Systems ......pgs. 36-39
- Steel Shelving Systems ......pgs. 40-42

# features



Large label area for easy content identification



Smooth surfaces. Easy to fill, handle and keep clean



Sturdy interior double wall construction.
One-piece, injection-molded for durability



Wide hopper front allows easy access for quick parts picking

System Bins				Dimensions Inches	5	Bin Comp	artment Dii Inches	mensions**	
	Model No.	Description	L	w	Н	L	W	Н	Ctn. Qty.
	30312	12″ System Bin	12	33	5	10%	313/20	447/50	5
	30318	18″ System Bin	18	33	5	16%	313/20	4 <sup>93</sup> /100	5
	40312*	System Bin Divider (Black only)	1/4	45/8	47/8	-	-	-	6 pk.

· Holds (3) 30312

System Bins

One color per carton: Specify Red, Blue, Yellow or Green. Order in carton quantities. \*One divider per compartment, six per unit. \*\*Inside dimension per compartment.

#### Shalving Systams

# Model No. Description L W H Bin Qty. APRBENCH Bench Pick Rack 36¾ 12 25 ‡ AS1279312 12″ Shelving Unit 36 12 79 10\* AS1879318 18″ Shelving Unit 36 18 79 10\*\*

‡Order bins separately. Specify bin color when ordering. \*Qty. of 30312 System Bins included. \*\*Qty. of 30318 System Bins included.

## Cart Systems Dimensions Inches


Model No.	Description	L	W	Н	Bin Qty.
R5SYT5HR2436	Multi-Shelf Cart (5 shelves)	36	241/2	40	10*
R5SYT8MR2436	Multi-Shelf Cart (5 shelves)	36	241/2	43	10*
R5SYT5HR3636	Multi-Shelf Cart (5 shelves)	36	361/2	40	10**
R5SYT8MR3636	Multi-Shelf Cart (5 shelves)	36	36½	43	10**

Specify bin color when ordering. \*Qty. of 30312 System Bins included. \*\*Qty. of 30318 System Bins included.

# accessories Offes



System Bin Divider



## A Unique Way to Improve Workflow!

- Unique hopper provides exceptional product storage, while saving space through a compact vertical design
- Large, angled top opening allows easy filling, whether used on the Gravity Hopper Floor Rack or on a work platform
- · Generous picking area provides easy access to the loaded product, while keeping it neatly contained and sorted
- Great for: fasteners, assembly areas, kanban, inventory stock, merchandise and work cells
- 75 lbs. capacity per hopper; 900 lbs. total when used with the 31625RACK
- Rotational-molded for strength and durability LLDPE
- Allows for proper lot rotation
- 2 color options: Red and Blue







Gravity Hopper			Inches		L	oad Capacit	у	
	Model No.	L			lbs.	cu. in.	gal.	Ctn. Qty.
	31625	18	10¾	19½	75	2400	10.39	1
	31625RACK	36	36	69	900	-	_	1

Specify color when ordering: Red or Blue.







- 900 lb. load capacity
- · Adjustable rail heights

## Super-Size AkroBins®

#### heavy duty bins, totes, containers & small parts storage

- · Large-capacity storage to improve organization
- Molded of high-impact polypropylene and unaffected by weak acids or alkalis
- Sturdy, one-piece construction is water, rust and corrosion-proof
- Guaranteed not to crack or break under normal load conditions as stated in the 1-year limited warranty
- Products made of polypropylene block copolymer are autoclavable up to 250° F
- Available in three vibrant colors Red, Yellow and Blue



Anti-slide stop prevents stacked bins from shifting forward



with large handle molded onto back of bin



Reinforced side ribs add strength and prevent spreading when stacked



on front of bin







Make transport of heavy loads easy. See pg. 54-57 for details

# 24" Super-Size AkroBins

## New Ways to **Super-Size & Organize**

· Provide additional options to efficiently organize large items and improve workflow

• Heavy-duty bins securely stack atop each other or can sit on shelving or carts

#### **Shelf Cart** (Model No. R1S8FP2)

Shown with six Model No. 30287 Super-Size AkroBins. See pg. 47 for details

## 24" accessories



Window Insert optimizes interior space and keeps contents visible



Lengthwise Dividers keep items separated in the bin



Widthwise Dividers create extra storage compartments









Super-Size AkroBins			Outsi	de Dimer Inches	sions		Inside Di Inc	mension hes	s				Divi	ders*	Acces	sories		
	Ltr	Model No.	L	W	Н	L	W	Н	X	Max. Cap. per Bin	Stacking Cap./= Qty. Stacked	Ctn. Qty.	Width	Length	Divider I W	Pkg. Qty. L	Windows	Window Pkg. Qty.
		30280	20	123/8	6	16%	1011/16	5%	15½	200 lbs.	40 lb./10	4	-	-			-	
	A	30281	20	123/8	8	16%	1011/16	73/8	15½	200 lbs.	50 lb./7	3	-	-			-	
		30282	20	12¾	12	16%	1011/16	11%	15½	200 lbs.	60 lb./5	2	-	-			-	
	В	30283	20	18¾	12	16%	16%	11%	15½	300 lbs.	150 lb./5	1	-	-			-	
	Ь	30290	291/4	18¾	12	26%	16%	11%	24¾	300 lbs.	150 lb./5	1	-	-			-	
		30286	23%	11	7	20%	91/8	61/8	195/16	200 lbs.	150 lb./5	1	41286 (2)	40286 (3)	2	4	21286	4
	С	30287	23%	11	10	20¾	9	91/8	195/16	300 lbs.	150 lb./5	4	41287 (2)	40287 (3)	6	6	21287	4
		30292	29%	11	10	26¾	9	91/8	255/16	300 lbs.	150 lb./5	4	41287 (2)	40292 (3)	6	6	21287	4
	_	30288	23%	16½	11	20¾	14%	101/8	195/16	300 lbs.	150 lb./5	1	41288 (2)	40287 (3)	6	6	21288	1
	D	30293	29%	16½	11	26¾	14%	101/8	255/16	300 lbs.	150 lb./5	1	41288 (2)	40292 (3)	6	6	21288	1
	Е	30289	23%	18¼	12	20¾	16	111/8	19¼	300 lbs.	150 lb./5	1	41289 (2)	40289 (3)	2	1	21289	1

One color per carton: Specify Red, Blue, or Yellow. Not recommended to hang on rack or panel systems. Order in carton quantities. \* () = Max. # of dividers per bin.

				Dimensions
Sup	er-Size AkroBin Car	S		Inches

Model No.	Descriptions	L	W	Н	Capacity lbs.	Ctn. Qty.	
R214CS1841	Transports six 30283 Bins	41	18	48	900	1	
R214CS1859	Transports nine 30283 Bins	59	18	48	1,350	1	
R214CS1878	Transports twelve 30283 Bins	78	18	48	1,500	1	
R214CS2841	Transports six 30290 Bins	41	271/2	48	900	1	
R214CS2859	Transports nine 30290 Bins	59	271/2	48	1,350	1	
R214CS2878	Transports twelve 30290 Bins	78	271/2	48	1,500	1	
R216CS2236	Transports six 30286 Bins, six 30287 Bins, four 30288 Bins	351/2	221/8	35	900	1	
R216CS2836	Transports six 30292 Bins, four 30293 Bins	351/2	281/8	35	900	1	
R216CS2239	Transports four 30289 Bins	351/2	221/8	39	900	1	

Optional security bar available for all sizes. Bins sold separately.

#### Dimensions Inches Super-Size AkroBin Dollies

Model No.	Descriptions	L	W	н	Casters	Capacity lbs.	Ctn. Qty.
RU843HR2018	Compatible with Model 30280, 30281, 30282 & 30283 Bins	17¹³⁄₁6	18¾	411/16	3" Polyolefin	500	1
RU843HR2918	Compatible with Model 30290 Bins	2613/16	18%	411/16	3" Polyolefin	500	1
RU843TP2122	Compatible with Model 30286 & 30287 Bins	20%	21%	411/16	3" Polyolefin	500	1
RU843TP2227	Compatible with Model 30292 Bins	21%	26%	411/16	3" Polyolefin	500	1
RU843TP1721	Compatible with Model 30288 Bins	16½	20%	411/16	3" Polyolefin	500	1
RU843TP1727	Compatible with Model 30293 Bins	16½	26%	411/16	3" Polyolefin	500	1
RU843TP1821	Compatible with Model 30289 Bins	18½	20%	411/16	3" Polyolefin	500	1

Bins sold separately.

## related products

Increase the benefits of your Super-Size AkroBins with:

- Wire Shelving Systems ......pgs. 36-39
- Steel Shelving Systems ......pgs. 40-42
- Shelf Cart ......pg. 47



Optimize interior space and keep contents visible

## **Carts & Dollies**

#### **AkroBin Carts**

Easy organization of bulky parts in 6, 9 and 12 bin configurations!

- Super-Size AkroBins (sold separately) store and organize large, bulky items
- Heavy-duty frames with capacity from 900 - 1,500 lbs.



heavy duty bins, totes, containers & small parts storage 27

## Stak-N-Store Bins

#### heavy duty bins, totes, containers & small parts storage

- The perfect way to organize heavy, bulky items
- Bins stack to form tall, stable storage arrangements on floors or standard industrial shelving
- 75 lb. weight capacity

• Color: Gray, Red and Blue

• 13017 is also available in White





Large radius corners and curved upper lip add



Side ribs add stability



Wide hopper front allows easy access to bulky items



Large comfort grip handles



## related products

Add mobility to your Stak-N-Store Bins with:

- Wire Shelving Systems .....pgs. 36-39
- Steel Shelving Systems ......pgs. 40-42
- Solid Steel Dollies.....pg. 50
- VERSA/Deck ......pg. 53
- Platform Trucks.....pgs. 54-57



#### **Secure Stacking**

 Stack bins together to form vertical storage and picking systems








## Solid Steel Dollies

Available for efficient, easy load transport



Stak-N-Store Bins	;	Outsi	de Dimei Inches	nsions	s					
	Model No.	L	W	Н	L	W	Н	X	Capacity Cu. Ft.	Ctn. Qty.
	13014	171/2	10%	121/2	15%	8	121/4	13½	.98	4
	13017	151/4	19%	121/16	13%	17½	121/4	11½	1.7	3
	13018	171/2	16½	121/2	15%	13¾	121/4	13½	1.6	2

One color per carton. Specify Red, Blue or Gray. 13017 also available in White. Order in carton quantities.

Steel Dolly				Inches					
		Model No.	L	W	Н	Ctn. Qty.	Capacity	Casters	Bin Compatibility
		RU843HR1617	16%	15¾	41/2	1	900 lbs.	3″ Polyolefin	13018
P	<b>\</b>	RU843HR1519	191/4	145/8	41/2	1	900 lbs.	3″ Polyolefin	13017

## Nest & Stack Totes

heavy duty bins, totes, containers & small parts storage







- Extremely durable industrial-grade totes
- Ideal for shipping, transfer and storage applications
- · NSTs stack with or without lids for storage and shipping, nest when empty
- Strong, high impact polypropylene will not rust, corrode or bend out of shape even when fully loaded
- Heavy-duty construction provides a longer service life resulting in lower replacement costs than other "budget-priced" totes
- Easy to clean, smooth surfaces are resistant to most solvents and chemicals
- NSTs are manufactured from FDA-sanctioned materials
- Optional lids protect contents from dust and damage
- Available in 9 sizes and 3 colors: Red, Blue and Gray

## features



are easy to clean

**Dollies** 



grip makes

handling easy



Textured bottoms provide a no-slip grip on conveyor belts



the lip will prevent jamming when nested

## related products

Add mobility to your Nest & Stack Totes with:

- Carts ...... pgs. 45-47
- Dollies......pgs. 49-50
- Wire Shelving Systems ......pgs. 36-39

# accessories

contents. See lids chart for matching

Pkg. Qty

6

6



Clear Plastic Label Holders attach easily to NSTs, with or without the lid in place. Holders accommodate labels up to 3¾" x 5

Label Holders Model No

35010

35011

lid size helow

Label Size (In.)

3¾ x 5

3 x 5





Available to transport

containers - see pgs. 49-50







Nest & Stack Totes (NSTs)	Outs	ide Dimei Inches	nsions		Insi	de Dimen: Inches	sions					
Model No.	L	W	Н	A	В	C	D	E	NST Ctn. Qty.	Cu. Ft.	Lid Model	Ctn. Qty.
35180	18	11	6	10	16	151/4	9%	5%	6	0.5	35181	6
35185	18	11	9	10	16	15%	91/8	8%	6	0.76	35181	6
35190	191/2	15½	10	141/2	17	16	131/4	9%	6	1.2	35191	6
35195	191/2	151/2	13	141/2	17	15%	13%	12%	6	1.7	35191	6
35200	191/2	13½	8	12%	171/8	16%	11½	7%	6	0.8	35201	6
35225	231/2	19½	10	181⁄4	20%	19%	16%	9%	3	2	35231	3
35230	231/2	191/2	13	181/8	20%	191/2	16%	12%	3	2.6	35231	3
35240*	231/2	15½	12	141⁄4	20%	19%	13	11%	3	1.7	35241	3
35300*	291/2	19½	15	181⁄4	26%	251/8	16%	141/8	3	3.7	35301	3
One color per carton Specify color:	Rad Rlua or	Gray Orde	r in carton o	uantitios 1	Made of H	DPF nolveth	vlene					



#### heavy duty bins, totes, containers & small parts storage

- Versatile work-in-process transfer containers
- Dividers allow subdivision of the containers down to a 11/8" square compartment size
- Injection-molded from polypropylene block copolymer
- Resists most solvents and chemicals
- Compatible with most racks, shelving and automated material handling equipment









## accessories



**Dividers** allow subdivision of the containers down to a 1¼" square compartment size. Color: Black



Clear Plastic Label Holders snap securely on any side of the container



Clear Plastic Covers keep contents clean yet visible. Molded corner guides provide secure stacking







Akro-Grids	Outs	ide Dimei Inches	nsions		Insid	le Dimens Inches	sions			Сара	city		Accessories	
Model No.	L	W	Н	A	В	С	D	E	Ctn. Qty.	Cu. Ft.	Lbs.	Long Divider*	Short Divider*	Pkg. Qty.
33105	10%	81/4	5	611/16	95/16	9%	61/2	45%	20	.16	25	42105 (5)	41105 (7)	6
33164	16½	10%	4	9%	1415/16	1413/16	9¾6	3%	12	.29	20	42164 (7)	41164 (11)	6
33166	16½	10%	6	95/16	14%	14¾	9%	5%16	8	.44	35	42166 (7)	41166 (11)	6
33168	16½	10%	8	95/16	1415/16	145/8	91/16	7%16	6	.59	40	42168 (7)	41168 (11)	6
33220	22%	17%	10	151/4	201/8	19%	141//8	9%	2	1.66	50	42220 (11)	41220 (15)	6
33224	22%	17%	4	151/16	201/16	20	15	3%	6	.61	30	42224 (11)	41224 (15)	6
33226	22%	17%	6	15%	201/8	19%	14%	5%	4	.96	40	42226 (11)	41226 (15)	6
33228	22%	17%	8	15%	201/8	19%	147/8	71/16	3	1.30	50	42228 (11)	41228 (15)	6


One color per carton. Specify Red, Blue or Gray. Order in carton quantities.  $*() = \max \# \text{ of dividers.}$ 

#### Clear Plactic Covers

Model No.	Fits Grid No.	Ctn. Qty.
33101	33105	10
33161	33166, 33168, 33164	4
33221	33228, 33220, 33226, 33224	3

#### Lahal Haldar

Model No.	Description	Pkg. Qty.
35010	Fits all Akro-Grids except 33164 and 33224	6
35011	Fits grids No. 33164, 33224	6





· Available to transport containers. See pgs. 49-50



## **Attached Lid Containers**

heavy duty bins, totes, containers & small parts storage







- ALCs stack and nest for optimal space use
- Reusable shipping, distribution, order picking, and storage containers
- Attached lids snap securely closed to protect contents from dust or damage
- Containers interwork for easy pallet loading
- · See chart below for color options

## features



Textured bottoms provide a sure grip on conveyor belts



Strong molded-in handle grips are ergonomically designed for easy lifting and carrying



Padlock eye on both ends accommodates security ties



Reinforced hinge pins for years of smooth lid operation




Extra secure HDPE hinges "lock" when lid closes, protecting against inventory loss and theft. Available on model AA211512 only

## **All-Plastic Attached Lid Container** Ship & Store — More Secure!

- All-plastic hinges "lock" lid for greater security in shipping, storage or picking applications
- 100% recyclable tote
- · Non-steel hinge makes product lighter
- Tie holes located in both ends of lid are compatible with a variety of closures to further secure lids
- Available in Red, Blue, Green or Gray

ALCs		Out	side Dimens Inches	sions	Inside Dimensions Top Inside Dimensions Bottom Inches Inches			n	Capacity					
Model No.	Available Colors	L	W	Н	L	w	н	L	W	Cu. Ft.	Gal.	Lbs.	Ctn. Qty.	Stack Cap./ Qty. Stacked
39085	Blue, Gray	21½	15	9	19¾	141/2	8%	187/16	131/4	1.12	8.5	35	6	35 lbs./5
39120	Blue, Gray	21½	15	12½	19¾	141/2	12	187/16	131/4	1.62	12	65	6	65 lbs./5
39160	Gray	27	17	121/2	25	15½	11	23½	14	2.25	16.83	100	1	100 lbs./4
39170	Blue, Gray	21½	15	17	19¾	141/2	16%	187/16	131/4	2.28	17	100	3	100 lbs./3
39175	Gray	24	19½	121/2	22	18	11	201/2	16½	2.3	17.20	80	1	80 lbs./5
39280	Gray	28	21	15½	26	19	14	25	18	3.82	28.57	100	1	100 lbs./4
	I							1		1	1	1	1	
AA211512	Blue, Green, Red, Gray	21¾	15%	121/2	201/16	143/32	111/4	1711/16	121⁄4	1.62	12	65	6	65 lbs./5
Order in carton of	quantities. Specify color v	vhen ordering.										•	,	



#### **Dollies**

· Plastic, steel and wood dollies available to transport containers. See pgs. 49-50



#### **Attached Lid Containers**

Models 39160, 39175 and 39280 are available in gray only



AA211512

## Straight Wall Containers

heavy duty bins, totes, containers & small parts storage

- SWCs are reusable shipping, storage, and work-in-process containers
- · Straight walls provide efficient internal and external space usage
- Solid-sided containers have smooth inner walls for easy, sanitary cleaning
- Mesh-sided containers allow hot or cold air ventilation
- Injection-molded from high-density polyethylene
- Available in 4 sizes and 3 styles
- · Color: Gray









**3 Styles Per Size:**Solid, mesh and combinations

## features (CS



One-inch wall thickness for secure stacking



Strong, 1" wide, stacking rims and external ribbing provide added strength



Straight walls provide efficient cubing in trucks and on pallets



Open .72 x .90 mesh pattern allows high visibility and good airflow

## related products

Add more productivity to your Straight Wall Containers with:

•	Carts	pgs.	45-47
•	Dollies	pgs.	49-50
•	Platform Trucks	pgs.	54-57



#### **Dollies**

 Plastic, steel and wood dollies available to transport containers.
 See pgs. 49-50

Straight Wall Containers (SV	Outside Dimensions Inches			Inside Dimensions Top Inches			Stacking Capacity / Qty. Bottom Type				
Model No. Mesh Side & Base	Model No. Mesh Side/Solid Base	Model No. Solid Side & Base	L	W	Н	L	W	Н	Ctn. Qty.	Solid	Mesh
37208	37278	37288	15¾	11¾	81/4	141⁄4	101/4	8	12	83 lbs./6	30 lbs./6
37608	37678	37688	23¾	15¾	81/4	221/4	141⁄4	8	4	83 lbs./6	45 lbs./6
37612	37672	37682	23¾	15¾	121/4	221/4	141⁄4	12	3	125 lbs./5	45 lbs./5
37616	37676	37686	23¾	15¾	16%	221/4	141⁄4	16	2	150 lbs./4	45 lbs./4
Order in carton quantities.											



## Cross-Stack Akro-Tub

#### heavy duty bins, totes, containers & small parts storage

- Ideal for food processing and handling operations or industrial work-in-progress activities
- Industrial-grade 90° nest and stack tub
- Nesting when empty conserves storage space
- Molded-in side handles for comfortable lifting
- Manufactured from FDA-sanctioned materials
- Smooth surface is easy to clean
- Compatible with standard 36" shelving and conveyor systems
- Color: Gray



## **∂Akro-Tub & Rack**

- Heavy-duty, industrial-grade nesting tub
- Tub manufactured from FDA-sanctioned materials
- Smooth surface is easy to clean
- Nests when empty to conserve storage space
- Use the Akro-Tub Rack (RA6TR4MR) to provide easy loading and transport of multiple Akro-Tubs
- 75 lb. capacity per tub
- Color: Gray



#### akro-tub features



Rounded corner Rolled top rim design adds strength forms comfortable to stress points



handles



Extra-thick walls for superior



Ribs prevent jamming when nested

#### **Outside Dimensions** Cross-Stack Akro-Tuh

	Model No.	L	W	Н	A	В	Capacity Gal.	Ctn. Qty.
L W.	34301	171/4	11	8	131/4	73/4	3.85	6
	34302	171⁄4	11	12	12%	7	5.51	6
	34303	23¾	171/4	8	19¾	14	9.81	6
В	34304	23¾	171/4	12	19	131/4	14.38	6

#### Order in carton quantities.

į	Double-Sided Cross-Stac	k Akro-Tub Rack		Inches		
	Model No.	Description	L	W	н	Rack Weight/lbs.
	RACR5MR	Holds 32 (34301) Cross-Stack Akro-Tubs* or 16 (34303) Cross-Stack Akro-Tubs*	53	29	62	1000 lbs.

#### Order in carton quantities. \*Tubs sold separately.

Akro-Tub			Inches				
Model No.	L	W	Н	A	В	Capacity Gal.	Ctn. Qty.
34240	19	24½	91/2	20½	15½	14.6	6
Order in carton quantities							

AKro-IUD Kack		inches		
Model No.	Н	w	D	Casters
RA6TR4MR	73	24	24	4" x 2" Mold-On Rubber: 2 Rigid, 2 Swivel

## cross-stack akro-tub features



Stacking grooves allow stable 90° stacks



Molded-in handles for easy lifting



Extra-thick walls and reinforcing ribs provide superior strength









**Double-Sided Cross-Stack Tub Rack** Holds 32 (34301) or 16 (34303) Cross-Stack

Akro-Tubs\*



#### **Akro-Tub Rack**

· Holds 6 Akro-Tubs on angle-iron slides for up to 600 lb. total capacity. Welded steel frame with 12-gauge base and boltedon casters.\*

\*Akro-Tubs sold separately.

## **ESTABLE Storage Cabinets**

heavy duty bins, totes, containers & small parts storage

- Two cabinets fit side by side on standard 36" wide shelving
- · Removable drawers are rust, corrosion and dent-proof



#### 19-Series Heavy-Duty Cabinets

Frame: 17" wide x 11" deep x 11" high with five different drawer sizes

· 2 dividers per drawer



#### 17-Series Light-Duty Cabinets

Frame: 18" wide x 6" deep x 9½" high. Drawer depth 5¾"

1 divider per drawer

## steel storage cabinet features — 19-Series



Heavy-duty weldedsteel frame with durable powder-coated finish



and transparent window for content identification



Strong, high-impact polystyrene drawers

#### 19-Series Drawers

 Available separately for a variety of uses



## **Plastic Storage Cabinets**

- Strong plastic cabinets organize and protect components
- A variety of drawer configurations provide versatile storage solutions
- Cabinets stack securely and are wall mountable
- Dividers included



10116











Frame back

interlocks into face



Flexible, strong, see-through drawers with finger grip drawer pulls



Rugged, high-impact polystyrene frame

## **Storage Cabinet** Hanging & Rotary Systems

#### Mobile Steel Cabinet Rack\*

- Double-sided, mobile rail rack holds 12 of the 19-Series cabinets with as many as 336 drawers
- Supports up to 500 lbs.

#### **Components & Quantities**

- 30016 Double-Sided Rail Rack Qty: 1
- 30424 Mobile Kit Qty: 1
- 19-Series Cabinets Mix or Match Qty: 12
- 98400 Suspension Straps (Set of 2 straps) Qty: 12 Sets \*Assembly required



## Storage -Go-Round\*

- · Access 20 cabinets and as many as 560 drawers in less than three square feet of floor space
- Holds up to 1,000 lbs. of parts
- Accommodates the 19-Series Steel Cabinets (sold separately)
- Swing diameter 43%" (1,108 mm)
- Stands 31" L x 31" W x 60" H (787 x 787 x 1524 mm)

19-Series Heav	y-Duty Steel Cabinets			Inches					
Model No.	Description	Drawers Per Cabinet‡	W	Н	D Ctn. Qty		Drawer Model No.	Dividers 25/Pkg. Model No.	
19228	Steel Storage Cabinet*	28	23/16	21/16	10%16	1	20228	40228	
19320	Steel Storage Cabinet*	20	33/16	21/16	10%	1	20320	40320	
19416	Steel Storage Cabinet*	16	4	21/8	10%	1	20416	40416	
19715	Steel Storage Cabinet*	15	3¾16	31/16	10%	1	20715	40715	
19909	Steel Storage Cabinet*	9	53/16	31/16	10%6	1	20909	40909	
19109	Storage Cabinet w/ Locking Door	9	5¾6	31/16	10%16	1	20909	40909	

**Drawer Dimensions** 

‡ Two removable dividers and one label per drawer included. \* Available with a locking door when ordered in quantities of 50 or more.

#### **Components & Quantities**

- 98325 Storage-Go-Round with turntable base
- 19-Series Cabinets Mix or Match - Qty: 20
- \*Assembly required

#### 17-Sprips Light-Duty Stool Cahingts

17 Jenes Light	Duty Steel Cabillets			menes				
Model No.	Description	Drawers Per Cabinet <sup>‡</sup>	W	Н	D	Ctn. Qty.	Drawer Model No.	Dividers 25/Pkg. Model No.
17018	Storage Cabinet*	18	2¾	21/2	5¾	1	20902	40901
17136	Storage Cabinet*	36	2¾	11/4	5¾	1	20502	40501

**Drawer Dimensions** 

‡ One removable divider and one label per drawer included. \* Available with a locking door when ordered in quantities of 50 or more.

Plastic Storage Ca	binets										
Model No.	Description	L	W	Н	Ctn. Qty.						
10116	16-Drawer Cabinet	10%	63/8	81/2	1						
10124	24-Drawer Cabinet	20	63/8	1513/16	1						
10126	26-Drawer Cabinet	20	63/8	1011/32	1						
10144	44-Drawer Cabinet	20	63/8	1513/16	1						
10164	64-Drawer Cabinet	20	63/8	15 <sup>13</sup> /16	1						

#### Additional Dividers (Plastic Cabinets)

Model No.	Description				
40716	16-Pack additional dividers for small drawers				
40717	6-Pack additional dividers for large drawers				



heavy duty bins, totes, containers & small parts storage

- · Grid design in lid keeps items from spilling into other compartments
- · Cases available in 3 sizes with different divider configurations
- Small and medium cases include 4 front-to-back adjustable dividers
- Large cases include 5 front-to-back adjustable dividers
- Clarified polypropylene for durability





**Medium Cases** 





## **Portable Organizers**



- Unique design keeps parts and equipment from migrating to other compartments when lids are shut
- Separate lid compartment holds small items
- The main compartment holds larger, bulky items
- · Dividers included for both levels
- Molded-in "feet" allow case to stand upright

# **Roto-Shelf**



- Mobile storage unit can easily be moved to different work areas, ideal for assembly components
- 19%" wide unit takes up very little floor space
- 3 shelves rotate on an independent central metal shaft
- Shelf depth 21/8", Shelf diameter 1978", 75 lbs. per shelf, 300 lb. total wt. capacity

## ▶ Tote Caddy

**Small & Medium Cases** 



- Hand-held tool and supply caddy
- Deep compartments hold loose parts, cleaning supplies or tools for easy transport
- Molded of heavy-duty, industrial-grade polypropylene for lasting durability
- Color: Blue

Storage Cases			imension Inches	15		
Model No.	Description	L	W	Н	Max. Compartments	Ctn. Qty.
05705	Small Case – 2 Fixed Dividers	8%	5%	15/8	15	12
05805	Medium Case – 2 Fixed Dividers	11	7	23/8	15	6
05807	Medium Case – 1 Fixed Divider	11	7	23/8	10	6
05905	Large Case – 2 Fixed Dividers	14%	9½	2½	18	6

Order in carton quantities.

Portable Organizers	Inches						
Model No.	Description	L	W	Н	Max. Compartments	Ctn. Qty.	
06115	Lid Storage Organizer	15	115/16	31/4	11 to 46	1	
06118	Large Lid Storage Organizer	181/4	13%	3%	12 to 62	1	
06217	Flat Bottom Organizer	1115/16	15	3%	9 to 32	6	

Order in carton quantities.

Roto-Shelf		Inches				
	Model No.	Description	D	Н	Ctn. Qty.	
	02420	Roto Shelf	19%	371/2	1	

Tote Caddy			Inches		
Model No.	Description	L	W	Н	Ctn. Qty.
09185BLUE	Tote Caddy	13%	18¾	9	6

Order in carton quantities






## Wire Shelving Systems

shelving systems & cabinets

- More than 30 system options for bin and shelf configurations!
- Six customizable shelf sizes available: 14" x 36", 18" x 36", 24" x 36", 18" x 48", 24" x 48" and 24" x 60"
- Wide variety of heights and styles: 63" upright with casters and 74" upright stand alone to fit all locations
- Open wire design minimizes dust collection and improves visibility for stored contents
- NSF approved
- Stationary units hold a maximum of 2,000 lbs. (910 kg)
- Mobile units with casters have a maximum load capacity of 900 lbs. (408 kg)









## Make organization **Easy** and more **Efficient**

- Build complete work cell systems
- Constructed from steel with a chrome finish for durability and strength
- Works with a variety of Akro-Mils storage products to organize parts or products and increase workspace efficiency
- · Streamlines workflow and order picking



#### Frames

Lightweight yet strong metal framework secures the shelving in place



#### Shelves

Adjustable to hold many Akro-Mils storage and organization products



#### **Quick-Adjust Clips**

Clips lock into the frame trunk, and unlock to adjust shelves



#### Leveling Bolts

Screws securely into uprights to level shelf system on uneven surfaces



#### Easy Set-up

Durable, versatile Wire Shelving allows quick, one-person set-up and installation

### Create Easy, Durable Storage & Organization with **Custom Wire Shelving Packages!**

- Stationary units hold a maximum of 2,000 lbs. (910 kg)
- Mobile units with casters have a maximum load capacity of 900 lbs. (408 kg)
- Maximum weight capacity per shelf:
  - -48'' or shorter = 800 lbs. (363 kg)
  - Longer than 48'' = 600 lbs. (272 kg)

### AkroBin® Wire Systems



### Shorten Assembly Times

- Three sizes allow for a wide variety of Bin and Shelf configurations
- Durable AkroBins feature a curved-bottom hopper front, making it easy to retrieve small parts
- AkroBins, pgs. 4-6

### **System Bin Wire Systems**



### Speed Set-Up & Organization

- Available with 11 Shelves
- Holds 10 System Bins
- Quickly organize with System Bins: one-piece, six-bin units
- System Bins, pg. 24

#### **Stak-N-Store Wire Systems**



### Maximize Space Utilization

- Available with 5 Shelves
- Configure for 6, 8, 9 or 12 Bins
- Bins feature a wide hopper front for easy access - ideal for bulky items
- Stak-N-Store Bins, pg. 28

### **Shelf Bin Wire Systems**



### Sort Parts to Improve Efficiency

- Available with 12 Shelves
- Configure for 36, 48, 60 or 96 Bins
- Strong, polypropylene Shelf Bins outlast corrugated bins
- Shelf Bins, pgs. 12-14

### **Akro-Grid Wire Systems**



### Improve Productivity

- Available with 7, 9 or 12 Shelves
- Configure for 24 or 36 Akro-Grids
- Versatile, work-in-process containers with optional dividers for compartments
- Akro-Grids, pg. 30

### **Nest & Stack Wire Systems**



### Simplify Workflow

- Available with 4 or 9 Shelves
- Configure for 12 or 36 Nest & Stack Totes
- Industrial-grade totes are ideal for transfer applications. Optional tote lids protect contents from dust. Label Holders allow quick content ID
- Nest & Stack Totes, pg. 29

### **Straight Wall Container Wire Systems**



### **Optimize Floor Space**

- Configured with 6 Shelves
- Holds 12 Straight Wall Containers
- Containers available with smooth, solid sides or an open mesh pattern for high visibility and airflow
- Straight Wall Containers, pg. 32

### VantageBin<sup>™</sup> Wire Systems



### **Boost Organization**

- Available with 11 Shelves
- Configure for 40 or 42 VantageBins
- · Sturdy, functional bin customizable with up to 10 compartments to fit unique sizes of products
- VantageBins, pg. 23

### **Akro-Tub Wire Systems**



### Improve Inventory Control

- Available with 4 or 7 Shelves
- Configure for 12 or 24 Akro-Tubs
- Akro-Tubs feature extrathick walls for strength Rolled rims form comfortable handles
- · Akro-Tubs, pg. 33

### 24" Super-Size AkroBin® **Wire Systems**



### Increase Storage Capacity

- Available with 3, 4 or 5 shelves that are 24" deep
- Combine with stackable 24" Super-Size AkroBins to optimize spacing between shelves
- Super-Size AkroBins, pgs. 26-27

### ShelfMax™ Wire Systems



### 6" Bins Maximize **Storage Capacity**

- · Available with 8 Shelves
- · Configure for 64 or 40 Bins
- 4 Bin Sizes & 5 Colors
- ShelfMax Bins, pg. 13

See Charts on pages 38-39 for Individual Specifications and Model Numbers













AkroBin® Wire Systems			Bir	Dimensi (Inches)		Shel	lf Dimens (Inches)			
Model Number	Description	AkroBin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS143630320	Wire Shelving w/ 30320 Bins	B, R, Y, GRN, S, BK	85/8	33	6	14	36	74	20	11
AWS143630240	Wire Shelving w/ 30240 Bins	B, R, Y, GRN, S, BK, SC	14¾	81/4	7	14	36	74	36	4
AWS143630250	Wire Shelving w/ 30250 Bins	B, R, Y, GRN, S, BK, SC	14¾	16½	7	14	36	74	18	4
AWS184830260	Wire Shelving w/ 30260 Bins	B, R, Y, GRN, S, BK, SC	18	11	10	18	48	74	24	6
AWS183630265	Wire Shelving w/ 30265 Bins	B, R, Y, GRN, S, BK, SC	18	81/4	9	18	36	74	18	5
AWS183630270	Wire Shelving w/ 30270 Bins	B, R, Y, GRN, S, BK, SC	18	16½	11	18	36	74	9	5

System Bin Wire Systems			Bir	Dimension (Inches)	ons	She	lf Dimens (Inches)	sions		
Model Number	Description	System Bin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS143630312	Wire Shelving w/ 30312 Bins	B, R, Y, GRN	33	12	5	14	36	74	10	11
AWS183630318	Wire Shelving w/ 30318 Bins	B, R, Y, GRN	33	18	5	18	36	74	10	11

Stak-N-Store Wire Syste	ems		Biı	n Dimens (Inches)		Shel	f Dimens (Inches)			
Model Number	Description	Stack-N-Store Bin Colors	L	W	Н	D	- 1	H	# of Bins	Shelves
AWS184813017	Wire Shelving w/ 13017 Bins	GRY, R, B, W	15½	19%	127/16	18	48	74	9	5
AWS183613014	Wire Shelving w/ 13014 Bins	GRY, R, B	171/2	10%	12½	18	36	74	12	5
AWS183613018	Wire Shelving w/ 13018 Bins	GRY, R, B	171/2	16½	12½	18	36	74	8	5
AWS1836SNS	Wire Shelving w/ 13014 & 13017* Bins	GRY, R, B	S	ee Abov	re	18	36	74	6/6	5

<sup>\*13017</sup> also available in White.

Shelf Bin Wire Systems			Bir	Dimensi (Inches)		Shel	f Dimens (Inches)	ions		
Model Number	Description	Shelf Bin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS143630120	Wire Shelving w/ 30120 Bins	B, R, Y, GRN, W	11%	41/8	4	14	36	74	96	12
AWS143630130	Wire Shelving w/ 30130 Bins	B, R, Y, GRN, W	11%	6%	4	14	36	74	60	12
AWS143630150	Wire Shelving w/ 30150 Bins	B, R, Y, GRN, W	11%	83/8	4	14	36	74	48	12
AWS143630170	Wire Shelving w/ 30170 Bins	B, R, Y, GRN, W	11%	111/8	4	14	36	74	36	12
AWS183630128	Wire Shelving w/ 30128 Bins	B, R, Y, GRN, W	171/8	41/8	4	18	36	74	96	12
AWS183630138	Wire Shelving w/ 30138 Bins	B, R, Y, GRN, W	171/8	6%	4	18	36	74	60	12
AWS183630158	Wire Shelving w/ 30158 Bins	B, R, Y, GRN, W	171/8	83/8	4	18	36	74	48	12
AWS183630178	Wire Shelving w/ 30178 Bins	B, R, Y, GRN, W	171/8	111/8	4	18	36	74	36	12
AWS244830124	Wire Shelving w/ 30124 Bins	B, R, Y, GRN, W	23%	41/8	4	24	48	74	96	12
AWS244830164	Wire Shelving w/ 30164 Bins	B, R, Y, GRN, W	23%	6%	4	24	48	74	60	12
AWS244830184	Wire Shelving w/ 30184 Bins	B, R, Y, GRN, W	23%	83/8	4	24	48	74	48	12
AWS244830174	Wire Shelving w/ 30174 Bins	B, R, Y, GRN, W	235/8	111/8	4	24	48	74	36	12

Akro-Grid Wire Syste	ms		Bir	Dimensi (Inches)	ons	Shel	f Dimens (Inches)	ions		
Model Number	Description	Akro-Grid Tote Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS183633166	Wire Shelving w/ 33166 Grids	B, R, GRY	16½	10%	6	18	36	74	36	9
AWS183633168	Wire Shelving w/ 33168 Grids	B, R, GRY	16½	10%	8	18	36	74	24	7
AWS2460M33224	Mobile Wire Shelving w/ 33224 Grids	B, R, GRY	223/8	17%	4	24	60	68	36	12

Bin color code: R=Red, B=Blue, Y=Yellow, GRN=Green, W=White, GRY=Gray, S=Stone, BK=Black, SC=Semi-Clear. Specify one bin color when ordering.

Nest & Stack Wire Systen	15		Bin	Dimension (Inches)	ons		f Dimens (Inches)	ions		
Model Number	Description	Nest & Stack Tote Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS183635180	Wire Shelving w/ 35180 Totes	B, R, GRY	18	11	6	18	36	74	36	9
AWS246035225	Wire Shelving w/ 35225 Totes	B, R, GRY	231/2	19½	10	24	60	74	12	4
Lids sold separately.										















VantageBin <sup>™</sup> Wire System	15		Bin	Dimensi (Inches)	ons	She	lf Dimens (Inches)	ions		
Model Number	Description	VantageBin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS183630400	Wire Shelving w/ 30400 Bins	GRY, Y, W	16¾	71/4	5%	18	36	74	40	11
AWS244830420	Wire Shelving w/ 30420 Bins	GRY, W	24	5½	7	24	48	74	40	11

Akro-Tub Wire Systems				Dimension (Inches)	ons	Shel	lf Dimens (Inches)			
Model Number	Description	Akro-Tub Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS1836M34301	Mobile Wire Shelving w/ 34301 Tubs	GRY	171/2	11	8	18	36	68	21	7
AWS2460M34240	Mobile Wire Shelving w/ 34240 Tubs	GRY	19	241/2	9½	24	60	68	12	4

Super-Size AkroBin	<sup>®</sup> Wire Systems		Bir	Dimensi (Inches)			f Dimens (Inches)	ions		
Model Number	Description	Super-Size AkroBin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
AWS184830280	Wire Shelving w/ 30280 Bins	B, R, Y, GRN, S, BK, SC	20	123/8	6	18	48	74	24	9
AWS184830281	Wire Shelving w/ 30281 Bins	B, R, Y, GRN, S, BK	20	123/8	8	18	48	74	18	7
AWS184830282	Wire Shelving w/ 30282 Bins	B, R, Y, GRN, S, BK	20	123/8	12	18	48	74	12	5
AWS184830283	Wire Shelving w/ 30283 Bins	B, R, Y, GRN, S, BK	20	18	12	18	48	74	8	5
AWS1848SAB	Wire Shelving w/ 30280, 281, 282, 283 Bins	B, R, Y, BK	9	ee Abov	⁄e	18	48	74	4/4/3	6
AWS2460M30358	Mobile Wire Shelving w/ 30358 Bins	BEIGE	20½	11	7	24	60	68	30	6
AWS24360287	Wire Shelving w/ 30287 Bins	R, B, Y	23%	11	10	24	36	74	16	6
AWS24360288	Wire Shelving w/ 30288 Bins	R, B, Y	23%	16½	11	24	36	74	12	3
AWS24360SAB	Wire Shelving w/ 30287 & 30288 Bins	R, B, Y	S	ee Abov	e	24	36	74	12/6	3
AWS24361288	Wire Shelving w/ 30288 Bins	R, B, Y	23%	16½	11	24	36	63	10	3



	ShelfMax <sup>™</sup> Wire Sys	stems		Bin	(Inches)			f Dimens (Inches)	ions		
	Model Number	Description	ShelfMax Bin Colors	L	W	Н	D	L	Н	# of Bins	Shelves
	AWS143630040	12" Wire Shelving w/ 30040	R, B, Y, GRN, W	11%	41/8	6	14	36	74	64	8
u	AWS143630090	12" Wire Shelving w/ 30090	R, B, Y, GRN, W	11%	65/8	6	14	36	74	40	8
á	AWS183630048	18" Wire Shelving w/ 30048	R, B, Y, GRN, W	17%	65/8	6	18	36	74	64	8
1	AWS183630098	18" Wire Shelving w/ 30098	R, B, Y, GRN, W	17%	6%	6	18	36	74	40	8
ĺ	Bin color code: R=Red, B	B=Blue, Y=Yellow, GRN=Green, W=White, GRY=Gray,	S=Stone, BK=Black, SC=Semi-Cle	ar. Specify o	one bin colo	or when or	dering.			·	

# accessories Mas



Footplates Steel tips on bottom of frames prevent movement of stationary units



**Locking Casters** Highly maneuverable, locking wheels create mobile or stationary units



**Non-Locking Casters** Highly maneuverable, non-locking wheels create mobile units



### **Color Coding**

Visual reference made simple! Color code work areas with Wire Shelving Systems for quick identification of stored items

# **Steel Shelving Systems**

- shelving systems & cabinets
- More than 30 system options for bin and shelf configurations
- Manufactured from high-grade, 22-gauge steel with a powder-coated finish
- Can be ordered independently or purchased with bins as a complete system
- Shelving units are easy to assemble, using nuts and bolts only on the top and bottom shelves
- Other shelves are quickly assembled, and can be adjusted when necessary, using compression clips
- All units feature a "sanitary" base that keeps debris and small parts from underneath the shelving
- 1236 Enclosure or 1836 Enclosure can be purchased separately for use with any AS1279 or AS1879 open shelving unit







### **Per Shelf Weight Capacity:**

- 12 x 36 = 500
- 24 x 36 = 550
- 18 x 36 = 550
- 30 x 36 = 600
- 18 x 42 = 355





### 24" Super-Size Steel Shelf Unit



#### **Expand Storage Options**

- Available with 3 or 4 shelves
- Complete packages available with the 24" Super-Size AkroBins to efficiently organize large items and improve workflow
- Stacking AkroBins on top of each other on each shelf saves valuable space
- Super-Size AkroBins, pgs. 26-27

#### 30" Super-Size Steel Shelf Unit



### Lengthen Storage Capability

- Available with 3 or 4 shelves
- Complete packages available with the 30" Super-Size AkroBins to efficiently organize large items and improve workflow
- Stacking AkroBins on top of each other on each shelf saves valuable space
- Super-Size AkroBins, pgs. 26-27

### 12" System Bin Shelf Unit



### Free Up Floor Space

- Available with 11 shelves
- Includes (10) 30312 System Bins
- Quickly organize with System Bins: one-piece, six-bin unit
- · System Bins, pg. 24

### 18" System Bin Shelf Unit



#### Increase Work In Process Efficiency

- Available with 11 shelves
- Includes (10) 30318 System Bins
- Quickly organize with System Bins: one-piece, six-bin unit
- · System Bins, pg. 24

#### 36" Wide Stak-N-Store Systems



### **AkroBin Shelf Rack**



### ShelfMax<sup>™</sup> Shelf Unit



### **Boost Organization**

- Available with 6 shelves
- Configure for 15, 10 or 6 Stak-N-Store bins depending on bin size selected
- Wide, hopper-front Stak-N-Store bins are perfect to store large, heavy or bulky items
- Stak-N-Store bins, pg. 28



### Maximize Space Utilization

- Available with 6 shelves
- Comes complete with 12 Stak-N-Store bins
- Wide, hopper-front Stak-N-Store bins are perfect to store large, heavy, or bulky items
- Stak-N-Store bins, pg. 28



### **Shorten Assembly Times**

- Available with 4 Shelves and solid top for extra workspace
- Configured to hold (12) 30240 AkroBins and (6) 30250 AkroBins
- · Durable AkroBins feature a curved-bottom hopper front, making it easy to retrieve small parts
- · AkroBins, pgs. 4-6



### Sort Parts To Improve Efficiency

- Available with 13 shelves
- Holds up to (96) 18" deep Shelf Bins or (144) 12" deep Shelf Bins
- Strong, polypropylene Shelf Bins outlast corrugated hins
- · Shelf Bins, pgs. 12-14



### 6" Bins Maximize Storage Capacity

- Available with 10 Shelves
- Configure for 50 or 80 Bins
- 4 Bin Sizes & 5 Colors
- ShelfMax Bins, pg. 13






#### 12" Shelf Bin Systems Bin Dimensions (Inches) Shelf Dimensions (Inches) **Model Number** Bin Model No. Description AS1279 Shelving (no Bins) 12 36 79 13 AS1279110Y Shelving with Bins 30110YELLO 115/8 144 23/4 4 12 36 79 13 30120YELLO AS1279120Y Shelving with Bins 115/8 79 96 13 41/8 4 12 36 30130YELLO AS1279130Y Shelving with Bins 115/8 79 65/8 4 12 36 60 13 AS1279150Y Shelving with Bins 30150YELLO 115% 83/8 4 12 79 48 13 36 AS1279170Y 30170YELLO Shelving with Bins 11% 79 111/8 36 13 4 12

ystem Bin Shelf Unit			Bin Din	nensions (	(Inches)	Shelf Di	mension	s (Inches	)	
Model Number	Description	Bin Model No.	L	W	Н	D	L	Н	# of Bins	Shelves
AS1279312R	Shelving with System Bins	30312RED	33	12	5	12	36	79	10	11
AS1279312B	Shelving with System Bins	30312BLUE	33	12	5	12	36	79	10	11
AS1279312Y	Shelving with System Bins	30312YELLO	33	12	5	12	36	79	10	11
AS1279312G	Shelving with System Bins	30312GREEN	33	12	5	12	36	79	10	11







8″ System Bin Shelf Unit			Bin Dim	ensions (	Inches)	Shelf Di	mension	s (Inches	)	
Model Number	Description	Bin Model No.	L	W	Н	D	L	Н	# of Bins	Shelves
AS1879318R	Shelving with System Bins	30318RED	33	18	5	18	36	79	10	11
AS1879318B	Shelving with System Bins	30318BLUE	33	18	5	18	36	79	10	11
AS1879318Y	Shelving with System Bins	30318YELLO	33	18	5	18	36	79	10	11
AS1879318G	Shelving with System Bins	30318GREEN	33	18	5	18	36	79	10	11



6″ Stak-N-Store System	ak-N-Store System					Bin Dimensions (Inches) Shelf Dimensions (Inches)					
Model Number	Description	Bin Model No.	L	W	Н	D	L	Н	# of Bins	Bonus Bins	
AS187936	Shelving (no Bins)	-	-	-	-	18	36	79	-	-	
AS187913014	Shelving, with Bins	13014	171/2	10%	121/2	18	36	79	15	1	
AS187913018	Shelving, with Bins	13018	171/2	16½	121/2	18	36	79	10	-	
AS1879ASORT	Shelving, with Bin Mix	13014, 13018	S	ee Abov	e	18	36	79	6/6	2/0	



42″ Stak-N-Store System	Bin Dim	nensions	(Inches)	Shelf Di	mension	)				
Model Number	Description	Bin Model No.	L	W	Н	D	L	Н	# of Bins	Bonus Bins
AS187942	Shelving (no Bins)	-	-	-	-	18	42	79	-	-
AS187913017	Shelving, with Bins	13017	151/4	19%	127/16	18	42	79	10	2



AkroBin Shelf Rack		Unit Din	nensions	(Inches)	Shelf Di	mension	s (Inches)	
Model Number	Description	L	W	Н	L	W	Н	Rack Weight Capacity
RABR5338	Holds twelve 30240 Bins and six 30250 Bins*	53½	151/4	37%	171⁄4	151/4	7%	300 lbs.

\*Bins sold separately.

AS2479ASSORT

Shelving with 30287/30288 Bins



24 Super-Size Shelvin	g System		Bin Dimensions (Inches) Shelf Dimensions (Inche							
Model Number	Description	Bin Model No.	L	W	Н	D	L	H	# of Bins	Shelves
AS2479	Shelving (no Bins)	-	-	-	-	24	36	79	-	-
AS2479287	Shelving with 30287 Bins	30287	23%	11	10	24	36	79	24	3
AS2479288	Shelving with 30288 Rins	30288	23%	161/5	11	24	36	70	12	Δ

30287/30288



30″ Super-Size Shelving S	O″ Super-Size Shelving System				Bin Dimensions (Inches)			is (Inches)			
Model Number	Description	Bin Model No.	L	W	Н	D	L	Н	# of Bins	Shelves	
AS3679	Shelving (no Bins)	=	-	-	-	30	36	79	-	=	
AS3679292	Shelving with 30292 Bins	30292	29%	11	10	30	36	79	24	3	
AS3679293	Shelving with 30293 Bins	30293	29%	16½	11	30	36	79	12	4	
AS3679ASSORT	Shelving with 30292/30293 Rins	30202/30203	-	οο Δηον		30	36	70	12/6	3	

24

See Above

36

79

12/6

Specify bin color.



S	helfMax <sup>™</sup> Shelf Unit	x <sup>™</sup> Shelf Unit				(Inches)	Shelf Di	mension			
	Model Number	Description	Bin Model No.	- 1	W	Н	D	L	H	# of Bins	Shelves
	AS1279040	12" Steel Shelving	30040	11%	41/8	6	12	36	79	80	10
EV	AS1279090	12" Steel Shelving	30090	11%	65/8	6	12	36	79	50	10
oduc	AS1879048	18" Steel Shelving	30048	17%	41/8	6	18	36	79	80	10
	AS1879098	18" Steel Shelving	30098	17%	65/8	6	18	36	79	50	10

# Heavy-Duty Cabinets

### shelving systems & cabinets

- Heavy-Duty Cabinets provide MAXIMUM space for storage of parts and protect contents from dust, damage and theft
- Powder-coated paint is resistant to cuts and scratches
- Industrial-strength lock and key ensure complete security
- Cabinets ship assembled, shelving and panels require installation
- Shelves are adjustable on 2" centers allowing the flexibility of securely storing multiple-sized objects
- 3 configurations Shelves, Louvered Panels, Combination with Bins
- Removable louvered panels attach to solid steel back panel
- 16-gauge steel construction













### **Heavy-Duty Cabinet**

- Model No. HD4824A
- · Cabinet with shelves only

### **Heavy-Duty Cabinet**

- Model No. HD4824E
- · Cabinet with louvers and bins



### **Heavy-Duty Cabinet**

- Model No. HD4824F
- · Cabinet with louvers and bins

### Heavy-Duty Cabinet 48"W x 24"D x 78"H

Bin	Dim	ensi	ions (	(Inc	hes)

Model No.	Description	Bin Model No.	L	W	Н	Qty. of Bins
HD4824A	Cabinet w/Shelves Only	-	-	-	-	-
HD4824E	Cabinet w/ Louvers	30220YELLO	73/8	41/8	3	160
		30230YELLO	10%	51/2	5	24
		30240YELLO	14¾	81⁄4	7	20
		30235YELLO	10%	11	5	12
HD4824F	Cabinet w/ Louvers	30220YELLO	7%	41/8	3	160
		30230YELLO	10%	5½	5	48
		30240YELLO	14¾	81/4	7	20



- Made from 16-gauge steel
- · Powder-coated finish

Heavy-Duty Cabinets and Standard Cabinets can accomodate:

- AkroBins.....pgs. 4-6
- Shelf Bins ......pgs. 12-14



### **AkroBin® Cabinet**

- Model No. AC3624Y
- Louvered panels on back wall and doors hold up to 138 bins



### AkroBin® Cabinet with 3 Shelves

- Model No. AC3624Y3AS
- Louvered panels and 3 full 24" shelves hold up to 102 bins



### **AkroBin® Cabinet** with Flush Doors

- Model No. AC3618Y
- Louvered panel on back wall holds up to 42 bins



### **Quick-View Security Bin Cabinet**

- Model No. AC3618QV240
- Lexan<sup>™</sup> door panels; louvered back wall panel
- · Holds up to 36 bins



### Secure View Security Bin Cabinet

- Model No. AC3618SV250
- Steel mesh door panels; louvered back wall panel
- Holds up to 36 bins

## accessories OMES

- For use with Standard Cabinets only
- Easily convert large cabinets to mobile units!
- Bin Cabinet Dollies feature solid, powder-coated steel deck with 1¼" lip and welded corners



AkroBin Cabinet 36"\	N x 24″D x 78″H		Bin Dir	nensions (l	nches)	
Model No.	Model No. Description			W	Н	Qty. of Bins
AC3624	Cabinet w/ Louvered Panels on Back & Doors, no Bins	-	-	-	-	-
AC3624Y	Cabinet w/ Louvered Panels on Back & Doors with Bins	30210YELLO	5%	41/8	3	48
		30220YELLO	73/8	41/8	3	48
		30230YELLO	10%	5½	5	24
		30240YELLO	14¾	81/4	7	12
		30250YELLO	14¾	16½	7	6

AkroBin Cabinet w/	3 Shelves 36"W x 24"D x 78"H	Bin Dimensions (Inches)							
Model No.	Model No. Description			W	Н	Qty. of Bins			
AC36243AS	Cabinet w/ 3 Shelves, and Louvered Panels on Back Wall and Door, no Bins	-	-	-	-	-			
AC3624Y3AS	Cabinet w/ 3 Shelves, and Louvered Panels on Back Wall and Door, with Bins	30210YELLO	5%	41/8	3	48			
		30220YELLO	73/8	41/8	3	48			
		30250YELLO	14¾	16½	7	6			

AkroBin Cabinet w/ F	lush Doors 36"W x 18"D x 78"H	Bin Dimensions (Inches)							
Model No.	Model No. Description		L	W	Н	Qty. of Bins			
AC3618	Cabinet w/ Louvered Panels on Back Wall, no Bins	-	-	-	-	-			
AC3618Y	Cabinet w/ Louvered Panels on Back Wall, with Bins	30230YELLO	10%	51/2	5	24			
		30240YELLO	14¾	81/4	7	12			
		30250YELLO	14¾	16½	7	6			

0	uick-View Security	Bin Cabinet 36″W x 18″D x 78″H	Bin Dimensions (Inches)							
	Model No. Description		Bin Model No.	L	W	Н	Qty. of Bins			
	AC3618QV	Cabinet w/ Quick View Doors, Louvered Back, no Bins	-	-	-	-	-			
	AC3618QV240	Cabinet w/ Quick View Doors, Louvered Back, with Bins	30240YELLO	14¾	81⁄4	7	36			
	AC3618QV250	Cabinet w/ Quick View Doors, Louvered Back, with Bins	30250YELLO	14¾	16½	7	18			

Secur	e-View Security	Bin Cabinet 36″W x 18″D x 78″H	Bin Dimensions (Inches)						
	Model No.	Description	Bin Model No.	L	W	н	Qty. of Bins		
	AC3618SV	Cabinet w/ Secure View Mesh Doors, Louvered Back, no Bins	-	-	-	-	-		
А	C3618SV240	Louvered Back, with Bins		14¾	81⁄4	7	36		
A	AC3618SV250 Cabinet w/ Secure View Mesh Doors, Louvered Back, with Bins		30250YELLO	14¾	16½	7	18		

Bin Cabinet Dollies	i	Dim	iensions (l	nches)		
Model No.	Description	L	W	Н	Polyolefin Casters	Weight Capacity
AC803618M26	18 x 36 Bin Cabinet Dolly	36½	18½	51/4	3 x 1¼″	1000 lbs.
AC803624M26	24 x 36 Bin Cabinet Dolly	361/2	24½	6½	4 x 1¼″	1000 lbs.



- Hinged side gates on both shelves flip up or down to convert the ProCart to a flat-top or box-top cart
- A versatile work center for the assembly line, warehouse or wherever you need portable storage
- High-density polyethylene structural foam construction is dent-resistant, rust-proof and never needs painting
- 400 lb. (180 kg) maximum cart load. 200 lb. (90 kg) capacity per top and bottom shelf
- Assembly required
- Color: Gray











compartments keep items secured and within reach (Only large cart has mug holder.)



Comfortable, full-width handle gives complete handling control



rail system (sold separately) allows AkroBins® to hang



Toe-touch, locking swivel wheels



Smooth, rounded corners and edges



Durable, non-marking 5" wheels



makes loading and unloading oversized boxes on the lower shelf easy



### **AkroBins Ordering Information**


To create a customized ProCart with AkroBins, use the chart below to determine the quantity of AkroBins that will fit your ProCart. Carts, rail kits and bins must be ordered separately. When ordering, please specify Red, Yellow, Blue, Stone, Green, Semi-Clear or Black bins.



Model No. 30936 Shown with optional rail kit

### **Optional 9-Rail Hanging System Ordering Information**

The 9-Rail Hanging System is required to hang AkroBins and modular cabinets on your ProCart. For large cart rails, order Model No. 30906. For small cart rails, order Model No. 30900. Refer to pg. 34 for modular cabinets.



Model No.	Description	L	W	Н	Ctn. Qty.
30936	Large Cart	45%	24	34¾	1
30930	Small Cart	41½	19	34¾	1


Easy assembly – requires Phillips screwdriver and rubber mallet



Bin Model No. Bin Dim. L x W x H	<b>30210</b> 5% x 4% x 3	<b>30220</b> 7% x 4% x 3	<b>30224</b> 10% x 4% x 4	<b>30230</b> 10% x 5½ x 5	<b>30234</b> 14¾ x 5½ x 5	<b>30235</b> 10% x 11 x 5	<b>30239</b> 10¾ x 8¼ x 7	<b>30240</b> 14¾ x 8¼ x 7	<b>30250</b> 14¾ x 16½ x 7	<b>30255</b> 10¾ x 16½ x 5	<b>30320</b> 8% x 33 x 5	19-Series Cabinet
30936 Large Cart	80	80	48	36	36	18	16	16	8	12	6	4
30930 Small Cart	70	70	42	30	-	12	12	-	-	-	-	2












- Industrial-grade mobile workstation with a welded-steel frame and steel reinforced premium hardwood work surface
- Available in two worktop sizes: 48" L x 24" W (for 12" AkroDrawers) and 36" L x 18" W (for 18" AkroDrawers)
- Features two stationary shelves for AkroDrawers
- Made from 16-gauge steel with durable powder-coated finish
- Non-marking casters allow weight capacity of 800 lbs.
- Small cart has four 4" casters
- Large cart has four 5" casters
- Ships fully assembled and ready to use
- Colors: Textured Charcoal Gray and Textured Putty









### Small Louvered Cart 37"L x 18"W x 36"H

Model No.	Description	Cart Color	Wt. Capacity	Qty. of Drawers	Drawer Color
MA3618C	Small Louvered Cart with no AkroDrawers	Textured Charcoal Gray	800 lbs.	-	R,B,Y,GRY,CRY
MA3618CAST	Small Louvered Cart with 31168 & 31188 AkroDrawers	Textured Charcoal Gray	800 lbs.	12/4	R,B,Y,GRY,CRY

sudden stops or turns

Model No.	Description	Cart Color	Wt. Capacity	Qty. of Drawers	Drawer Color
MA3618P	Small Louvered Cart with no AkroDrawers	Textured Putty	800 lbs.	-	B,CRY
MA3618PAST	Small Louvered Cart with 31168 & 31188 AkroDrawers	Textured Putty	800 lbs.	12/4	B,CRY

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cart. Blue or Crystal Clear available with Putty Cart. Only one color per unit.

### Large Laurened Cart 40"Ly 24"Wy 27 1/2"U

Large Louvered Cart 43	arge Louveled Call 47 LX 24 W X 37-1/2 II										
Model No.	Description	Cart Color	Wt. Capacity	Qty. of Drawers	Drawer Color						
MA4824C	Large Louvered Cart with no AkroDrawers	Textured Charcoal Gray	800 lbs.	-	R,B,Y,GRY,CRY						
MA4824C1	Large Louvered Cart with 31142 & 31162 AkroDrawers	Textured Charcoal Gray	800 lbs.	22/16	R,B,Y,GRY,CRY						
MA4824C2	Large Louvered Cart with 31142 & 31182 AkroDrawers	Textured Charcoal Gray	800 lbs.	22/10	R,B,Y,GRY,CRY						

Model No.	Description	Cart Color	Wt. Capacity	Qty. of Drawers	Drawer Color
MA4824P	Large Louvered Cart with no AkroDrawers	Textured Putty	800 lbs.	-	B,CRY
MA4824P1	Large Louvered Cart with 31142 & 31162 AkroDrawers	Textured Putty	800 lbs.	22/16	B,CRY
MA4824P2	Large Louvered Cart with 31142 & 31182 AkroDrawers	Textured Putty	800 lbs.	22/10	B,CRY

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cart. Blue or Crystal Clear available with Putty Cart. Only one color per unit. Color code: B= Blue, CRY= Crystal Clear, GRY=Gray, R=Red, Y=Yellow

#### **Outside Dimensions** AkroDrawers

Model No.	L	W	Н
31142	115/8	3¾	45/8
31162	115/8	5%16	45/8
31182	115/8	83/8	45/8
31168	17%	5%16	45/8
31188	17%	83/8	45/8



- Heavy-duty carts designed for daily work
- Welded steel cart rolls smoothly on long-wearing casters
- Built to withstand loads up to 2,200 lbs. with recommended casters
- Swayback-style tubular push handle (Models R1S5HR and R1S8MR have vertical handles)
- Choose from several caster options as well as rubber matting, a writing shelf and drawers
- Ships completely assembled and ready to use











Longitudinal stiffeners support bottom shelf



Heavy-duty, 13-gauge steel shelves



Cart Sizes - Specify size when ordering. Standard -

- 24" x 36"
- 24" x 48"
- 30" x 48"
- 30" x 60"

Specify cart size when ordering. See page 61 for full description of casters and wheels.

Shelf Carts				Height	Shelf Clearance	
Model No.	Weight Capacity (lbs.)	Caster	Shelves	Inches	Inches	Handle
R1S8FP2	1200	8" Full Pneumatic	2	331/2	20¾	Sway Back
R1S10FP2	1200	10" Full Pneumatic	2	351/4	20¾	Sway Back
R1S5HR	1800	5″ x 2″ Polyolefin	2	30	20¾	Vertical
R1S5HR2LD	1800	5″ x 2″ Polyolefin	2	25	15½	Sway Back
R1S8MR	2200	8″ x 2″ Mold-On Rubber	2	33	20¾	Vertical
R1S8MR2**	2200	8" x 2" Mold-On Rubber	2	33	20¾	Sway Back

<sup>\*\*</sup>Low deck to minimize lifting & bending. Also available in 18 x 30 — not available in 30 x 60.

Multi-Shelf Carts				Height	Shelf Clearance	
Model No.	Weight Capacity (lbs.)	Caster	Shelves	Inches	Inches	Handle
R2ST5HR*	1800	5″ x 2″ Polyolefin	2	30	20¾	Horiz. Tubular
R3ST5HR	1800	5″ x 2″ Polyolefin	3	30	9%	Horiz. Tubular
R4ST5HR	1800	5″ x 2″ Polyolefin	4	631/4	17	Horiz. Tubular
R4ST8MR	2200	8" x 2" Mold-On Rubber	4	66¼	17	Horiz. Tubular
R5ST5HR**	1800	5″ x 2″ Polyolefin	5	631/4	121/2	Horiz. Tubular
R5ST8MR**	2200	8" x 2" Mold-On Rubber	5	661/4	12½	Horiz. Tubular

<sup>\*</sup>Only available in 18 x 30. \*\*Also available in 36 x 72.

Height **System Bin Multi-Shelf Carts** Weight Capacity (lbs.) Bin/Qty. R5SYT5HR2436\*\* 30312/10 RYBG 5" x 2" Polyolefin 5 Horiz. Tubular R5SYT8MR2436\*\* 8" x 2" Mold-On Rubber 2200 5 43 Horiz. Tubular 30312/10 RYBG R5SYT5HR3636\*\* 1800 5" x 2" Polyolefin 40 Horiz, Tubular 30318/10 RYBG R5SYT8HR3636\*\* 8" x 2" Mold-On Rubber Horiz, Tubular 30318/10 RYBG 2200





**Handle** 



<sup>\*\*</sup>Only available in 24" x 36" or 36" x 36" decks. Bin color code: R=Red, B=Blue, Y=Yellow, G=Green. Specify color when ordering.

### Tray Service Cart mobile systems & work centers



- Excellent for libraries and manufacturing operations
- 2 swivel, 2 fixed casters

### **Cart Sizes**

Standard -• 18" x 30" Optional -• 18" x 36"


- 24" x 36"
- 24" x 48"

Specify size when ordering	



### **Casters & Wheels**

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster information.



## **Box Trucks**



- All box trucks have 2 swivel, 2 rigid, 5" x 2" polyolefin casters
- Solid steel or expanded metal sides available
- 1,800 lbs. capacity
- Available with optional lid



Expanded metal for easy cleaning, good airflow and visibility of contents. 311/2" overall height; 25" inside depth

Standard Caster **Polyolefin** 

See pg. 61 for more caster information

#### **Box Trucks** Model No. Description **Caster Type** Weight Capacity (lbs.) R1B5HR Steel Box Truck 5" Polyolefin 1800 R1B5HRL Steel Box Truck with Lid 5" Polyolefin R1B5HRX Expanded Metal Box Truck 5" Polyolefin 1800 R1B5HRXL Expanded Metal Box Truck with Lid 5" Polyolefin 1800

# High-End Narrow Aisle Truck

- Extra-narrow aisle truck for order-picking and stocking where space is limited
- Slim design fits easily in tight areas
- Centered, 8" wheels and casters at each corner allow cart to turn within its own diagonal space
- · Available in plywood deck with steel frame or all-steel deck
- 1,500 lb. capacity



Plywood deck

**Cart Sizes** Standard -

Optional -• 18" x 48" • 18" x 60" 24" x 60" 24" x 48"

Specify size when ordering

ligh End Narrow Aisle Carts						
Model No.	Description	Center Casters	Corner Casters	Weight Capacity (lbs.)		
R215HE	Plywood Deck Steel Frame	8″ Mold-On Rubber	4″ Polyolefin	1500		
R214HE	All-Steel	8″ Mold-On Rubber	4″ Polyolefin	1500		

**Box Sizes** 24" x 36"

24" x 48"

30" x 36"

Specify size when ordering

• 30" x 48"



- Constructed from select kiln-dried hardwoods to prevent warping and shrinkage
- All boards are cut and planed to %" with guaranteed consistent quality
- Four, 3" polyolefin swivel casters offer 900 lb. capacity (See caster options for up to 1,400 lb. capacity)
- Standard deck height 5¾"
- Shipped fully assembled



### **Solid Dolly**

- Three cross battens on 36" & 48" length
- Smooth, treated deck with countersunk bolts
- Deck boards run lengthwise









Hardwood deck with countersunk bolt holes for a smooth working surface



Non-marking 3" swivel casters with polyolefin wheels



Zinc-plated rigs and hardware resist corrosion

#### **Flush Dolly**

- Full, 4" wide by 134" thick double length rails
- Smooth, open deck



### **Regular Dolly**

- Strength and reliability at an economy price
- · All rails are 4" wide



### **Carpet End Dolly**

Padded carpeting<sup>‡</sup> protects furniture and appliances



### **Rubber Cap Dolly**

Non-skid reinforced 3" wide rubber caps keep slippery loads in place without damage



### **All-Carpet Solid Dolly**

- · Strength and reliability at an economy price
- Fully carpeted<sup>†</sup> deck prevents damage to cargo

<sup>‡</sup>Pattern of carpet may vary

# accessories Ories





Wheel Locks Tow Eye R1495

W	ood	Dol	lies

### Dimensions Inches

Model No.	Description	L	W
RD2416S3P	Solid Dolly	24	16
RD2718S3P	Solid Dolly	27	18
RD301853P	Solid Dolly	30	18
RD3624S3P	Solid Dolly	36	24
RD482453P	Solid Dolly	48	24
RD2416F3P	Flush Dolly	24	16
RD2718F3P	Flush Dolly	27	18
RD3018F3P	Flush Dolly	30	18
RD3624F3P	Flush Dolly	36	24
RD4824F3P	Flush Dolly	48	24
RD2416R3P	Regular Dolly	24	16
RD3018R3P	Regular Dolly	30	18
RD3624R3P	Regular Dolly	36	24
RD3018CE3P	Carpet End Dolly	30	18
RD3624CE3P	Carpet End Dolly	36	24
RD2718RC3P	Rubber Cap Dolly	27	18
RD3018RC3P	Rubber Cap Dolly	30	18
RD3018AC3P	All-Carpet Solid Dolly	30	18
RD3624AC3P	All-Carpet Solid Dolly	36	24

### **Caster Options**

Model No.	Description	Weight Capacity (lbs.)
3P**	3" Polyolefin Casters	900
4P	4" Polyolefin Casters	1200
5P	5" Polyolefin Casters	1400
3R	3" Gray Non-Marking Rubber	900
35R	3½" Gray Non-Marking Rubber	900
4Rx	4" Blue Elastic Rubber	900
4R	4" Non-Marking Rubber Casters	1100
5R	5" Non-Marking Rubber Casters	1350

### **Brake Kits**

Brake kits inst	alled on two swivel casters – optional (non-returnable)
R1130BRK	3" Brake Kits for Hard Rubber Casters
R1151BRK	3" Brake Kits for Polyolefin Casters

### **Casters & Wheels**

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

# Dollies Polyethylene mobile systems & work centers









• High-impact, durable polyethylene construction

- Steel-reinforced, one-piece deck design
- Easy to clean, non-porous platform will not rot, mildew or splinter
- 400 lb. weight capacity
- Quick, easy assembly
- Colors: Blue or Red



## Dollies Steel

- Durable, powder-coated finish
- Open structural angle dollies, 1½" x 1½" x 1½" x 1%"
- Solid decks are smooth, 13-gauge steel
- 1½" lip turned down for a smooth surface. Order lips up for a contained area
- Up to 1,000 lb. weight capacity





Solid Deck – Lips Up



Solid Deck – Lips Down



Open Angle – Lips Up



Open Angle – Lips Down

## Polyethylene Dollies Inches Inches

Model No.	Model No. Description		W	Caster Type*	Overall Height	Weight Capacity (lbs.)
RMD3018F4PN	Flush Polyethylene w/ Casters	30	18	4″ Polyolefin	7¾	400
RMD3018RC4PN	Padded Polyethylene w/ Casters	30	18	4″ Polyolefin	8¾	400
RMD3018FN	Flush Polyethylene w/o Casters	30	18	-	23/4	-
RMD3018RCN	Padded Polyethylene w/o Casters	30	18	-	3¾	-
RMD3018F4RX	Flush Polyethylene w/ Casters	30	18	4" Blue Elastic Rubber	7¾	400
RMD3018RC4RX	Padded Polyethylene w/ Casters	30	18	4″ Blue Elastic Rubber	8¾	400

Plate-style 4" polyolefin swivel casters for maximum maneuverability and easy replacement

Specify color when ordering

Steel Dollies					Inches	Inches	Inches
Style	Lips Down Model No.	Lips Up Model No.	Capacity	Caster Type*	Caster Size	Deck Height Up	Deck Height Down
Solid Dolly	RD843HR	RU843HR	900 lbs.	Polyolefin	3 x 1¼	5½	41/8
Solid Dolly	RD843SS	RU843SS	1000 lbs.	Semi-Steel	3 x 11/4	5½	41/8
Solid Dolly	RD844HR	RU844HR	1000 lbs.	Polyolefin	4 x 1½	6%	51/4
Solid Dolly	RD844SS	RU844SS	1000 lbs.	Semi-Steel	4 x 1½	6%	5¼
Open Angle	RD853HR	RU853HR	900 lbs.	Polyolefin	3 x 11/4	5¾	43/8
Open Angle	RD853SS	RU853SS	1000 lbs.	Semi-Steel	3 x 11⁄4	5¾	43/8
Open Angle	RD854HR	RU854HR	1000 lbs.	Polyolefin	4 x 1½	6%	5½
Open Angle	RD854SS	RU854SS	1000 lbs.	Semi-Steel	4 x 1½	6%	5½

### **Deck Sizes**

Standard

• 16" x 27" • 18" x 30" • 18" x 24" • 24" x 36"

Specify size when ordering

### \*Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.





## **Medium-Duty**

- Medium-duty hand trucks for day-to-day work
- Welded-steel construction supports up to 300 lbs.
- Durable, powder-coated finish
- %" OD structural pipe frame, 13-gauge wall
- Standard 7" x 14" steel nose plate
- Ships completely assembled and ready to use
- %" diameter axle
- Two position bracket fits 8" or 10" wheels
- Heavy flat bar and tube for climbing stairs







Semi-Pneumatic



10" x 31/3"



Mold-On Rubbe 8" x 2'





## Heavy-Duty

- Heavy-duty hand trucks for all types of loads
- Welded-steel hand trucks support up to 500 lbs.
- Durable, powder-coated finish
- 1" OD structural pipe frame, 13-gauge steel

\*Special-order products are not returnable.

- %" diameter axle
- Standard 8" x 14" steel nose plate
- Optional 10" x 14" or 14" x 14" noseplate available\*
- Two position bracket fits 8" or 10" wheels





### **Single & Dual Gas Trucks**

- Heavy-duty truck designed to handle 330 cu. ft. cvlinders
- Available in single and dual cylinder models
- Includes heavy-duty holding chain
- Hard rubber swivel caster
- Color: Green



### **Single Cylinder Hand Truck**

- Perfect for medium to large cylinders
- Also transports boxes or other bulky items
- Includes heavy-duty holding chain Color: Green



Flow Back (FB)



Medium-Duty l	Hand Trucks – Flow Back	Inches	Inc	hes
Model No.	Wheel Type	Wheel Size	Н	W
R3008MR	Mold-On Rubber	8	45	19%
R3010FP	Full Pneumatic	10	45	22
R3010SP	Semi-Pneumatic	10	45	20

Heavy-Duty Hand Trucks – Flow Back		Inches	Inc	hes
Model No.	Model No. Wheel Type		Н	W
R4008MR	Mold-On Rubber	8	45	19¾
R4008MR2	Mold-On Rubber	8	52	19¾
R4010FP	Full Pneumatic	10	45	22
R4010FP2	Full Pneumatic	10	52	22
R4010SP	Semi-Pneumatic	10	45	20
R4010SP2 Semi-Pneumatic		10	52	22

į	Heavy-Duty Hand Trucks – Dual Loop		Inches	Inc	hes
	Model No. Wheel Type		Wheel Size	Н	W
	R4510SP Semi-Pneumatic		10	46	20
	R4510SP2 Semi-Pneumatic		10	53	20

Single & Dual Ga	Inches		
Model No.	Truck Type	Wheel Type	Wheel Size
RGTS10FP	Single	Full Pneumatic	10 x 3½
RGTD10FP	Dual	Full Pneumatic	10 x 3½
RGTS10SP	Single	Semi-Pneumatic	10 x 2¾
RGTD10SP	Dual	Semi-Pneumatic	10 x 2¾

- GTS Base Plate 14" W x 6" D (356 x 152 mm) OAH 45" 1143
- GTD Base Plate 29" W x 6" D (737 x 152 mm) OAH 45" 1143

D	ual Cylinder Truck w	Inches			
	Model No.	Wheel Size			
	RCT40LW	Lightweight	8 x 1¾		
	<ul> <li>Base Plate – 17" W x 8" D (432 x 203 mm) OAH – 43" 1092</li> </ul>				

Single Cylinder Hand T	ruck	Inches
Model No.	Model No. Wheel Type	
RCTV40SP	Semi-Pneumatic	10 x 2¾

Base Plate – 14" W x 7" D (356 x 178 mm) OAH – 48" 1219



## **Hand Trucks & Drum Handling Equipment**

mobile systems & work centers



## **Cradle Combo Truck**

- A drum truck and cradle in one
- Handles 30 and 55-gallon drums with ease
- Extra wheels assist in climbing curbs or loading pallets
- Adjustable clip keeps drum in place
- 15/16" OD tube frame
- Durable, powder-coated finish



Vheel Type	Wheel Size	Roller Bearing	Load Capacity
Mold-On	8 x 2	3/4	1000 lbs.
	6 x 2	3/4	
Mold-On	10 x 2½	1	1200 lbs.
	6 x 2	3/4	
	Mold-On	Mold-On 8 x 2 6 x 2 Mold-On 10 x 2½	Mold-On 8 x 2 ¾ 6 x 2 ¾ Mold-On 10 x 2½ 1





• For the ease of rolling 30 and 55-gallon drums

**Cradle Combo Truck** 

• Durable, powder-coated finish

Drum Dolly					
Model No.	Wheel Type	Load Capacity	Diameter		
R9255HR	3″ Swivel Polyolefin	900 lbs.	23½″ ID		





### **Pail Truck**

- Multi-purpose hand truck for carting 5-gallon pails
- Cross straps with supporting arms hold pails in place while in transit
- Welded, 1" structural pipe frame with \%" walls; durable, powder-coated finish
- Holds 4 pails, up to 300 lbs. capacity

Model No. Wheel Type V	Wheel Size	Overall Height	Overall Width
RPT4010SP Semi-Pneumatic	10	55½	181/2





# **Dual-Purpose Hand Truck**



- Dual-function hand truck converts to platform position for oversize loads
- Welded, 15/16" OD tube frame and 1" OD tube handle powder-coated finish for durability
- Up to 600 lbs. capacity in platform mode
- Large 7" x 14" nose plate
- Axle accommodates 8" or 10" wheels
- Color: Silver

Dual-Purpose Hand Truck		Inches	Inches	Inches
Model No.	Wheel Type	Wheel/Caster Size	Overall Height	Overall Width
RDT4008SP	Semi-Pneumatic	8/3	46	19%
RDT4010FP	Full Pneumatic	10/5	46	22
RDT4010SP	Semi-Pneumatic	10/5	46	20



Versatile, structural foam cart with multiple handle and caster options

Sturdy, easy-to-clean deck resists most chemicals and damage from long-term weather exposure

- All decks are steel reinforced
- Designed with handles mounted outside of deck to maximize deck space
- Choose the deck size, caster type and handle style to create the exact configuration you need
- Decks are available in two sizes: 24" x 48" and 30" x 60"
- 1,000 lb. load capacity
- Deck color: Gray





24" x 48" De	cks & Casters*	Inches	
Model No.	Caster Type	Caster Size	Ship Wt. w/o handles
R90181	Pneumatic	8	69 lbs.
R90162	Polyolefin	6	61 lbs.
R90163	Polyurethane	6	61 lbs.
R90182	Mold-On Rubber	8	81 lbs.
R90184	Polyolefin	8	65 lbs.
R90110	Pneumatic	10	77 lbs.
R90185	Thermo-Plastic	8	61 lbs.

30 X 60 Dec	KS & Casters	Inches	
Model No.	Caster Type	Caster Size	Ship Wt. w/o handles
R90281	Pneumatic	8	93 lbs.
R90262	Polyolefin	6	85 lbs.
R90263	Polyurethane	6	85 lbs.
R90282	Mold-On Rubber	8	105 lbs.
R90284	Polyolefin	8	89 lbs.
R90210	Pneumatic	10	101 lbs.
R90285	Thermo-Plastic	8	85 lbs.

Model No.	Size (inches)	Style	Handle	Color	Ship Wt.	
Outside Deck						
R92411	18	Open	Swayback	Gray	5 lbs.	
R92412	18	Crossbar	Swayback	Gray	6 lbs.	
Handle Rails Indeck						
R94817	48	Crossbar	Straight	Gray	14 lbs.	

Model No.	Size (inches)	Style	Style Handle Color		Ship Wt.	
Outside Deck						
R93011	24	Open	Swayback	Gray	9 lbs.	
R93012	24	Crossbar	Swayback	Gray	10 lbs.	
Handle Rails Indeck						
R96017	60	Crossbar	Straight	Gray	16 lbs.	

### \*Casters & Wheels


Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

## How to Order

20" v 60" Docke 9. Cast

### STEP 1 – pick a deck & casters\*

Refer to charts above to select deck size and casters



### **Deck sizes**

- 24" x 48" (610mm x 1219mm)
- 30" x 60" (762mm x 1524mm)
- · Color: Gray

### \*Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

### STEP 2 - pick a handle & rails


Refer to charts above to select handle and rail configuration

### **Handle - Outside Deck**





### Handle Rails - Indeck





# **Platform Trucks** *Wood Deck*

mobile systems & work centers









- Safely transport product, minimize lifting/carrying
- Heavy-duty platform trucks with kilndried, tongue and groove hardwood decks
- Caster options allow 1,180 to 3,000 lb. capacities
- Choose from multiple options in deck type, size, handles, casters, running gear patterns, bumpers and wheel locks
- Decks are 4/4 (%" thick)
- Shipped completely assembled and ready to use
- Casters are bolted on for easy replacement



# How to Order in 7 Easy Steps!

### pick a deck size

### **Deck sizes**

- 24" x 48"
- 30" x 60"
- 27" x 54"
- 36" x 72"

### pick running gears



Rigid caster



Swivel caster









### pick a deck style (series 1 or 2)

### Styles

### Series 1 – All Wood

- · Standard with removable lattice pipe handle at swivel end
- Two swivel, two rigid casters
- See caster options for capacity

### Series 2 - Wood Deck with Steel Frame

- 2" x 2" x 1/8" welded steel angle frame keeps cart square (On 36" x 72" deck, 2" x 2" x 3/16")
- Heavy-duty steel frame for additional deck support
- · Standard with removable lattice pipe handle at swivel end
- The wood deck is reinforced with longitudinal stiffeners for maximum capacity. (See caster options for capacity)
- Two swivel, two rigid casters

### pick caster type & size














**Casters & Wheels** 

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

### pick superstructure (A-D)

### Superstructure







Crossbar handle





### create your model number


Call your Akro-Mils distributor with your model number today to order

model#	step 1	step 2	step 3	step 4	step 5	step 6
Platform Truck	→ Size→	Series	Super- structure	Running Gear Type	Caster Wheel	Caster Wheel Diameter
RPT	2448 2754 3060 3672	1 2	A B C D <b>→</b>	4 5 6 7	P M Y N R S	5 6 8 10
RPT	3060	2	Α	5	Р	6



- Heavy-duty steel trucks with longitudinal steel underdeck reinforcements
- Standard two swivel, two rigid casters
- Special-order platform trucks are available. See page 50 to select from multiple options in handles, casters and running gears (Special-order products are not returnable)





Casters are bolted on for easy replacement







### **HEAVY-DUTY DECK SIZES**

- 30" x 48" 24" x 36" 36" x 60" 24" x 48" • 30" x 60" • 36" x 72"
- 24" x 60"
- 27" x 54"

Specify size when ordering





Durable powdercoated finish



Smooth, 13-gauge steel deck and frame



run lengthwise under the deck



industrial casters

Platform Trucks – Steel			Inches		Inches
Model No.	Description	Caster Type*	Caster Size	Weight Capacity (lbs.)	Deck Height
R2108FPB	Steel Platform	Full Pneumatic	8 x 2	1200	11½
R2125MRB	Steel Platform	Mold-On Rubber	5 x 2	1200	8
R2168MRB	Steel Platform	Mold-On Rubber	8 x 2	2000	11
*See page 61 for full description	of casters and wheels				

# Platform Trucks Super-Heavy-Duty

- Super-heavy-duty wood deck steel frame trucks
- Steel C-channel underdeck reinforcements
- Capacity 1,200 to 4,000 lbs. depending on caster type



### Standard crossbar handle

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

### **accessories** for either Steel or Super-Heavy-Duty







Corner Bumpers



Continuous **Bumpers** 

### **SUPER-HEAVY-DUTY DECK SIZES**

24" x 48" • 30" x 60" 30" x 48" • 36" x 72"

Specify size when ordering


Platform Trucks — Super-I	Heavy-Duty Steel		Inches		Inches
Model No.	Description	Caster Type*	Caster/Wheel Size	Weight Capacity (lbs.)	Deck Height
R2178MRB	Wood Deck Steel Frame	Mold-On Rubber	8 x 2	2000	121/4
R219885MRB	Wood Deck Steel Frame	Mold-On Rubber	8 x 2 / 8 x 2 ½	2500	121/2
R221812MRB	Wood Deck Steel Frame	Mold-On Rubber	8 x 2 / 12 x 2½	3000	16
R2258516MRB	Wood Deck Steel Frame	Mold-On Rubber	8 x 2½ / 16 x 3	4000	191/2
*See page 61 for full descriptio	n of casters and wheels				

# Platform Trucks Work Height — Heavy-Duty

### mobile systems & work centers

- Ergonomic height reduces the strain of lifting and bending
- Welded tubular steel frame supports heavy loads
- Fixed and adjustable heights available
- Two deck sizes available: 24" x 48" and 30" x 60"
- Hardwood, steel or structural foam deck available

Hardwood deck features tongue and groove design Heavy-duty structural foam will not splinter, chip or rot



Optional expanded metal or solid steel lower shelf









accessories Ories






Expanded Metal Shelf

Optional Corner Bumper

Platform Trucks - Fixed Work He	ight - Tubular Steel Frame		Inches		Inches				
Model No.	Deck Type	1	W	Н	Caster Type*	Caster Size	Weight Capacity (lbs.)		
RWH24481A5M8	Wood	24	48	26%	Mold-On Rubber	8	1800		
RWHV24481A5M8	Structural Foam	24	48	26%	Mold-On Rubber	8	1800		
RWHV24481A5Y6	Structural Foam	24	48	24%	Polyurethane	6	2000		
RWHS24481A5M8	Steel	24	48	251/4	Mold-On Rubber	8	1800		
RWHS24481A5Y6	Steel	24	48	231/4	Polyurethane	6	1800		
RWH30601A5M8	Wood	30	60	26¾	Mold-On Rubber	8	1800		
RWHV30601A5M8	Structural Foam	30	60	26%	Mold-On Rubber	8	1800		
RWHV30601A5Y6	Structural Foam	30	60	24%	Polyurethane	6	2000		
RWHS30601A5M8	Steel	30	60	251/4	Mold-On Rubber	8	1800.		
RWHS30601A5Y6	Steel	30	60	231/4	Polyurethane	6	1800		
* C CAC CILL C									

ili irucks - Aujustable W	ork Height - Tubular Steel Fra	ıme	Inches			Inches	
Model No.	Deck Type	L	W	H	Caster Type*	Caster Size	Weight Capacity (lbs.
RWH24481A5M8A	Wood	24	48	26¾ to 32¾	Mold-On Rubber	8	1800
RWHV24481A5M8A	Structural Foam	24	48	27½ to 33½	Mold-On Rubber	8	1800
RWHV24481A5Y6A	Structural Foam	24	48	25½ to 31½	Polyurethane	6	2000
RWHS24481A5M8A	Steel	24	48	25% to 32	Mold-On Rubber	8	1800
RWHS24481A5Y6A	Steel	24	48	23% to 32	Polyurethane	6	1800
RWH30601A5M8A	Wood	30	60	26¾ to 32¾	Mold-On Rubber	8	1800
RWHV30601A5M8A	Structural Foam	30	60	27½ to 33½	Mold-On Rubber	8	1800
RWHV30601A5Y6A	Structural Foam	30	60	25½ to 31½	Polyurethane	6	2000
RWHS30601A5M8A	Steel	30	60	25% to 32	Mold-On Rubber	8	1800
RWHS30601A5Y6A	Steel	30	60	23% to 32	Polyurethane	6	1800





Hardwood Deck



Foam Deck




All-Steel Deck

### **Casters & Wheels**

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.



- Ergonomic height reduces the strain of lifting and bending
- Fixed and adjustable heights available
- Two deck sizes available: 24" x 48" and 30" x 60"
- Hardwood, steel or structural foam deck available
- Optional expanded metal lower shelf





ight - Angle Iron Frame		Inches		Inches			
Deck Type	L	W	Н	Caster Type*	Caster Size*	Weight Capacity (lbs.)	
Wood	24	48	241/2	Mold-On Rubber	6	1500	
Structural Foam	24	48	24%	Mold-On Rubber	6	1500	
All-Steel	24	48	22	Mold-On Rubber	6	1500	
Wood	30	60	241/2	Mold-On Rubber	6	1500	
Structural Foam	30	60	24%	Mold-On Rubber	6	1500	
All-Steel	30	60	22	Mold-On Rubber	6	1500	
	Wood Structural Foam All-Steel Wood Structural Foam	Deck Type         L           Wood         24           Structural Foam         24           All-Steel         24           Wood         30           Structural Foam         30	Deck Type         L         W           Wood         24         48           Structural Foam         24         48           All-Steel         24         48           Wood         30         60           Structural Foam         30         60	Deck Type         L         W         H           Wood         24         48         24½           Structural Foam         24         48         24½           All-Steel         24         48         22           Wood         30         60         24½           Structural Foam         30         60         24%	Deck Type         L         W         H         Caster Type*           Wood         24         48         24½         Mold-On Rubber           Structural Foam         24         48         24%         Mold-On Rubber           All-Steel         24         48         22         Mold-On Rubber           Wood         30         60         24½         Mold-On Rubber           Structural Foam         30         60         24%         Mold-On Rubber	Deck Type         L         W         H         Caster Type*         Caster Size*           Wood         24         48         24½         Mold-On Rubber         6           Structural Foam         24         48         24%         Mold-On Rubber         6           All-Steel         24         48         22         Mold-On Rubber         6           Wood         30         60         24½         Mold-On Rubber         6           Structural Foam         30         60         24%         Mold-On Rubber         6	

\* See page 61 for full description of casters and wheels

Platform Trucks - Adjustable Wo	ork Height - Angle Iron Frame		Inches		Inches				
Model No.	Deck Type	L	W	Н	Caster Type*	Caster Size*	Wt. Capacity (lbs.)		
RWH2448EA5M6A	Wood	24	48	24½ to 30½	Mold-On Rubber	6	1500		
RWHV2448EA5M6A	Structural Foam	24	48	24% to 30%	Mold-On Rubber	6	1500		
RWHS2448EA5M6A	All-Steel	24	48	22 to 28	Mold-On Rubber	6	1500		
RWH3060EA5M6A	Wood	30	60	24½ to 30½	Mold-On Rubber	6	1500		
RWHV3060EA5M6A	Structural Foam	30	60	24% to 30%	Mold-On Rubber	6	1500		
RWHS3060EA5M6A	All-Steel	30	60	22 to 28	Mold-On Rubber	6	1500		



- Tongue and groove hardwood deck
- Temporary storage and transport of raw materials and finished goods
- Lift Jack available for easy transport of most semi-live skids
- Can be used with a forklift or handjack



### **Deck Sizes**

### Semi-Live Skids 2 Wheels


Standard

- 24" x 48"
- 30" x 60"

Specify size when ordering

Semi-Live Skids – 2 wheels			Inches	
Model No.	Description	Caster Type*	Caster Size	Weight Capacity (lbs.)
RA778MR	Tongue & Groove Hardwood Deck	Mold-On Rubber	8	2200
RA756MR	Tongue & Groove Hardwood Deck	Mold-On Rubber	6	1800

Lift Jacks				Inches
Model No.	Description	Handle Style	Caster Type*	Caster Size
RM718MR‡	Male Lift Jack	(T) or (Loop)	Mold-On Rubber	8
RF718MR‡	Female Lift Jack	(T) or (Loop)	Mold-On Rubber	8





### **Lift Jacks**

- · For easy transport of most semi-live skids
- Specify "T" or loop handle style
- For female socket, change Model No.
- Pipe is 43" long

# Portable Tables & Carts

### mobile systems & work centers

- Durable carts for pulling stock, assembly operations or other heavy tasks
- Welded steel frame construction with soft rubber casters for easy maneuverability
- Overall height: 36"
- Ships completely assembled and ready-to-use
- 800 lb. capacity with recommended casters



### RMD25T5SR w/ optional drawer

- 5" x 11/4" soft rubber casters
- Shelf spacing
- 16-gauge steel
- 2" hemmed lip



RMD25T5SR w/ optional writing shelf

## accessories Ories



Easily accessible storage drawer. 151/2"W x 5½″H x16½″D O.D.



Writing Shelf: Handy, angled-shelf with pencil edge



**Rubber Matting:** For all standard size shelves



Control truck movement and prevent wheels from turning. Available on all wheels. Normal installation on two swivel wheels

### portable tables & carts features



Angle posts for added strength and rigidity



Tubular push handle MD series only



Powder-coated finish resists wear

Portable Tables							
Model No.	Weight Capacity (lbs.)	Caster	Shelves	Height (Inches)	Shelf Clearance (Inches)	Handle	Cart Size (Inches)
RMD2ST5SR	800	2 Swivel / 2 Rigid	2	36	27	Tubular	24 x 36
RMD3ST5SR	800	2 Swivel / 2 Rigid	3	36	121/2	Tubular	24 x 36

# Mobile Work Tables Heavy-Duty



RHWB2448P5PY0G

- Industrial-grade mobile workstation with a welded-steel frame and steel-reinforced premium oak top - ships fully assembled
- 24" L x 48" W work area with 9 adjustable height settings from 36" x 48"
- 5" x 2" bolted on polyurethane casters; two rigid, two swivel with total lock brakes
- Wraparound steel backstop keeps items from falling behind work table
- Gray powder-coated finish

### Hardwood work Hardwood work surface with surface extends 2" to premium 11/4" (5/4) thick oak accommodate vise or clamps boards and rounded edges 131/2" D x 37" W tilted middle 21" D x 36" W bottom shelf shelf for easy access to bins

## Mobile Work Tables Medium-Duty



- Industrial-grade work table with steel-reinforced hardwood top ships fully assembled
- 24" L x 48" W x 36" H
- 2 steel drawers 151/2" W x 51/2" H x 161/2" D
- 2 swivel, 2 rigid bolted-on soft rubber casters; 5" x 1¼" total lock brakes on swivel casters
- Optional butcher block top available
- Gray powder-coated finish

### Heavy-Duty Work Benches mobile systems & work centers







- Heavy-duty, steel frame work bench
- Steel, premium hardwood, butcher block or composition work surface
- 34" fixed or adjustable work heights
- Bench sizes: 30" x 60" and 30" x 72"
- Compatible with AkroBins
- Gray powder-coated finish

### **Work Surface** Thickness Wood - 21/4"
















# create your model number


**Example:** For an adjustable height 30" x 60" gray frame work bench with a hardwood work surface, your model number would be RHWB3060GA1P



Call your Akro-Mils distributor with your model number to order





- Lightweight tipping trucks for heavy-weight jobs
- Caster wheel has roller bearings for extra stability when pushing, pulling or turning
- Handle is arc welded and reinforced for optimum durability
- Wrap-around tubular frame is constructed of 1" or 11/4" powder-coated steel for enhanced appearance and rust protection
- All trucks available in: Gray




SP = Semi-Pneumatic MR = Mold-On Rubber









All carts available in Gray, Blue and Green. All lids are Black

Inches

48

47

н

331/2

391/2


Load Rating

300 lbs

350 lbs

W

301/2



Please specify colors when ordering.

\*Carts without lids cannot have lids added after production. Single units are shipped completely assembled.

When multiple units are ordered, lids are shipped separately and require assembly.





hinge keeps lid propped open during use





- 65 and 96-gallon carts designed for residential waste management
- Compatible with automated and semi-automated systems
- Attached lid swings out of the way for easy dumping
- Injection-molded for exceptional durability and cost effectiveness
- Resists damage from oil and most chemicals
- Engineered for rigidity and strength

MegaKart®			Inches			Inches	
Model No.	Capacity Gallons	w	D	Н	Colors	Wheel Diameter	Load Rating
79565	65	26	27	42	Blue, Gray	10	230 lbs.
79596	96	28	32	46	Green, Black, Blue	12	335 lbs.
DI							

Please specify colors when ordering.



Patented design allows carts to nest with installed lids and latchbars for compact shipping and storage



Foot Tilt Pocket molded above axle for maximum leverage and utility

### Materials Definitions & Benefits

### material definitions & benefits

Each resin has properties that make it ideal for a specific purpose. We manufacture our plastic products using the grade most suited to the product's end use. Listed below are the quality resins we use and their attributes. NOTE: The "Use Temperature Range" defined below is dependent, and may vary with the end user's application. Akro-Mils reserves the right to change product materials without notice.

### Polystyrene (GPS) -**General Purpose Styrene:**

- Water Clear in Clarity
- Surface Finish High Gloss
- Highly Rigid Material
- Low Resistance to Impact
- Chemical/Abrasion Resistance Low
- Use Temperature Range -30° to 115° F

### **High-Density Polyethylene (HDPE):**

- Opaque
- Surface Finish High Gloss
- Moderately Rigid Material
- Highly Resistant to Impact
- Chemical Resistance High Below 140°
- Abrasion Resistance High
- Use Temperature Range -40° to 140° F

### **High-Impact Polystyrene (HIPS):**

- Opaque
- Surface Finish Satin
- **Highly Rigid Material**
- Highly Resistant to Impact
- Chemical Resistance Low
- Abrasion Resistance Low to Medium
- Use Temperature Range -30° to 180°

### Polypropylene (PP) – Block Copolymer; High Impact:

- Opaque
- Surface Finish Medium to High Gloss
- Moderately Rigid Material
- Highly Resistant to Impact
- Chemical Resistance High Below 175° F
- Abrasion Resistance Medium
- Use Temperature Range -20° to 150° F

### **Recycled Polypropylene (PP):**

- Surface Finish Medium to High Gloss
- Moderately Rigid Material
- Mildly Resistant to Impact
- Chemical Resistance High Below 175° F
- Abrasion Resistance Moderate
- Use Temperature Range -0° to 150° F

### **Acrylic Blend Material:**

- Water Clear in Clarity
- Surface Finish High Gloss
- Rigid Material
- Medium Resistance to Impact
- Chemical Resistance Medium
- Abrasion Resistance Medium
- Use Temperature Range -20° to 180° F

### **Acrylonitrile Butadiene Styrene**

- Opaque
- Surface Finish High Gloss
- Highly Rigid Material
- Highly Resistant to Impact
- Chemical Resistance Medium
- Abrasion Resistance Medium
- Use Temperature Range -40° to 180° F

### Polypropylene (PP) - Random **Copolymer; Medium Impact:**

- Relatively Clear
- Surface Finish High Gloss
- Moderately Rigid Material
- Mildly Resistant to Impact Chemical Resistance - High Below 175°
- Abrasion Resistance Moderate
- Use Temperature Range 0° to 150° F

#### **ESD Materials:**

- Highest Degree of Electrostatic Discharge Protection with Uniform Surface Resistivities in the Static Dissipative Range of 10<sup>6</sup> to 10<sup>9</sup> ohms/sq.
- Use Temperature Range -20° to 150° F

### **Structural Foam:**

- Plastic and Nitrogen Gas Form a Cellular Core
- Withstands Heavy Loads and Abuse
- HDPE Use Temperature Range -20° to 120° F
- HIPS Use Temperature Range -20° to 160° F

### **FDA-Approved Materials:**

- · We use FDA materials for NSTs, Grid Boxes, Akro-Tubs, as well as Straight Wall Containers
- Other Products produced in FDAcompliant materials only available with Custom Orders

### **Linear Low Density** Polyethylene (LLDPE):

- Highly Flexible
- · Highly Resistant to Impact
- Chemical Resistance Moderate
- Corrosion Resistance High
- Use Temperature Range -55° to 170° F



A generous selection of caster and wheel options allows Platform Trucks, Hand Trucks, Dollies and Shelf Carts to be customized to fit hundreds of applications, surfaces and conditions. Caster and wheel choices allow you to resolve problems of noise control, floor protection, impact and abrasion resistance or load capacity.



### **Mold-On Rubber**

Designed for medium to heavy loads, these wheels with cushioned rubber tread are quiet and provide good floor protection.



### **Pneumatic**

Air-filled for excellent shock protection, floor protection and easy operation over rough surfaces.



### **Polvolefin**

A heavy-duty, lightweight, nonmarking plastic wheel that resists most chemicals and oils, and has excellent impact resistance.



### Steel

Wheels offer least rolling resistance. A good choice for warehouses and manufacturing operations and where noise or floor protection are not a concern.



### Thermo-Plastic

Gray rubber wheel provides excellent floor protection and a cushioned ride while resisting chemicals, acids, oils and caustic substances.




### **Polyurethane**

Chemically bonded to a metal core, polyurethane wheels are more durable than other materials, deliver excellent mobility, a cushioned ride and long life when subjected to heavy loads.



### **Phenolic**

For demanding applications, a less expensive wheel that offers high strength, is non-marking, nonconductive and protects floors.





Caster Types Akro-Mils offers other premium casters for your custom products – call 800-253-2467 for details.



### material handling, storage and transport products

Model Nos.	Pg No.	30210RECY	6	30936	45	40265	5	98536230SS	11
02420	35	30211	5, 6	31142	16	40270	5	98536235SD	11
05705		30220	5	31162	16	40286	27	98536235SS	11
05805		30220ESD	23	31168	16	40287	27	98536320SD	11
05807	35	30220RECY	6	31182	16	40289	27	98536320SS	11
05905	35	30221	6	31188	16	40292	27	98600	9
06115		30224	5	31625	25	40312	24	98636	9
06118		30230	5	31625RACK	25	40320	34		
06217		30230ESD	23	33101	30	40321	5	A	
06702		30230RECY		33105	30	40330		AA211512	31
06703		30231		33161		403302PK		AC3618	
06704		30234		33164		40348		AC3618QV	
06705		30235		33166		40358		AC3618QV240	
06706		30235ESD		33168		40410		AC3618QV250	
06709		30236		33220		40416		AC3618SV	
09185BLUE		30239		33221		40420		AC3618SV240	
10116		30240		33224		40445		AC3618SV250	
		30240ESD		33226		40501		AC3618Y	
10124		30240RECY		33228		40703		AC3624	
10126				34240		40704		AC36243AS	
10144		30250							
10164	34	30250RECY		34301		40715		AC3624Y	
13014		30255		34302		40716		AC3624Y3AS	
13017		30260		34303		40717		AC803618M26	
13018		30265		34304		40901		AC803624M26	
17018		30270		35010		40909		ACQV4C	
17136		30280		35011		41105		ACQV4C42	
19109		30281		35180		41164		ACQV4C62	
19228	34	30282		35181		41166		ACQV4C82	
19320	34	30283		35185		41168		ACQV4CAST	19
19416	34	30286		35190		41220		ACQV4P	
19715	34	30287	27	35191		41224	30	ACQV4P42	19
19909	34	30288		35195	29	41226	30	ACQV4P62	19
20228	34	30289	27	35200	29	41228	30	ACQV4P82	19
20320	34	30290	27	35201	29	41286	27	ACQV4PAST	19
20416		30292	27	35225	29	41287	27	ACS4C	19
20502		30293	27	35230	29	41288	27	ACS4C42	19
20715		30312	24	35231	29	41289	27	ACS4C62	19
20902		30318	24	35240	29	41440	16	ACS4C82	19
20909	34	30320		35241		41460		ACS4CAST	
21286		30321	5	35300	29	41480		ACS4P	19
21287		30330RED		35301	29	42105	30	ACS4P42	19
21288		30348BEIGE		35R		42164		ACS4P62	
21289		30358BEIGE		37208		42166		ACS4P82	
30008		30400GRY10PK		37278		42168		ACS4PAST	
30016		30400WHI10PK		37288		42220		AD1811C	
30040		30400YEL10PK		37608		42224		AD1811C62	
30048		30420GRY6PK		37612		42226		AD1811C82	
30090		30420WHI6PK		37616		42228		AD1811CAST	
	13	30424		37672		4P		AD1811P	
				37676		4R		AD1811P62	
30101		30536						AD1811P82	
30102		30536210S		37678		4Rx			
30110		30536220S		37682		5P		AD1811PAST	
30118		30536230S		37686		5R		AD1817C	
30120		305362358		37688		76460		AD1817C68	
30120RECY		30536320S		39085		76461		AD1817C88	
30124		30553		39120		76490		AD1817CAST	
30124RECY	14	30553210S		39160		76491		AD1817P	
30128	12	30553220S		39170		76590		AD1817P68	
30128RECY	14	30553230S	11	39175		76591	60	AD1817P88	
30130	12	30553235S	11	39280	31	77405	60	AD1817PAST	17
30130RECY	14	30553LF	11	3P	49	77410	60	AD2311C	17
30138	12	30618	9	3R	49	77505	60	AD2311C42	17
30138RECY		30636	9	40020	13	77510	60	AD2311C62	17
30148		30638		40030		77610		AD2311CAST	17
30150		30651		40120		77710		AD2311P	
30158		30653		40130		77810		AD2311P42	
30161		30661		40150		79565		AD2311P62	
30164		30676		40170		79596		AD2311PAST	
30164RECY		30716BLACK		40210		98100		AD3511BS	
30170		30718BLACK		40220		98536		AD3511C	
		30776BLACK		40228		98536210SD		AD3511C42	
30174						98536210SD		AD3511C42	
30178		30778BLACK		40230					
30184		30796BLACK		40239		98536220SD		AD3511C82	
30210		30812		40245	,	98536220SS		AD3511CAST	
30210ESD	23	30930	45	40260	5	98536230SD	11	AD3511P	18



### material handling, storage and transport products

AD3511P4218
AD3511P62 18
AD3511P82 18
AD3511PAST 18
AD3517BS18
AD3517C18
AD3517C6818
AD3517C8818
AD3517CAST 18
AD3317CA3110
AD3517P18
AD3517P6818
AD3517P88 18
AD3517PAST18
APRBENCH 15, 24
APRBENCH040 15
APRBENCH090 15
APRBENCH12015
APRBENCH150 15
APRD15
APRD04015
APRD09015
APRD110Y15
APRD120Y 15
APRD130Y 15
APRD14220
APRD150Y 15
APRD16220
APRD170Y 15
APRD18220
APRDAST 15, 20
APRDMOBILE15
APRS 15
APRS04015
APRS09015
APRS110Y 15
APRS120Y 15
APRS130Y 15
APRS14220
APRS150Y
APRS150Y15
APRS150Y 15 APRS162 20
APRS150Y
APRS150Y 15 APRS162 20 APRS170Y 15 APRS182 20 APRSAST 15, 20 AS1279 41 AS1279040 42 AS1279090 42
APRS150Y 15 APRS162 20 APRS170Y 15 APRS182 20 APRSAST 15, 20 AS1279 41 AS1279040 42 AS1279090 42
APRS150Y 15 APRS162 20 APRS170Y 15 APRS182 20 APRSAST 15, 20 AS1279 41 AS1279040 42 AS1279090 42 AS1279110Y 41
APRS150Y 15 APRS162 20 APRS170Y 15 APRS182 20 APRSAST 15, 20 AS1279 41 AS1279040 42 AS1279090 42 AS1279110Y 41 AS1279120Y 41
APRS150Y 15 APRS162 20 APRS170Y 15 APRS182 20 APRSAST 15, 20 AS1279 41 AS1279040 42 AS1279090 42 AS1279110Y 41 AS1279120Y 41
APRS150Y
APRS150Y
APRS150Y
APRS150Y
APRS150Y 15 APRS162 20 APRS170Y 15 APRS182 20 APRSAST 15, 20 AS1279 41 AS1279040 42 AS127910Y 41 AS1279110Y 41 AS1279120Y 41 AS1279130Y 41 AS1279150Y 41 AS1279170Y 41
APRS150Y 15 APRS162 20 APRS170Y 15 APRS182 20 APRSAST 15, 20 AS1279 41 AS1279040 42 AS127910Y 41 AS1279110Y 41 AS1279130Y 41 AS1279130Y 41 AS1279170Y 41 AS1279312 24 AS1279312 41
APRS150Y 15 APRS162 20 APRS170Y 15 APRS182 20 APRSAST 15, 20 AS1279 41 AS1279040 42 AS127910Y 41 AS1279110Y 41 AS1279130Y 41 AS1279130Y 41 AS1279170Y 41 AS1279312 24 AS1279312 41
APRS150Y
APRS150Y 15 APRS162 20 APRS170Y 15 APRS182 20 APRSAST 15, 20 AS1279 41 AS1279040 42 AS1279040 42 AS127910Y 41 AS1279120Y 41 AS1279130Y 41 AS1279150Y 41 AS1279170Y 41 AS1279130Y 41 AS1279130Y 41 AS1279130Y 41 AS1279312 24 AS1279312 24 AS18791304 42 AS18791304 42 AS18791304 42 AS18791304 42 AS18791304 42 AS18791304 42 AS187913014 42 AS187913017 42 AS187913018 42
APRS150Y 15 APRS162 20 APRS170Y 15 APRS182 20 APRSAST 15, 20 AS1279 41 AS1279040 42 AS1279040 42 AS127910Y 41 AS1279120Y 41 AS1279130Y 41 AS1279150Y 41 AS1279150Y 41 AS1279312 24 AS1279312 24 AS1279312 41 AS1279312 41 AS1279312 41 AS1279312 41 AS1279312 44 AS1279312 41 AS1879048 42 AS187913014 42 AS187913014 42 AS187913014 42 AS187913014 42 AS187913017 42 AS187913018 42
APRS150Y 15 APRS162 20 APRS170Y 15 APRS182 20 APRSAST 15, 20 AS1279 41 AS1279040 42 AS1279040 42 AS127910Y 41 AS1279120Y 41 AS1279130Y 41 AS1279150Y 41 AS1279170Y 41 AS1279130Y 41 AS1279130Y 41 AS1279130Y 41 AS1279312 24 AS1279312 24 AS18791304 42 AS18791304 42 AS18791304 42 AS18791304 42 AS18791304 42 AS18791304 42 AS187913014 42 AS187913017 42 AS187913018 42
APRS150Y 15 APRS162 20 APRS170Y 15 APRS182 20 APRSAST 15, 20 AS1279 41 AS1279040 42 AS1279040 41 AS127910Y 41 AS1279120Y 41 AS1279130Y 41 AS1279150Y 41 AS1279170Y 41 AS1279130Y 41 AS1279130Y 41 AS1279131 24 AS1279312 24 AS1879138 42 AS187908 42 AS187908 42 AS1879138Y 42 AS1879138Y 42 AS18791301 42 AS18791301 42 AS18791301 42 AS18791301 42 AS187913018 42 AS187913018 42 AS187913018 42 AS1879138Y 42 AS1879158Y 42 AS1879178Y 42
APRS150Y 15 APRS162 20 APRS170Y 15 APRS182 20 APRSAST 15, 20 AS1279 41 AS1279040 42 AS1279040 41 AS127910Y 41 AS1279120Y 41 AS1279130Y 41 AS1279130Y 41 AS1279130Y 41 AS1279130Y 41 AS1279130Y 41 AS1279312 24 AS1279312 24 AS1879312 42 AS1879048 42 AS1879048 42 AS1879048 42 AS1879048 42 AS18791301 42 AS1879138Y 42 AS1879158Y 42 AS1879158Y 42 AS1879178Y 42
APRS150Y
APRS150Y 15 APRS162 20 APRS170Y 15 APRS182 20 APRSAST 15, 20 AS1279 41 AS1279040 42 AS1279040 42 AS127910Y 41 AS1279120Y 41 AS1279130Y 41 AS1279150Y 41 AS1279150Y 41 AS1279312 24 AS1279312 24 AS1879312 41 AS1879314 42 AS1879130H 42 AS187931B 42 AS187931B 42 AS187931B 42 AS187931B 42 AS187934S 42 AS187934S 42 AS187934S 42 AS187935OFT 42 AS2479 42
APRS150Y
APRS150Y 15 APRS162 20 APRS170Y 15 APRS182 20 APRSAST 15, 20 AS1279 41 AS1279040 42 AS1279040 42 AS127910Y 41 AS1279120Y 41 AS1279130Y 41 AS1279150Y 41 AS1279150Y 41 AS1279150Y 41 AS1279110Y 42 AS1879130Y 42 AS1879130Y 41 AS1279110Y 41 AS1279110Y 41 AS1279110Y 41 AS1279110Y 41 AS1279110Y 42 AS1879130Y 42 AS187913 APROVED 42 AS1879048 42 AS1879048 42 AS1879130H 42 AS1879138Y 42 AS1879138W 42 AS1879138W 42 AS1879138W 42 AS1879138W 42 AS187913BW 42 AS187913BW 42 AS187913BW 42 AS187913BW 42 AS187931B 42 AS187931B 42 AS187931B 42 AS187936 42 AS187940 42 AS1879ASORT 42 AS2479 42 AS2479 42 AS2479287 42
APRS150Y 15 APRS162 20 APRS170Y 15 APRS182 20 APRSAST 15, 20 AS1279 41 AS1279040 42 AS1279040 41 AS127910Y 41 AS1279120Y 41 AS1279130Y 41 AS1279130Y 41 AS1279130Y 41 AS1279130Y 41 AS12791312 24 AS1279312 24 AS1879131 24 AS1879130 42 AS1879130 44 AS1279312 44 AS1279312 44 AS1279312 44 AS1279312 44 AS1879312 42 AS1879130 42 AS1879138 42 AS1879158Y 42 AS1879318 42 AS1879318 42 AS1879318 42 AS1879318 42 AS187936 42 AS187936 42 AS187942 42 AS1879ASORT 42 AS2479287 42 AS2479287 42 AS2479287 42 AS2479288 42
APRS150Y
APRS150Y
APRS150Y
APRS150Y

AS3679ASSORT 42	
ASC127920	
ASC127914220	
ASC127916220	
ASC127918220	
ASC1279AST20	
ASC187920	
ASC187916820	
ASC187918820	
ASC1879AST20	
AWS14363004039	
AVV3143030040	
AWS14363009039	
AWS14363012038	
AWS14363013038	
AWS14363015038	
AWS14363017038	
AWS14363024038	
AWS14363025038	
AWS14363031238	
AWS14363032038	
AWS18361301438	
AWS18361301838	
AWS18363004839	
AWS18363009839	
AWS18363012838	
AWS18363013838	
AWS18363015838	
AWS18363017838	
AWS18363026538	
AWS18363027038	
AWS18363031838	
AWS18363040039	
AWS18363316638	
AWS18363316838	
AWS18363518038	
AWS1836M3430139	
AWS1836SNS38	
AWS18481301738	
AWS18483026038	
AWS18483028039	
AWS18483028139	
AWS18483028139	
AWS18483028139 AWS18483028239	
AWS184830281	
AWS184830281 39 AWS184830282 39 AWS184830283 39 AWS1848SAB 39 AWS24360287 39 AWS24360288 39 AWS243605AB 39 AWS24361288 39	
AWS184830281	
AWS184830281 39 AWS184830282 39 AWS184830283 39 AWS1848SAB 39 AWS24360287 39 AWS24360288 39 AWS24360SAB 39 AWS24361288 39 AWS244830124 38 AWS244830124 38 AWS244830164 38	
AWS184830281 39 AWS184830282 39 AWS184830283 39 AWS1848SAB 39 AWS24360287 39 AWS24360288 39 AWS243605AB 39 AWS24361288 39 AWS244830124 38 AWS244830164 38 AWS244830174 38	
AWS184830281 39 AWS184830282 39 AWS184830283 39 AWS1848SAB 39 AWS24360287 39 AWS24360288 39 AWS24360SAB 39 AWS24361288 39 AWS244830124 38 AWS244830124 38 AWS244830164 38	
AWS184830281 39 AWS184830282 39 AWS184830283 39 AWS1848SAB 39 AWS24360287 39 AWS24360288 39 AWS243605AB 39 AWS24361288 39 AWS244830124 38 AWS244830164 38 AWS244830174 38	
AWS184830281 39 AWS184830282 39 AWS184830283 39 AWS1848SAB 39 AWS24360287 39 AWS24360288 39 AWS243605AB 39 AWS24361288 39 AWS244830124 38 AWS244830164 38 AWS244830174 38 AWS244830174 38 AWS244830184 38 AWS244830184 38 AWS244830184 38 AWS244830184 38	
AWS184830281 39 AWS184830282 39 AWS184830283 39 AWS1848SAB 39 AWS24360287 39 AWS24360288 39 AWS24360SAB 39 AWS24361288 39 AWS244830124 38 AWS244830174 38 AWS244830174 38 AWS244830174 38 AWS244830184 38 AWS244830184 38 AWS244830420 39 AWS24483048 39	
AWS184830281 39 AWS184830282 39 AWS184830283 39 AWS1848SAB 39 AWS24360287 39 AWS24360288 39 AWS24360288 39 AWS24361288 39 AWS244830124 38 AWS244830124 38 AWS244830144 38 AWS244830184 38 AWS244830184 38 AWS244830184 38 AWS244830420 39 AWS244837608 39 AWS246035225 38	
AWS184830281	
AWS184830281	
AWS184830281	
AWS184830281 39 AWS184830282 39 AWS184830283 39 AWS1848SAB 39 AWS24360287 39 AWS24360288 39 AWS243601288 39 AWS243601288 39 AWS244830124 38 AWS244830164 38 AWS244830174 38 AWS244830184 38 AWS244830184 38 AWS244830184 38 AWS244830184 38 AWS244830184 38 AWS244830184 38 AWS244830184 39 AWS246035225 38 AWS246035225 38 AWS246033224 38 AWS2460M33224 38 AWS2460M33224 38	
AWS184830281	
AWS184830281	
AWS184830281	
AWS184830281 39 AWS184830282 39 AWS184830283 39 AWS1848SAB 39 AWS24360287 39 AWS24360288 39 AWS24360288 39 AWS24361288 39 AWS244830124 38 AWS244830164 38 AWS244830174 38 AWS244830184 38 AWS244830184 38 AWS244830420 39 AWS246035225 38 AWS2460M30358 39 AWS2460M34240 39	
AWS184830281	
AWS184830281 39 AWS184830282 39 AWS184830283 39 AWS18485AB 39 AWS24360287 39 AWS24360288 39 AWS24360288 39 AWS243601288 39 AWS244830124 38 AWS244830164 38 AWS244830164 38 AWS244830184 38 AWS244830184 38 AWS244830420 39 AWS246035225 38 AWS246035225 38 AWS2460M33224 38 AWS2460M33224 38 AWS2460M34240 39 H HD4824A 43 HD4824E 43 HD4824F 43 HD4824F 43 MA3618C 46 MA3618CAST 46 MA3618PAST 46 MA3618PAST 46	
AWS184830281 39 AWS184830282 39 AWS184830283 39 AWS18485AB 39 AWS24360287 39 AWS24360288 39 AWS24360288 39 AWS24361288 39 AWS244830124 38 AWS244830164 38 AWS244830164 38 AWS244830184 38 AWS244830184 38 AWS244830358 39 AWS246035225 38 AWS246035225 38 AWS2460M33224 38 AWS2460M33224 38 AWS2460M34240 39 AWS2460M34240 43 AWS2460M34240 43 AWS2460M34240 44	
AWS184830281	
AWS184830281 39 AWS184830282 39 AWS184830283 39 AWS18485AB 39 AWS24360287 39 AWS24360288 39 AWS24360288 39 AWS24361288 39 AWS244830124 38 AWS244830164 38 AWS244830164 38 AWS244830184 38 AWS244830184 38 AWS244830358 39 AWS246035225 38 AWS246035225 38 AWS2460M33224 38 AWS2460M33224 38 AWS2460M34240 39 AWS2460M34240 43 AWS2460M34240 43 AWS2460M34240 44	
AWS184830281 39 AWS184830282 39 AWS184830283 39 AWS1848SAB 39 AWS24360287 39 AWS24360288 39 AWS243605AB 39 AWS244830124 38 AWS244830174 38 AWS244830174 38 AWS244830184 38 AWS244830184 38 AWS24483068 39 AWS24483068 39 AWS2460M30358 39 AWS2460M30	
AWS184830281 39 AWS184830282 39 AWS184830283 39 AWS1848SAB 39 AWS24360287 39 AWS24360288 39 AWS243601288 39 AWS243601288 39 AWS244830124 38 AWS244830174 38 AWS244830174 38 AWS244830184 38 AWS244830184 38 AWS244830184 39 AWS244830184 39 AWS244830184 39 AWS244830184 39 AWS2460M30358 39 AWS2460M3024 38 AWS2460M3024 38 AWS2460M34240 39  H  HD4824A 43 HD4824F 43 HD4824F 46 MA3618P 46 MA3618P 46 MA3618P 46 MA4824C 46	
AWS184830281 39 AWS184830282 39 AWS184830283 39 AWS1848SAB 39 AWS24360287 39 AWS24360288 39 AWS243605AB 39 AWS244830124 38 AWS244830174 38 AWS244830174 38 AWS244830184 38 AWS244830184 38 AWS24483068 39 AWS24483068 39 AWS2460M30358 39 AWS2460M30	

MA4824P2......46

R
R1130 49
R115149
R1B5HR
R1B5HRX48
R1B5HRXL48
R1S10FP247
R1S5HR 47 R1S5HR2LD 47
R1S8FP2
R1S8MR47
R1S8MR2
R2125MRB 55
R214CS184127
R214CS185927
R214CS1878
R214CS285927
R214CS287827
R214HE
R2168MRB55
R216CS223627
R216CS223927
R216CS2836
R219885MRB55
R221812MRB55
R2258516MRB55 R2ST5HR47
R2T5HR1830 48
R2T5HR243648
R2T5HR2448
R3008MR51
R3010FP51
R3010SP51
R3ST5HR
R4008MR251
R4010FP51
R4010FP251 R4010SP51
R4010SP251
R4510SP51
R4510SP251
R4ST5HR
R5ST5HR47
R5ST8MR47
R5SYT5HR243624 R5SYT5HR243647
R5SYT5HR363624
R5SYT5HR363647
R5SYT8HR363647
R5SYT8MR243624 R5SYT8MR243647
R5SYT8MR363624
R9011053
R90162
R90181 53
R90182 53
R90184 53
R90185 53 R90210 53
R90262 53
R9026353
R90281 53


R90282 ..... 53


D02411 F2
R92411 53 R92412 53
R9255HR 52
R93011 53
R93012 53
R94817 53 R9508MR2 52
R9510MR252
R96017 53
RA6TR4MR33
RA756MR57
RA778MR
RACR5MR
RCT40LW51
RCTV40SP51
RD2416F3P
RD2416S3P49
RD2718F3P49
RD2718RC3P49
RD2718S3P49
RD3018AC3P49 RD3018CE3P49
RD3018F3P 49 RD3018R3P 49
RD3018RC3P49
RD3018S3P
RD3624CE3P 49
RD3624F3P49
RD3624R3P49
RD3624S3P49
RD4824F3P
RD843HR50
RD843SS50
RD844HR50
RD844SS50
RD844SS 50 RD853HR 50
RD844SS50
RD844SS       50         RD853HR       50         RD853SS       50         RD854HR       50         RD854SS       50
RD844SS       50         RD853HR       50         RD853SS       50         RD854HR       50         RD854SS       50         RDT4008SP       52
RD844SS       50         RD853HR       50         RD853SS       50         RD854HR       50         RD854SS       50         RD74008SP       52         RDT4010FP       52
RD844SS       50         RD853HR       50         RD853SS       50         RD854HR       50         RD854SS       50         RD74008SP       52         RDT4010FP       52         RDT4010FP       52         RDT4010SP       52
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 52 RF718MR 57 RGTD10FP 51
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010SP 52 RF718MR 57 RGTD10FP 51 RGTD10SP 51
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010SP 52 RF718MR 57 RGTD10FP 51 RGTD10SP 51 RGTD10SP 51 RGTS10FP 51
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010SP 52 RF718MR 57 RGTD10FP 51 RGTD10SP 51 RGTS10FP 51 RGTS10FP 51 RGTS10SP 51
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 52 RF718MR 57 RGTD10FP 51 RGTD10SP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RM718MR 57 RMD2ST5SR 58
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 52 RD74010FP 51 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD874008SP 52 RD74010FP 52 RD74010FP 52 RT718MR 57 RGTD10FP 51 RGTD10SP 51 RGTS10FP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 52 RF718MR 57 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD874008SP 52 RD74010FP 52 RD74010FP 52 RT718MR 57 RGTD10FP 51 RGTD10SP 51 RGTS10FP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 51 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10SP 51 RGTS10FP 51 RGTS10FP 51 RGTS10SP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018RC4PN 50
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 51 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10SP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4RX 50 RMD3018RC4PN 50
RD844SS 50 RD853HR 50 RD853HR 50 RD853HR 50 RD854HR 50 RD854HR 50 RD74008SP 52 RD74010FP 52 RD74010FP 51 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018RC4PN 50
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 51 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10SP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4RX 50 RMD3018RC4PN 50
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 51 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RM18MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018FC4PN 50 RMD3018RC4PN 50 RMD30
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 51 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018RC4PN
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 51 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018RC4PN 50 RMD301
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 51 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018RC4PN
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 51 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4RX 50 RMD3018F4RX 50 RMD3018RC4PN 50 RMD343F918 50 RW43HR1617 28 RU843HR1617 28 RU843HR1918 27 RU843SS 50 RU843TP1519 28 RU843TP1519 28 RU843TP1519 22 RU843TP1721 27
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 51 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4RX 50 RMD3018RC4PN 50 RMD3
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 51 RGTD10FP 51 RGTD10FP 51 RGTD10SP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4RX 50 RMD3018RC4PN 50 RMD3018RC4PN 50 RMD3018RC4RX 50 RMD3018R
RD844SS 50 RD853HR 50 RD853SS 50 RD854HR 50 RD854HR 50 RD854SS 50 RD74008SP 52 RD74010FP 52 RD74010FP 51 RGTD10FP 51 RGTD10FP 51 RGTS10FP 51 RGTS10FP 51 RGTS10FP 51 RM718MR 57 RMD2ST5SR 58 RMD3018F4PN 50 RMD3018F4PN 50 RMD3018F4RX 50 RMD3018RC4PN 50 RMD3


RU853HR 50
RU853SS 50
RU854HR 50
RU854SS 50
RWH24481A5M856
RWH24481A5M8A56
RWH2448EA5M6 57
RWH2448EA5M6A 57
RWH30601A5M856
RWH30601A5M8A56
RWH3060EA5M6 57
RWH3060EA5M6A 57
RWHS24481A5M856
RWHS24481A5M8A 56
RWHS24481A5Y656
RWHS24481A5Y6A 56
RWHS2448EA5M657
RWHS2448EA5M6A 57
RWHS30601A5M856
RWHS30601A5M8A 56
RWHS30601A5Y656
RWHS30601A5Y6A56
RWHS3060EA5M6 57
RWHS3060EA5M6A 57
RWHV24481A5M856
RWHV24481A5M8A 56
RWHV24481A5Y656
RWHV24481A5Y6A 56
RWHV2448EA5M6 57
RWHV2448EA5M6A 57
RWHV30601A5M856
RWHV30601A5M8A 56
RWHV30601A5Y656
RWHV30601A5Y6A 56
RWHV3060EA5M6 57
RWHV3060EA5M6A 57

# Ready, Set, Organize!

Our broad range of durable plastic containers combined with metal cabinets, shelving and racks, will improve storage and organization efficiency, shorten assembly times and optimize parts protection. Akro-Mils will help you improve your productivity and your bottom line!







A. ProHANGERp. 7
B. Heavy-Duty Work Benchp. 59
C. Super-Size AkroBin Cartp. 27
D. Louvered Hanging Systems p. 9
<b>E.</b> AkroBins
F. Super-Size AkroBinsp. 26-27

L. Platform Truckp. 56	-57
M.Storage-Go-Roundp	. 34
N. Roto-Shelfp	. 35
O. Single-Sided Louvered	
Floor Rack	p. 9
P. ShelfMax Binsp	. 13

<b>Q.</b> Akro-Gridsp. 30
R. Wire Shelving Systemsp. 36-39
S. Stack-N-Store Binsp. 28
T. Attached Lid Containersp. 31
U. Pick Rack with System Binsp. 15
V. AkroDrawers


W. ReadySpace Wall Unitp. 10-11
X. Shelf Cartp. 47
Y. ReadySpace Bench Unit p. 10-11
Z. VantageBinp. 22
<b>AA.</b> 33" Wide AkroBin p. 4-5
BB. Quick-View Mini Cabinetp. 19
<b>CC.</b> ProCartp. 45



To learn more, contact us today: 800.253.2467

1293 South Main Street, Akron, Ohio 44301 • www.akro-mils.com • Fax: 330.761.6348 • sales@akro-mils.com In Canada: 8030 Torbram Road, Brampton, Ontario L6T 3T2 • Tel: 877.877.9680 • Fax: 905.791.4084 • sales@akro-milscanada.com

storage bins, racks & hanging systems



- Can be stacked, sit on shelving or hang on Akro-Mils rails and louvered panels or ReadySpace<sup>™</sup> Storage System
- Optional lids protect contents from dust will stack with lids in place

• Patent Pending: No tip feature when bins are stacked

Clear length and width dividers available

• Large label area for part identification and bar code scanning

- Autoclavable
- Available in 4 sizes








# A Visible Difference in Storage & Organization!

- Perfect for a variety of settings from industrial to healthcare
- Bins made of durable polycarbonate materia









Bins stack with Rear lip supports bin on hanging systems

305A3



Lids protect bin contents from dust



Dividers allow you to create customizable compartment sizes



305B1 305A5 30

305A3 305A1



		Outsid	e Dime	nsions	Inside	Dimer	sions								
	Model No.	Lx			Lx			Carton Qty.	Bin Load Cap. on Rack	Width Divider	Divider Pkg. Qty.	Length Divider	Divider Pkg. Qty.		Lid Pkg. Qty.
_	305A1	5%″	41/8″	3¼″	4¼″	31/8"	25/8″	16	10 lbs.	415A1 (1)	8	405A1 (1)	8	305A2	8
	305A3	73/8″	41/8"	3¼″	6¼″	31/8"	25/8″	16	10 lbs.	415A1 (2)	8	405A3 (1)	8	305A4	8
	305A5	10%″	41/8"	3¼″	9¼″	31/8"	25/8″	12	15 lbs.	415A1 (3)	8	405A5 (1)	6	305A6	6
	305B1	10%″	5½″	5¼″	97/16"	41/8"	47/16"	12	25 lbs.	415B1 (3)	6	405B1 (1)	6	305B2	6



### **Mobile Floor Unit**

- Organize, share and transport supplies and products
- Perfect for "high demand" items
- Panel locks into posts on base easily and without tools
- Four bin size packages available
- Weight Capacity 150 lbs.



Maximize your organization options with:

- Louvered Hanging Systems ...... pg. 9
- ReadySpace™ Storage Systems...... pg. 10-11









### **Wall Unit**

- Free up valuable workspaceClean, sleek look with a white powder-coated finish
- Four bin size packages available
- Weight capacity 50 lbs.



30636 Beige Louvered Panel **Shown with 305A3 Bins** 

### **Louvered Panel Combinations**

- Louvers securely support InSight<sup>™</sup> bins
- Use alone or side-by-side with additional louvered panels
- Easy, one-person assembly





### ReadySpace™ Wall Unit

	Model No.	Description	No. of Ctns.	Ship Wt. (lbs.)	Bin Qty
	30536	37-1/2" x 1-3/4" x 25-3/8", Panel	1	35	
	30536A1	Unit with 305A1 Bins	4	43	48
	30536A3	Unit with 305A3 Bins	4	55	48
00000000000	30536A5	Unit with 305A5 Bins	5	62	48
	30536B1	Unit with 305B1 Bins	3	60	24

### ReadySpace™ Mobile Unit

	Model No.	Description	No. of Ctns.	Ship Wt. (lbs.)	Bin Qty
	30553	24-5/8" x 23" x 52"	1	75	
	30553A1	Unit with 305A1 Bins	9	115	120
	30553A3	Unit with 305A3 Bins	9	131	120
	30553A5	Unit with 305A5 Bins	11	145	120
	30553B1	Unit with 305B1 Bins	7	153	64

### **Louvered Hanging Systems**

**Bin Capacity Per Louvered Panel** 

	Model no.	Description	Ctn. Qty.	Rack Wt. Capacity (lbs.)	305A1	305A3	305A5	305B1
	30618BEIGE	Louvered Panel 18" x 19"	4	160	16	16	16	9
	30636BEIGE	Louvered Panel, 35-3/4" x 19"	4	160	32	32	32	18
	98600BEIGE	27" Wide Bench Rack	1	120	30	30	30	12

Bins sold separately