Space-saving solutions for every workspace

Ideal workbench pedestals


 The right storage solution when space is at a premium



WE OFFER A NUMBER OF PRE-CONFIGURED EASY-ORDER COMBI-NATIONS

- NARROW WIDTH CABINETS: PAGES 62-63
- NARROW WIDTH MOBILE CABINETS: PAGE 64

Narrow Width cabinets serve as workbench pedestals at this biotech manufacturer's central utility plant's maintenance hub. The department's electricians, mechanics and technicians each have a workstation which, in addition to housing their computer, tools and test equipment, also has storage space for personal items.



For detailed directions on ordering custom cabinets and complete descriptions of the options on this page, please see our General Storage Catalog.

1 Select cabinet housing

Lista's steel cabinet housings offer strength and flexibility. Drawers, shelves and roll-out trays can be assembled in any sequence.

MP Width Cabinet Housings

22 ³/16" wide x 28 ¹/2" deep (564mm x 725mm)

PART NO.	OVERALL HEIGHT	
	(without base)	
MP300	15 ³ /4" (400mm)	
MP450	21 ⁵ /8" (550mm)	
MP600	27 ¹ /2" (700mm)	
MP750	33 ¹ /2" (850mm)	
MP900	39 ³ /8" (1000mm)	
MP1225	52 ³ /16" (1325mm)	
MP1350	57 ¹ /8" (1450mm)	

MP Width Double Hinged Door Cabinet Housings

Double hinged door housings are the only door cabinets into which drawers and roll-out trays can be installed (shelves can also be installed in these housings). Includes individual lock (RG) and 2 keys.

22 ³/16" wide x 29 ¹/2" deep (564mm x 750mm)

PART NO.	OVERALL HEIGHT
	(without base)
MPDHD600	27 ¹ /2" (700mm)
MPDHD750	33 ¹ /2" (850mm)
MPDHD900	39 ³ /8" (1000mm)
MPDHD1225	52 ³ /16" (1325mm)
MPDHD1350	57 ¹ /8" (1450mm)

2 Select lock

Cabinets come equipped with an individual lock (RG) and 2 keys. To select other locking options, choose from the chart below or see our General Storage Catalog.

PART NO.	LOCK TYPE
RG	individual lock
KA	keyed alike lock
MA	master lock
NL*	no lock wanted

^{*}not available for double hinged door cabinets

3 Select base

Lista offers a wide array of cabinet bases to suit any need. For descriptions, see our General Storage Catalog.

Fork Truck Base

PART NO.	HEIGHT
MP-FTB	2 ³ /8" (60mm)

Frame Bases

PART NO.	HEIGHT	RAISE 600 CABS. TO
MP-2	2" (50mm)	desk height
MP-4	4" (100mm)	low bench height
MP-6	6" (150mm)	standard bench ht.

Mobile Bases

Mobile bases include a set of 2 fixed and 2 swivel casters with wheel locks. Mobile bases not recommended for use with 1225 height or higher cabinets.

PART NO.	CASTERS	OAH	CAP.		
Use with 1 MP hou	Use with 1 MP housing				
CB-MP4B	4" x 2"	6 1/4"	1400 lb.		
CB-MP6B	6" x 2"	8 1/8"	2400 lb.		
Use with 2 MP housings on 1 pan base					
MBP-MP/MP4ML	4"x2"	6 1/4"	1400 lb.		
MBP-MP/MP6ML	6"x2"	8 1/8"	2400 lb.		

4 Select top

Top depth is 28 ½". (For tops for 29 ½" deep housings with doors, contact your Lista representative.) For top descriptions, see pages 42 and 56.

PART NO.	DESCRIPTION	HT.
MP-RT	retainer top w/ribbed mat	3/4"
MP1BCT	butcher block	1 3/4"
MP1PCT	plastic laminate	1 %16"
MP1RCT	phenolic resin	1"
MP1LSCT	galvanized steel over wood	1 ¹³ /16"
MP1SSC	stainless steel cabinet cover	1/16"

5 Select drawers

Drawers have 150 lb. (70kg) weight capacity for evenly distributed loads. For MP Width cabinets with 440 lb. (200kg) weight capacity, see our General Storage Catalog.

PART NO.	USABLE HT.	SIDEWALL HT.
MP75N	2 ³ /8" (61mm)	2" (52mm)
MP100N	3 ³ /8" (86mm)	3" (77mm)
MP125N	4 ³ /8" (111mm)	3" (77mm)
MP150N	5 1/4" (133mm)	5" (127mm)
MP175N	6 ¹ / ₄ " (159mm)	5" (127mm)
MP200N	7 ¹ / ₄ " (185mm)	7" (177mm)
MP250N	9 ¹ / ₄ " (229mm)	8 ¹⁵ /16" (227mm)
MP300N	11" (279mm)	10 ¹⁵ /16"(277mm)

5 Select shelves, trays and doors

Shelves

Shelves allow storage of bulky items in close proximity to high density drawer storage.

Adjustable Shelf

PART NO.	USABLE WIDTH	USABLE DEPTH
MP-AS	19 ³ / ₄ " (502mm)	24 1/4" (616mm)

Bottom Shelf

PART NO.	USABLE WIDTH	USABLE DEPTH
MP-BS	19 ¹³ / ₁₆ "(503mm)	23 ³ / ₄ " (604mm)

Roll-Out Trays

Roll-out trays allow easy access to stored items, even in the farthest corner. Trays have 150 lb. (70kg) weight capacity for evenly distributed loads.

PART NO.	USABLE WIDTH	USABLE DEPTH	
MP-TCN*	17 ¹ /8" (435mm)	24" (609mm)	
*mounts behind MP flush door (see below)			

Flush Hinged Doors

Doors protect cabinet contents stored on shelves. Door with integrated handle is reversible in field to allow door to open in opposite direction. To order, door opening orientation ("R" for right or "L" for left) must be written in place of the red box () in the part number. Only bottom and adjustable shelves may be installed behind flush doors.

PART NO.	HEIGHT	
FD300-27 *	11 ¹³ /16" (300mm)	
FD450-27 *	17 ¹¹ /16" (450mm)	
FD600-27 *	23 5/8" (600mm)	
FD750-27	29 ⁹ /16" (750mm)	
FD900-27	35 ⁷ /16" (900mm)	


*limit: 1 adjustable shelf and 1 bottom shelf

6 Select drawer partitions and dividers

- MP Width drawer interior sets, p. 71
- Individual drawer partitioning accessories, see our General Storage Catalog

7 Select colors

To order cabinet housing and drawer front paint colors, see the back cover.




*INSIDE DIMENSIONS

Lista's modular building block system means that your MP Width cabinets can be configured to exactly suit your requirements.


To configure your custom cabinet, simply follow the steps shown in the charts to the left.

Total drawer and/or door model numbers must add up to the model number of the housing.

EXAMPLE: 900 housing



EXAMPLE: 900 housing with flush hinged door



NW Narrow Width Easy-Order Cabinet Combinations



How to read the charts on this

The 2 columns to the right of each cabinet illustration indicate:

- Drawer heights
- · Drawer interior sets (shown on page 65)

The chart below the illustration indicates:

- Part numbers
- Number of drawers
- Number of drawer compartments created by the interior sets (shown on page 65)

How to order a Narrow Width Easy-Order Cabinet

1. Select Easy-Order Cabinet Combination either without or with drawer interior sets (designated by an "A" at the end of the part number - i.e., NW0600-0601NA).

2. Select base type.

NB = none

F2 = 2" frame base

= 4" frame base

= 6" frame base

For additional bases, see page 61; for Easy-Order mobile combinations, see page 64.

3. Select lock type.

NL = none

RG = individual

KA = keyed-alike

MA = master

For additional lock options, see our General Storage Catalog.


4.
Select paint color. For color chart, see the back cover or below.

EXAMPLE: to order an NW0600-0402N cabinet with a 6" frame base, an individual lock and Bright Blue paint, the part number would be NW0600-0402N-F6RGBB (shown in photo at top of page).



DRAWER HT. DRAWER INTERIOR 2" (75N) 2" (75N) 2" (75N) 2" (75N) 3" (100N) 3" (100N) 107

PART NO.	DRWS.	COMPTS.
NW0600-0701N-	7	-
NW0600-0701NA-	7	59




PART NO.

NW0600-0402N-

NW0600-0402NA-


DRWS. COMPTS.




PART NO.	DRWS.	COMPTS
NW0600-0601N-	6	-
NW0600-0601NA-	6	42




PART NO.	DRWS.	COMPTS.
NW0600-0301N-	3	-
NW0600-0301NA-	3	8




PART NO.	DRWS.	COMPTS
NW0600-0501N-	5	-
NW0600-0501NA-	5	50




I NO.	DRWS.	COMPTS.	PART NO.	DRWS.	COMP
0600-0501N-	5	-	NW0600-0201N-	2	-
0600-0501NA-	5	50			






NW750 Cabinets for **Workbench Pedestals**


33 1/2" high




PART NO.	DRWS.	COMPTS.
NW0750-0801N-	8	-
NW0750-0801NA-	8	60



PART NO.	DRWS.	COMPTS.
NW0750-0701N-	7	-
NW0750-0701NA-	7	53



PART NO.	DRWS.	COMPTS.
NW0750-0601N-	6	-
NW0750-0601NA-	6	60



PART NO.	DRWS.	COMPTS.
NW0750-0501N-	5	-
NW0750-0501NA-	5	38





NW Narrow Width Easy-Order Mobile Cabinet Combinations



Each mobile cabinet comes with:

- 2 fixed and 2 swivel casters with wheel locks
- Handles
- Individual drawer latches
- 150 lb. load capacity

How to read the charts on this page

The 2 columns to the right of each cabinet illustration indicate:

- Drawer heights
- Drawer interior sets (shown on page 65)

The chart below the illustration indicates:

- Part numbers
- Number of drawers
- Number of drawer compartments created by the interior sets (shown on page 65)

How to order a Narrow Width Easy-Order Mobile Cabinet

Select Easy-Order Cabinet
 Combination either without or with drawer interior sets (designated by an "A" near the end of the part number – i.e., NW0600-0601NA-M).

2. Select lock type.


NL = none RG = individual KA = keyed-alike MA = master

For additional lock options, see our General Storage Catalog.


Select paint color. For color chart, see back cover.

EXAMPLE: to order an NW0600-0501NA-M cabinet with an individual lock and Red paint, the part number would be **NW0600-0501NA-M-RGNR** (shown in photo at top of page).


NW600 Mobile Cabinets 33 1/8" high




PART NO.	DKWS.	CUIVIP13.
NW0600-0601N-M-	6	-
NW0600-0601NA-M-	6	42
includes A" v 1 1/4" casters		



PART NO.	DRWS.	COMPTS.
NW0600-0501N-M-	5	-
NW0600-0501NA-M-	5	50






PART NO.	DRWS.	COMPTS.
NW0600-0402N-M-	4	-
NW0600-0402NA-M-	4	24

includes 4" x 1 1/4" casters

NW750 Mobile Cabinets 39 1/8" high




PART NO.	DRWS.	COMPTS.
NW0750-0601N-M-	6	-
NW0750-0601NA-M-	6	60
includes A" v 1 1/4" casters		

DRAWER HT.	DRAWER INTERIOR
2" (75N) 2" (75N) 3" (100N) 3" (100N)	212 212 212 107
 5" (150N)	107
 9" (250N)	104

PART NO.	DRWS.	COMPTS.
NW0750-0602N-M-	6	-
NW0750-0602NA-M-	6	54

includes 4" x 1 1/4" casters



PART NO.	DRWS.	COMPTS.
NW0750-0503N-M-	5	-
NW0750-0503NA-M-	5	34
includes 4" x 1 1/4" casters		


NW600 Mobile Work Centers

33 ¾" high x 33 ¾" wide




PART NO.	DRW	S. COMPTS.
MNW0600-0701-	6	-
MNW0600-0701A-	6	38

includes 4" x 2" casters



PART NO.	DRWS.	COMPTS.
MNW0600-0601-	4	-
MNW0600-0601A-	4	35

includes 4" x 2" casters



PART NO.	DRWS.	COMPTS.
MNW0600-0401-	2	-
MNW0600-0401A-	2	8

includes 4" x 2" casters

Mobile Cabinet Options



Shelf can be mounted on either the left or right side of any mobile or stationary cabinet. 50 lb. maximum capacity. Shelf is 15" wide x $28 \frac{1}{2}$ " deep.

PART NO.	MOUNTS TO	_
FS-36DX15-L	left side	
FS-36DX15-R	right side	_

NW Mobile Cabinet Tops

For top descriptions, see page 42.

PART NO.	DESCRIPTION	HT.
NW-RT	retainer top with	3/4"
	ribbed mat	
2NW-RT*	retainer top with	3/4"
	ribbed mat	
NW1BCT	butcher block	1 ³ /4"
NW2BCT*	butcher block	1 ³ /4"
NW1PCT	plastic laminate	1 ⁹ /16"
NW2PCT*	plastic laminate	1 ⁹ /16"

^{*}use with mobile work centers

Mesh Drawer Liner

Non-slip polyester mesh liner protects items in drawers without drawer interior sets from shifting or sliding.

Protects drawer bottom from scratches and dents. Liner is non-toxic, washable and treated to inhibit mold and mildew.

PART NO.	
NWMDL	



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
NWDR104-	2	5 1/2"
	2	6 1/4"



Tor drawer neights 75 through 200		
PART NO.	COMPTS.	CMPT. WIDTH
NWDR105-	3	4 1/8"
	2	7 1/2"



Tor drawer neights 75 through 500		
PART NO.	COMPTS.	CMPT. WIDTH
NWDR106-	3	6 ¹ /4"
	COMPTS. CMPT. WIDTH	



To order the drawer interior sets shown on this page, use the part number in the chart and add the drawer height in place of the green box.

EXAMPLE: to order an NWDR106 drawer interior set for a 100 height (3") drawer, the part ordering number would be NWDR106-100.



For drawer heights 75 through 200

	-	3
PART NO.	COMPTS.	CMPT. WIDTH
NWDR107-	4	4 1/8"
	3	7 1/2"



For all drawer heights

· · · · · · · · · · · · · · · · · · ·		
PART NO.	COMPTS.	CMPT. WIDTH
NWDR108-	4	5 1/2"
	4	6 ¹ / ₄ "



Tor drawer neights 75 through 200		
PART NO. COMPTS.		CMPT. WIDTH
NWDR209-	6	3 1/2"
	3	4 1/8"



For drawer heights 75 through 200

	•	•
PART NO.	COMPTS.	CMPT. WIDTH
NWDR212-	4	4 1/8"
	8	3 1/2"



For drawer heights 75 through 100

ror ararrer neights for an ough ros		
PART NO.	COMPTS.	CMPT. SIZE
NWDR008-	8	6" x 6"



roi diawei neignis 75 unougn 100		
PART NO. COMPTS.		CMPT. SIZE
NWDR012-	8	3" x 6"
	4	6" x 6"



Tor drawer neights 75 through 100		
PART NO.	COMPTS.	CMPT. SIZE
NWDR016-	16	3" x 6"



For drawer height 75

PART NO.	COMPTS.	CMPT. SIZE
NWDR018-	2	6" x 6"
	8	3" x 6"
	8	3" x 3"



For drawer height 75

PART NO.	COMPTS.	CMPT. SIZE
NWDR024-	16	3" x 3"
	8	3" x 6"



For drawer height 75

PART NO.	COMPTS.	CMPT. SIZE
NWDR082-	16	3" x 3"
	24	3" x 2"



For drawer height 75

PART NO.	COMPTS.	CMPT. SIZE
NWDR083	32	2" x 3"
	24	2" x 2"



Sliding accessory tray

For drawer heights 100 through 250		
PART NO.	COMPTS.	CMPT. WID.
NIWDR-AT06-	5	3"

Multi-purpose versatility and functionality

- Perfect workbench pedestals
- Can be adapted to serve as mobile cabinets



Repair workbenches at Tinker Air Force Base feature MP Width cabinet pedestals to provide technicians with ample storage for tools and parts needed to service aircraft hydraulics and electronics.



For detailed directions on ordering custom cabinets and complete descriptions of the options on this page, please see our General Storage Catalog.

Select cabinet housing

Lista's steel cabinet housings offer strength and flexibility. Drawers, shelves and roll-out trays can be assembled in any sequence.

MP Width Cabinet Housings

22 ³/₁₆" wide x 28 ¹/₂" deep (564mm x 725mm)

PART NO.	OVERALL HEIGHT
	(without base)
MP300	15 ³ /4" (400mm)
MP450	21 ⁵ /8" (550mm)
MP600	27 ¹ /2" (700mm)
MP750	33 ¹ /2" (850mm)
MP900	39 ³ /8" (1000mm)
MP1225	52 ³ /16" (1325mm)
MP1350	57 ¹ /8" (1450mm)

MP Width Double Hinged Door Cabinet Housings

Double hinged door housings are the only door cabinets into which drawers and roll-out trays can be installed (shelves can also be installed in these housings). Includes individual lock (RG) and 2 keys.

22 ³/₁₆" wide x 29 ¹/₂" deep (564mm x 750mm)

PART NO.	OVERALL HEIGHT	
	(without base)	
MPDHD600	27 ¹ /2" (700mm)	
MPDHD750	33 ¹ /2" (850mm)	
MPDHD900	39 ³ /8" (1000mm)	
MPDHD1225	52 ³ /16" (1325mm)	
MPDHD1350	57 ¹ /8" (1450mm)	

2 Select lock

Cabinets come equipped with an individual lock (RG) and 2 keys. To select other locking options, choose from the chart below or see our General Storage Catalog.

		_
PART NO.	LOCK TYPE	
RG	individual lock	
KA	keyed alike lock	
MA	master lock	
NL*	no lock wanted	

^{*}not available for double hinged door cabinets

3 Select base

Lista offers a wide array of cabinet bases to suit any need. For descriptions, see our General Storage Catalog.

Fork Truck Base

PART NO.	HEIGHT	
MP-FTB	2 ³ /8" (60mm)	

Frame Bases

PART NO.	HEIGHT	RAISE 600 CABS. TO
MP-2	2" (50mm)	desk height
MP-4	4" (100mm)	low bench height
MP-6	6" (150mm)	standard bench ht.

Mobile Bases

Mobile bases include a set of 2 fixed and 2 swivel casters with wheel locks. Mobile bases not recommended for use with 1225 height or higher cabinets.

PART NO.	CASTERS	OAH	CAP.
Use with 1 MP hou	ısing		
CB-MP4B	4" x 2"	6 1/4"	1400 lb.
CB-MP6B	6" x 2"	8 1/8"	2400 lb.
Use with 2 MP hou	ısings on 1	pan ba	ise
MBP-MP/MP4ML	4"x2"	6 1/4"	1400 lb.
MBP-MP/MP6ML	6"x2"	8 1/8"	2400 lb.

4 Select top

Top depth is 28 ½". (For tops for 29 ½" deep housings with doors, contact your Lista representative.) For top descriptions, see pages 42 and 56.

PART NO.	DESCRIPTION	HT.
MP-RT	retainer top w/ribbed mat	3/4"
MP1BCT	butcher block	1 3/4"
MP1PCT	plastic laminate	1 9/16"
MP1RCT	phenolic resin	1"
MP1LSCT	galvanized steel over wood	1 ¹³ /16"
MP1SSC	stainless steel cabinet cover	1/16"

5 Select drawers

Drawers have 150 lb. (70kg) weight capacity for evenly distributed loads. For MP Width cabinets with 440 lb. (200kg) weight capacity, see our General Storage Catalog.

PART NO.	USABLE HT.	SIDEWALL HT.
MP75N	2 ³ /8" (61mm)	2" (52mm)
MP100N	3 ³ /8" (86mm)	3" (77mm)
MP125N	4 ³ /8" (111mm)	3" (77mm)
MP150N	5 ¹ / ₄ " (133mm)	5" (127mm)
MP175N	6 ¹ / ₄ " (159mm)	5" (127mm)
MP200N	7 ¹ / ₄ " (185mm)	7" (177mm)
MP250N	9 ¹ / ₄ " (229mm)	8 ¹⁵ /16" (227mm)
MP300N	11" (279mm)	10 ¹⁵ /16"(277mm)

5 Select shelves, trays and doors

Shelves

Shelves allow storage of bulky items in close proximity to high density drawer storage.

Adjustable Shelf

PART NO.	USABLE WIDTH	USABLE DEPTH
MP-AS	19 ³ / ₄ " (502mm)	24 1/4" (616mm)

Bottom Shelf

PART NO.	USABLE WIDTH	USABLE DEPTH
MP-BS	19 13/16"(503mm)	23 3/4" (604mm)

Roll-Out Trays

Roll-out trays allow easy access to stored items, even in the farthest corner. Trays have 150 lb. (70kg) weight capacity for evenly distributed loads.

PART NO.	USABLE WIDTH	USABLE DEPTH
MP-TCN*	17 ¹ /8" (435mm)	24" (609mm)

*mounts behind MP flush door (see below)

Flush Hinged Doors

Doors protect cabinet contents stored on shelves. Door with integrated handle is reversible in field to allow door to open in opposite direction. To order, door opening orientation ("R" for right or "L" for left) must be written in place of the red box () in the part number. Only bottom and adjustable shelves may be installed behind flush doors.

PART NO.	HEIGHT
FD300-27 *	11 ¹³ /16" (300mm)
FD450-27 *	17 ¹¹ /16" (450mm)
FD600-27 *	23 ⁵ /8" (600mm)
FD750-27	29 %16" (750mm)
FD900-27	35 ⁷ /16" (900mm)


*limit: 1 adjustable shelf and 1 bottom shelf

6 Select drawer partitions and dividers

- MP Width drawer interior sets, p. 71
- Individual drawer partitioning accessories, see our General Storage Catalog

7 Select colors

To order cabinet housing and drawer front paint colors, see the back cover.




*INSIDE DIMENSIONS

Lista's modular building block system means that your MP Width cabinets can be configured to exactly suit your requirements.


To configure your custom cabinet, simply follow the steps shown in the charts to the left.

Total drawer and/or door model numbers must add up to the model number of the housing.

EXAMPLE: 900 housing



EXAMPLE: 900 housing with flush hinged door



MP Width Easy-Order Cabinet Combinations



How to read the charts on this

The 2 columns to the right of each cabinet illustration indicate:

- Drawer heights
- Drawer interior sets (shown on page 71)

The chart below the illustration indicates:

- Part numbers
- Number of drawers
- Number of drawer compartments created by the interior sets (shown on page 71)

How to order an MP Width **Easy-Order Cabinet**

1. Select Easy-Order Cabinet Combination either without or with drawer interior sets (designated by an "A" at the end of the part number - i.e., MP0750-0302NA).

2. Select base type.

NB = none

FT = fork truck

F2 = 2" frame base

= 4" frame base F4

= 6" frame base

For additional bases, see page 67; for Easy-Order mobile combinations, see page 70.

3. Select lock type.

NL = none

RG = individual

KA = keyed-alike

MA = master

For additional lock options, see our General Storage Catalog.

4.


Select paint color. For color chart, see the back cover or below.

EXAMPLE: to order an MP0750-0302NA cabinet with a fork truck base, an individual lock and Light Gray paint, the part number would be

MP0750-0302NA-FTRGLG (shown in photo at top of page).


MP300 Cabinets

15 3/4" high





MP0300-0301N-	-	
MP0300-0301NA-	34	




PART NO.	DRWS.	COMPTS.
MP0300-0201N-	2	-
MP0300-0201NA-	2	13




PART NO.	DRWS.	COMPTS.
MP0300-0202N-	2	-
MP0300-0202NA-	2	13

MP600 Cabinets for Workbench Pedestals 27 1/2" high




PART NO.	DRWS.	COMPTS.
MP0600-0701N-	7	-
MP0600-0701NA-	7	77




MP0600-0401N-


MP0600-0401NA-



PART NO.	DRWS.	COMPTS.
MP0600-0601N-	6	-
MP0600-0601NA-	6	82




PART NO.	DRWS.	COMPTS.
MP0600-0402N-	4	-
MP0600-0402NA-	4	33




PART NO.	DRWS.	COMPTS.
MP0600-0501N-	5	-
MP0600-0501NA-	5	49



PART NO.	DRWS.	COMPTS.
MP0600-0302N-	3	-
MP0600-0302NA-	3	17



PART NO.	DRWS.	COMPTS.
MP0600-0502N-	5	-
MP0600-0502NA-	5	42





BE (Beige paint)



BB (Bright Blue paint) BK (Black paint)







GG (Green paint)

LG (Light Gray paint)

NR (Red paint)

SN (Sand paint)

FW (White paint)

MP Width Easy-Order Mobile Cabinet Combinations



Each mobile cabinet comes with:

- 2 fixed and 2 swivel casters with wheel locks
- Tubular steel handles
- Individual drawer latches
- 150 lb. load capacity

How to read the charts on this page

The 2 columns to the right of each cabinet illustration indicate:

- Drawer heights
- Drawer interior sets (shown on page 71)

The chart below the illustration indicates:

- Part numbers
- Number of drawers
- Number of drawer compartments created by the interior sets (shown on page 71)

How to order an MP Width Easy-Order Mobile Cabinet

Select Easy-Order Cabinet
 Combination either without or with
 drawer interior sets (designated by
 an "A" near the end of the part
 number – i.e., MP0600-0402NA-M).

2. Select lock type.

NL = none RG = individual KA = keyed-alike MA = master

For additional lock options, see our General Storage Catalog.

Select paint color. For color chart, see back cover.

EXAMPLE: to order an MP0600-0501NA-M cabinet with an individual lock, Bright Blue paint and a retainer top, the part number would be **MP0600-0501NA-M-RGBB**, with an MP-RT top (shown in photo at top of page).


MP300 Mobile Carts 32 1/2" high



PART NO.	DRWS.	COMPTS.
MSC-	-	-


includes 4" x 1 1/4" casters

includes 4-sided retainer top with ribbed mat



PART NO.	DRWS.	COMPTS.
MCMP0300-0301N-	3	-
MCMP0300-0301NA-	3	34


includes 4" x 1 ¹/₄" casters includes 4-sided retainer top with ribbed mat



PART NO.	DRWS.	COMPTS.
MCMP0300-0201N-	2	-
MCMP0300-0201NA-	2	13


includes 4" x 1 ¹/₄" casters includes 4-sided retainer top with ribbed mat

MP600 Mobile Cabinets 35 1/2" high




PART NO.	DRWS.	COMPTS.
MP0600-0601N-M-	6	-
MP0600-0601NA-M-	6	82





PART NO.	DRWS.	COMPTS.
MP0600-0501N-M-	5	-
MP0600-0501NA-M-	5	49





PART NO.	DRWS.	COMPTS.
MP0600-0402N-M-	4	-
MP0600-0402NA-M-	4	33
includes 6" x 2" casters		

MP600 Mobile Work Centers 35 ½" high



RT NO. DRWS. COMPT
ИР0600-0702- <mark>-</mark>
лР0600-0702A- <mark> </mark>
711 0000-0702A-

includes 6" x 2" casters 44 ³/₈" wide



PART NO.	DRWS.	COMPTS.
MMP0600-0402-	2	-
MMP0600-0402A-	2	8

includes 6" x 2" casters 44 ³/₈" wide



PART NO.	DRWS.	COMPTS.
MMPNW0600-0703-	5	-
MMPNW0600-0703A-	5	57

includes 6" x 2" casters 39" wide (MP width drawers, NW width door)

Mobile Cabinet Options



Shelf can be mounted on either the left or right side of any mobile or stationary cabinet. 50 lb. maximum capacity. Shelf is 15" wide x 28 ½" deep. Not for use with mobile carts.

PART NO.	MOUNTS TO
FS-36DX15-L	left side
FS-36DX15-R	right side

MP Mobile Cabinet Tops

For top descriptions, see page 42.

PART NO.	DESCRIPTION	HT.
MP-RT	retainer top with	3/4"
	ribbed mat	
2MP-RT*	retainer top with	3/4"
	ribbed mat	
MP1BCT	butcher block	1 3/4"
MP2BCT*	butcher block	1 3/4"
MP1PCT	plastic laminate	1 ⁹ /16"
MP2PCT*	plastic laminate	1 ⁹ /16"

^{*}use with 2 MP housings

Mesh Drawer Liner

Non-slip polyester mesh liner protects items in drawers without drawer interior sets from shifting or sliding. Protects drawer bottom from scratches and dents. Liner is non-toxic, washable and treated to inhibit mold and mildew.

MPMDL	



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
MPDR104-	2	7 1/2"
	2	9 1/4"



For all drawer heights

PART NO.	COMPTS.	CMPT. WIDTH
MPDR206-	6	5 1/2"



For all drawer heights

Tor an arawer neights		
PART NO.	COMPTS.	CMPT. WIDTH
MPDR209-	9	5 1/2"



To order the drawer interior sets shown on this page, use the part number in the chart and add the drawer height in place of the green box.

EXAMPLE: to order an MPDR206 drawer interior set for a 100 height (3") drawer, the part ordering number would be MPDR206-100.



For drawer heights 75 through 150

	_	9
PART NO.	COMPTS	. CMPT. WIDTH
MPDR312-	3	3 1/2"
	9	4 1/8"



For drawer heights 75 through 150

ror arawer neights 75 amough 150		
PART NO.	COMPTS.	CMPT. WIDTH
MPDR316-	4	3 1/2"
	12	4 1/8"



For drawer heights 75 through 125

roi diawei neignis 75 dirodgii 125		
PART NO.	COMPTS.	CMPT. WIDTH
MPDR430-	18	2 5/8"
	12	3 1/2"



For drawer heights 75 through 150

PART NO.	COMPTS.	CMPT. DEPTH
MPDR510-	3	3 1/2"
	4	15 ⁵ /8"



For drawer heights 75 through 125

Tor drawer neights 75 through 125		
PART NO.	COMPTS.	CMPT. WIDTH
MPDR524-	12	2 1/8"
	12	2 5/8"



For drawer heights 75 through 125

PART NO.	COIVIP13.	CMPT. SIZE
MPDR012-	12	6" x 6"



For drawer heights 75 through 125

PART NO.	COMPTS.	CMPT. SIZE
MPDR018-	12	3" x 6"
	6	6" x 6"



For drawer heights 75 and 100

PART NO.	COMPTS.	CMPT. SIZE
MPDR024-	24	3" x 6"



For drawer height 75

Tot diawer neight 75		
PART NO.	COMPTS.	CMPT. SIZE
MPDR028-	16	3" x 3"
	8	3" x 6"
	4	6" x 6"



For drawer height 75

PART NO.	COMPTS.	CMPT. WIDTH
MPDR480-	24	1 1/4"
	16	1 ³ /4"



For drawer height 75

PART NO.	COMPTS.	CMPT. WIDTH
MPDR482-	23	1 3/4"
	14	2 3/4"



Sliding accessory tray

For drawer heights 100 through 300		
PART NO.	COMPTS.	CMPT. WIDT
MPDR-AT10-	1	6"