

HAND TOOLS FOR THE ELECTRONICS INDUSTRY



▲ **4857**
10 PIECE TRIMMING TOOL SET (ALIGNMENT TOOLS)

Thermoplastic material. Length: 115 mm 4.1/2". On blister card.

0.7 x 1.0 mm	□ 1.4 mm
0.5 x 1.3 mm	○ 1.8 mm
0.8 x 2.3 mm	○ 2.5 mm
0.7 x 2.4 mm	Ø 4 mm
0.7 x 2.0 mm	Ø 5 mm
1.3 mm	Ø 3 mm
0.7 x 1.0 mm	Ø 3 mm
0.8 x 1.3 mm	Ø 3 mm
0.8 x 1.8 mm	Ø 3 mm
0.7 x 2.4 mm	Ø 4 mm



▲ **2430**
10 PIECE CELLULAR PHONE MAINTENANCE TOOL KIT

With additional T-grip. High alloy steel blades.

Pressing blade
Panel pry bar
Screwdrivers, slot: tip: 0.5 mm and 2.0 mm (.020 and .079")
Torx: TX5
Torx: TX6
Torx Tamperproof: TX8
Phillips: PH 1
Antenna-repair-tool: Type A and Type B



▲ **4850P**
6 PIECE WATCHMAKER'S SCREWDRIVER SET

Chrome plated steel handle. Hollow rotating head. Black steel blades. In plastic box with hinged lid and blister.

Phillips PH 0
Phillips PH 1
Slot 1.4, 2.0, 2.4, 3.0 mm (.039, .063, .079, .094")



▲ **4854P**
6 PIECE WATCHMAKER'S SCREWDRIVER SET

Chrome plated steel handle. Hollow rotating head. Black steel blades. In plastic display and storage wallet.

Phillips PH 0
Phillips PH 1
Slot 1.4, 2.0, 2.4, 3.0 mm (.039, .063, .079, .094")



▲ **4785**
7 PIECE ELECTRONIC SCREWDRIVERS

Colour coded, rotating heads for ease of use. Blade length 40 mm / 1.1/2". In plastic box with hinged lid and blister.

Slot 1.4, 2.0, 2.4, 3.0 mm (.039, .063, .079, .094")
Phillips PH 0, PH 00, PH 000



▲ **8030**
CLAMP - SEIZER 145 mm 5.3/4"

Stainless steel, fine polished, anti-glare finish. 3-position ratchet action lock. Straight jaws, serrated inside. Box joint.

TOOLS AROUND CABLES



▲ **10280**
CABLE KNIFE 8 - 28 mm 5/16 - 1.1/8" Ø

C.K.-Jokari Cable Knife (No. 28H) with new dual-compound handle design for more safety at work. Cable holder with comfortable dual-compound anti-slip finger rest. Double sided trimming blade, straight and hook. Continuously adjustable cutting depth. Automatic setting from round to longitudinal cut. Spare blade included. For easy and quick stripping of sheathing of round cable from 8 - 28 mm Ø. More versions on request.



▲ **3964**
ONE HAND CABLE CUTTER 165 mm 6.1/2"

Perfect in design and quality, cuts this compact sized One Hand Cable Cutter copper and aluminium cables up to 14 mm Ø / 9/16" (50 mm) extremely easy and smooth. Razor sharp cutting edges with micro-serrations guarantee quality of non-squeeze cut and long life. Additional knife like edge for splicing of cable sheathing. Comfortable and safe C.K.-Redline grips with anti-slip horns. Chrome plated. Not for steel wires. Other patterns and sizes on request.



▲ **30010**
COAX CABLE STRIPPER 4,8 - 7,5 mm 3/16 - 9/32" Ø

C.K.-Jokari Cable Stripper (Coax) for ingenious and quick stripping of all standard coax cables, e.g. TV-Coax, RG58U, RG59U etc. Also for 3 x 0.75 mm PVC-flex. With length scale. No adjustment necessary. Also for use in very confined spaces, e.g. junction boxes, switch consoles etc.



▲ **50010**
TIE GUN FOR CABLE BINDER 165 mm 6.1/2"

Fibre glass reinforced plastic body, light, yet strong. Pulling force adjustable. Cuts automatically as soon as the requested pulling force has been reached. For cable binder width 2.4 - 4.8 mm (.094 - .189").



▲ **30150**
CABLE WIRE STRIPPER 8 - 13 mm 5/16 - 1/2" Ø

C.K.-Jokari Cable Stripper (No. 15) with additional precision wire stripping blades, retractable safety trimming knife blade, splicing blade, pocket clip. For easy and quick stripping of sheathing of round cable from 8 - 13 mm (5/16 - 1/2") Ø. For stripping of solid and stranded conductors of 0.2, 0.3, 0.8, 1.5, 2.5, 4.0 mm² (24, 22, 20, 16, 14, 12 AWG). No adjustment necessary. Also for use in very confined spaces, e.g. junction boxes, switch consoles etc.



▲ **30160**
CABLE WIRE STRIPPER 5 - 15 mm 3/16 - 5/8" Ø

C.K.-Jokari Cable Stripper (PC-Strip) for PVC-insulated data communication and conductor control cables (e.g. IBM type 1, type 2 etc.). For easy and quick stripping of sheathing of round cable from 5 - 15 mm Ø (3/16 - 5/8"). For stripping of solid and stranded conductors of 0.2, 0.3, 0.8, 1.5, 2.5, 4.0 mm² (24, 22, 20, 16, 14, 12 AWG). No adjustment necessary. Also for use in very confined spaces, e.g. junction boxes, switch consoles etc.



▲ **50020**
TIE GUN FOR CABLE BINDER 220 mm 8.3/4"

Strong stainless steel body, red lacquered. Pulling force adjustable. Cuts automatically as soon as the requested pulling force has been reached. For cable binder width 4.7 - 13 mm (.185 - .512").

SERVICE CASES



C.K. moulded Tool Cases satisfy high demands on quality, function and design. Selected material, purpose designed parts and many efficient details result in a convincing product of a high value over a long life time.



Soft allround profiles

- protect the aluminium frame

Aluminium frame

- hardened
- resistant against distortion
- safely closing

Lid supports

- double riveted
- very strong
- safe locking

Moulded bottom feet

- protection against wear

Protected hinges

- no trapping of small parts

Locks

- 2 push-button locks with keys
- additional combination lock at 1641 and 1643

Bottom tray equipment

- variable dividers
- extra strong, reinforced vertical anti-bend dividers

Handle

- ergonomic design for best comfort
- anti-slip finish

Board system

- Boards water- and oil-resistant
- strong textile fabric compartments, securely fitted to boards
- functional arrangement of compartments
- some boards detachable



SERVICE CASES



▲ 1642

SERVICE CASE

Dim. inside: 460 x 160 x 310 mm Weight: appr. 4.0 kg

Material: ABS, black, textured surface. Yellow allround-profile.

Locks: 2 high quality press button locks, lockable.

Equipment: Bottom tray 59 mm high, with variable dividers. Bottom tray lid, flush fitting, 6 compartments. Tool board double sided, 20 tool compartments and 1 Din A4 document compartment, detachable.



▲ 1643

SERVICE CASE

Dim. inside: 460 x 160 x 310 mm Weight: appr. 4.5 kg

Material: ABS, black, textured surface. Yellow allround-profile.

Locks: 2 high quality press button locks, lockable, additional 3-digit combination lock.

Equipment: Bottom tray 59 mm high, with variable dividers. Bottom tray lid, flush fitting, 14 compartments. Tool board double sided, 32 tool compartments and elastic band for 12 parts, detachable. 1 fixed Din A4 document compartment with additional compartments for CD's, mobile phone, business cards and pens.



▲ 1641


ESD-SERVICE CASE

Dim. inside: 495 x 220 x 375 mm Weight: appr. 7.0 kg

Material: Special dissipative plastic, black, textured surface. 10 years shatterproof. Black allround-profile. Interior equipment dissipative. Also for ESD-use.

Locks: 2 high quality press button locks, lockable, additional 3-digit combination lock.

Equipment: Bottom tray 89 mm high, with variable dividers. Bottom tray lid, flush fitting, 14 compartments. Tool board double sided, 32 compartments, detachable. Din A4 document tray with 2 additional compartments and pen holder.



PRECISION TOOLS FOR THE ELECTRONICS INDUSTRY



▲ 4411

HEXAGON KEYS

Chrome-Vanadium Steel, hardened, black finish. DIN 911.

Ø	0.7	0.9	1.0	1.2	1.27	mm
L	32 x 6	32 x 10	32 x 10	38 x 10	40 x 12	mm
Ø	1.5	2.0	2.5	3.0	3.5	4.0
L	45 x 14	50 x 16	56 x 18	63 x 20	67 x 23	70 x 25

▲ 4412

HEXAGON KEYS

Chrome-Vanadium Steel, hardened, black finish. BS 2470.

Ø	0.028	0.035	0.05	1/16	5/64	3/32	Zoll
L	32 x 6	32 x 10	42 x 14	44 x 14	48 x 15	51 x 17	mm
Ø	1/8	5/32	Zoll				
L	57 x 19	64 x 21	mm				

▲ 4402

8 PIECE HEXAGON KEY SET

Contents: 4411 0.7, 0.9, 1.27, 1.5, 2, 2.5, 3, 4 mm. In display wallet.

▲ 4403

8 PIECE HEXAGON KEY SET

Contents: 4412 0.028, 0.035, 0.05, 1/16, 5/64, 3/32, 1/8, 5/32". In display wallet.



▲ 5911

TELESCOPIC INSPECTION MIRROR

Stainless steel.

No.	Length	Mirror Ø
5911	164	20 mm



▲ 5912

TELESCOPIC INSPECTION MIRROR

Stainless steel. Swivel head. Pocket clip.

No.	Length	Mirror Ø
5912 38	125 - 685	38 mm
5912 55	125 - 560	55 mm



▲ 5913

TELESCOPIC INSPECTION MIRROR

Stainless steel. Swivel head. Pocket clip.

No.	Length	Mirror Ø
5913	180 - 520	32 mm



▲ 5914

TELESCOPIC INSPECTION MIRROR

Stainless steel. Swivel head. Plastic handle.

No.	Length	Mirror Ø
5914	250 - 780	55 mm

BESTSELLER



Universal Tweezers	2301	38
Universal Tweezers	2307	38
Universal Tweezers	2309	38
Universal Tweezers	2314	38
Universal Tweezers	2315	38
Universal Tweezers	2315A	38
Positioning Tweezers	2334	35
Precision Tweezers	2340	35
Precision Tweezers	2343	35
Positioning Tweezers	2360	36
PLCC-Extractor	2371	59
Crimping Pliers	3681	57
Crimping Pliers	3682	56
Side Cutter	3740D-115	11
Wire Stripper	3756	0.25, 0.40
Wire Stripper	3757-2	52
Wire Stripper	3757 ESD-2	52
Wire Stripper	3759	53
Side Cutter	3766DF-110	11
Side Cutter	3766HF-110	17
Flat Nose Pliers	3770D-120	14
Snipe Nose Pliers	3772D-120	13
Snipe Nose Pliers	3772H-115	12
Side Cutter	3773D-115	12
Side Cutter	3773H	18
Side Cutter	3773HF	18
Snipe Nose Pliers	3777-1H	21
Side Cutter	3779H	18
Side Cutter	3780DF-110	11
Oblique Cutter	3786DF-120	12
Oblique Cutter	3786HF-120	19
Snipe Nose Pliers	3872D-120	13
Side Cutter	3880DF-110	11
Side Cutter	3880HF	17
Flat Nose Pliers	3950	32
Snipe Nose Pliers	3952	31
Side Cutter	3953	31
Cable Cutter	3964	165 mm
Screwdriver Set	4730 ESD	49
Screwdriver Set	4741 ESD	49
Screwdriver Set	47415-ESD	49
Screwdriver Set	4877PX	47
Screwdrivers	4877X	
	TX 08, TX 09, TX 10, TX 15, TX 20	41
Screwdrivers	4880X	41
	2.5 x 60, 3 x 100, 4 x 150	41
Screwdrivers	4880X ESD	41
	2.5 x 60, 3 x 100, 4 x 150	43
Screwdrivers	4882X	41
	PH 0 x 60, PH 1 x 80	41
Screwdrivers	4882X ESD	41
	PH 0 x 60, PH 1 x 80	43
Screwdriver Set	4883X	46
Screwdriver Set	4884X	47
Screwdriver Set	4884X ESD	47
Screwdriver Set	4895	46
Screwdriver Set	4896	46
Cable Stripper	10280	51
Cable Stripper	30150	51
Cable Binder Tie Gun	50010	51

Guarantee & Warranty

All C.K. products are fully guaranteed against faulty materials and workmanship and will be replaced, repaired free of charge or credited at the discretion of C.K. if found to be faulty, provided it is returned immediately to C.K. at the customer's cost. The reason for return must be clearly stated.

C.K. is not liable for the following:

- Any goods which have been repaired or altered in any way.
- Any goods which have been subject to any accident or damage or which have been maintained, stored or used improperly.
- Unsuitable, inappropriate and faulty application and treatment.
- Normal tear and wear due to use.

Any direct consequential loss or damage of anything whatsoever (including without limitation loss of profits, revenue or contracts) or for any damage to, or destruction of any property, injury to or death of any person, except to the extent that such injury or death is caused by negligence on part of C.K. or its employees.

Any costs for rework or repair can only be accepted by C.K. if agreed upon by C.K. in writing.

Hand Tool Safety

Always wear proper eye and hand protection when using hand tools.

Only use tools for the purpose for which they are designed for. Plastic handles or plastic coatings are not intended to provide protection against electrical shock.

Other information

Because of our policy of continuous improvement, we reserve the right to alter specifications without notice. Due to photographic and printing processes, colors indicated may not be accurate.