

JOURNEYMAN

Cat. No. Set Contains

80141



Cat. No.	Description
BLK12	12-piece ball-end hex-key caddy set – inch
J203-6	Journeyman™ standard long-nose pliers
J203-8N	Journeyman™ heavy-duty long-nose pliers – side-cutting & stripping
J502-10	10" Journeyman™ pump pliers with 1-3/4" (44 mm) jaw capacity
D507-8	8" adjustable wrench – extra capacity
D507-12	12" adjustable wrench – extra capacity
600-1	1/4" keystone-tip cushion-grip screwdriver – 1-1/2" (40 mm) round-shank
600-4	1/4" keystone-tip cushion-grip screwdriver – 4" (102 mm) heavy-duty square-shank
601-3	3/16" cabinet-tip cushion-grip screwdriver – 3" (76 mm) round-shank
601-6	3/16" cabinet-tip cushion-grip screwdriver – 6" (152 mm) round-shank
602-6	5/16" keystone-tip cushion-grip screwdriver – 6" (152 mm) heavy-duty round-shank
603-1	No. 2 Phillips cushion-grip screwdriver – 1-1/2" (40 mm) round-shank
603-3	No. 1 Phillips cushion-grip screwdriver – 3" (76 mm) round-shank
603-4B	wire bending No. 2 Phillips cushion-grip screwdriver – 4" (102 mm) round-shank

Cat. No.	Description
605-6	1/4" cabinet-tip cushion-grip screwdriver – 6" (152 mm) heavy-duty round-shank
631	7-piece cushion-grip nut driver set (3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2")
650	cushion-grip scratch awl
662	No. 2 square-recess tip cushion-grip screwdriver – 4" (102 mm) round-shank
670-6	3/16" cabinet-tip cushion-grip screwdriver – Rapi-Driv®
916-25RE	25' x 1" power-return rule – magnetic tip
931-9RE	torpedo level - magnetic
J1005	Journeyman™ crimping/cutting tool – non-insulated and insulated connectors
K1412	Klein-Kurve <sup>®</sup> dual NM cable stripper/cutter
J2000- 9NETP	Journeyman™ high-leverage side-cutting pliers – fish tape pulling
J2000-48	Journeyman™ high-leverage diagonal-cutting pliers – angled head
5003-18	18" 10-pocket canvas tool bag with leather bottom
5139	canvas zipper bag
11055	Klein-Kurve <sup>®</sup> wire stripper/cutter – 10-18 AWG solid & 12-20 AWG stranded
44107	Klein-Kurve® heavy-duty utility knife – quick change retractable blade
46037	cable-splicer's kit
56003	Depthfinder™ Fish Tape - 125' L x 1/8" W
58889	padded adjustable shoulder strap
60053	standard protective eyewear
J63050	Journeyman™ high-leverage cable cutter
85191	conduit-fitting and reaming screwdriver

All dimensions are in inches and (millimeters) unless otherwise specified.

**AWARNING:** The tool belt provided in this kit is NOT an occupational protective belt.

 $\hat{\textbf{AWARNING:}}$  NOT insulated. Do NOT use these tools on or near live electrical circuits.

**AWARNING:** Do NOT use screwdrivers to pry or chisel.

**AWARNING:** Always wear approved eye protection.

**AWARNING:** Do NOT open the tape measure case. Spring motor is under tension, and opening may cause injury.

290





Cat. No.	Set Contains	Weight (lbs.)
80028		17.2

Cat. No.	Description
D203-8	heavy-duty long-nose pliers – side-cutting
D213- 9NETP	high-leverage side-cutting pliers – fish tape pulling
D248-8	high-leverage diagonal-cutting pliers – angled head
D502-10	10" pump pliers with 1-3/4" (44 mm) jaw capacity
506-10	10" adjustable wrench – standard capacity
600-4	1/4" keystone-tip cushion-grip screwdriver – 4" (102 mm) heavy-duty square-shank
601-6	3/16" cabinet-tip cushion-grip screwdriver – 6" (152 mm) round-shank
602-6	5/16" keystone-tip cushion-grip screwdriver – 6" (152 mm) heavy-duty round-shank
603-4B	wire bending No. 2 Phillips cushion-grip screwdriver – 4" (102 mm) round-shank
605-6	1/4" cabinet-tip screwdriver – 6" (152 mm) heavy-duty round-shank
631	7-piece cushion-grip nut driver set (3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2")
662	No. 2 square-recess tip cushion-grip screwdriver – 4" (102 mm) round-shank
670-6	3/16" cabinet-tip cushion-grip screwdriver – Rapi-Driv <sup>®</sup>

Cat. No.	Description
908-25	25' x 1" power-return rule – double-sided
930-9	magnetic torpedo level
1005	crimping/cutting tool – non-insulated and insulated connectors
5102-16	16" canvas tool bag
5139	canvas zipper bag
11045	wire stripper/cutter – 10-18 AWG solid wire
44100	utility knife – retractable blade
60056	frameless protective eyewear
85191	conduit-fitting and reaming screwdriver

All dimensions are in inches and (millimeters) unless otherwise specified.

**AWARNING:** The tool belt provided in this kit is NOT an occupational protective belt.

 $\hat{\textbf{AWARNING:}}$  NOT insulated. Do NOT use these tools on or near live electrical circuits.

**AWARNING:** Do NOT use screwdrivers to pry or chisel.

**AWARNING:** Always wear approved eye protection.

**AWARNING:** Do NOT open the tape measure case. Spring motor is under tension, and opening may cause injury.



# **Tool Sets**

JOURNEYMAN



at. No.	Set Contai	ns	Weight (lbs.)
0118			11.6
	Cat. No.	Description	
	J203-8N	Journeyman™ heavy-duty long-nose pliers – side-cutting & stripping	_
	J502-10	10" Journeyman™ pump pliers with 1-3/4" (44 mm) jaw capacity	_
	D507-10	10" adjustable wrench – extra capacity	_
	603-3	No. 1 Phillips cushion-grip screwdriver – 3" (76 mm) round-shank	
	603-4B	wire bending No. 2 Phillips cushion-grip screwdriver – 4" (102 mm) round-shank	
	605-4	1/4" cabinet-tip cushion-grip screwdriver – 4" (102 mm) heavy-duty round-shank	
	605-6	1/4" cabinet-tip cushion-grip screwdriver – 6" (152 mm) heavy-duty round-shank	_
	630-1/4	1/4" cushion-grip nut driver – 3" (76 mm) shank	
	630-5/16	5/16" cushion-grip nut driver – 3" (76 mm) shank	-
	662	No. 2 square-recess tip cushion-grip screwdriver – 4" (102 mm) round-shank	

Cat. No.	Description
670-6	3/16" cabinet-tip cushion-grip screwdriver – Rapi-Driv <sup>®</sup>
916-25RE	25' x 1" power-return rule – magnetic tip
J2000- 9NETP	Journeyman™ high-leverage side-cutting pliers – fish tape pulling
J2000-48	Journeyman™ high-leverage diagonal-cutting pliers - angled head
5165	10-pocket leather tool pouch
5705	Powerline™ web work belt
11055	Klein-Kurve <sup>®</sup> wire stripper/cutter – 10-18 AWG solid & 12-20 AWG stranded
60053	standard protective eyewear

All dimensions are in inches and (millimeters) unless otherwise specified.

**AWARNING:** The tool belt provided in this kit is NOT an occupational

**AWARNING:** NOT insulated. Do NOT use these tools on or near live electrical circuits.

**AWARNING:** Do NOT use screwdrivers to pry or chisel.

**AWARNING:** Always wear approved eye protection.

 $\spadesuit \text{WARNING:}$  Do NOT open the tape measure case. Spring motor is under tension, and opening may cause injury.

## **14-Piece Electrician Tool Set**

No.	Set Contai	ns	Weight (lbs.)
1			9.6
	Cat. No.	Description	
	D203-8	heavy-duty long-nose pliers – side-cutting	
	D213- 9NETP	high-leverage side-cutting pliers – fish tape pulling	20
	D248-8	high-leverage diagonal-cutting pliers – angled head	6
	D502-10	10" pump pliers with 1-3/4" (44 mm) jaw capacity	3
	603-3	No. 1 Phillips cushion-grip screwdriver – 3" (76 mm) round-shank	19
	603-4B	wire bending No. 2 Phillips cushion-grip screwdriver – 4" (102 mm) round-shank	
	605-4	1/4" cabinet-tip cushion-grip screwdriver – 4" (102 mm) heavy-duty round-shank	- 10
	605-6	1/4" cabinet-tip cushion-grip screwdriver – 6" (152 mm) heavy-duty round-shank	
	670-6	3/16" cabinet-tip cushion-grip screwdriver – Rapi-Driv <sup>®</sup>	
	908-25	25' x 1" power-return rule – double-sided	-
	5164	8-pocket leather tool pouch	-
	5225	adjustable web tool belt	-
	11045	wire stripper/cutter – 10-18 AWG solid wire	-
	60056	frameless protective eyewear	

## **12-Piece Electrician Tool Set**

Cat. No.	Set Contains		W (II
5300			6.
	Cat. No.	Description	
	5166	7-pocket leather tool pouch	
	5225	adjustable web belt	
	603-3	No. 1 Phillips cushion-grip screwdriver – 3" (76 mm) round-shank	_
	603-4	No. 2 Phillips cushion-grip screwdriver – 4" (102 mm) round-shank	
	605-4	1/4" cabinet-tip cushion-grip screwdriver $-4$ " (102 mm) heavy-duty round-shank	
	605-6	1/4" cabinet-tip cushion-grip screwdriver – 6" (152 mm) heavy-duty round-shank	
	11045	wire stripper/cutter – 10-18 AWG solid wire	
	D248-8	high-leverage diagonal-cutting pliers – angled head	
	D203-8	heavy-duty long-nose pliers – side-cutting	
	D213-9NETP	high-leverage side-cutting pliers – fish tape pulling	
	D502-10	pump pliers with 1-3/4" (44 mm) jaw capacity	
	928-25HV	high-visibility power-return measuring tape	_



5300

All dimensions are in inches and (millimeters) unless otherwise specified.

**AWARNING:** The tool belt provided in this kit is NOT an occupational protective belt.

 $\hat{\textbf{AWARNING:}}$  NOT insulated. Do NOT use these tools on or near live electrical circuits.

**AWARNING:** Do NOT use screwdrivers to pry or chisel.

**AWARNING:** Always wear approved eye protection.

**AWARNING:** Do NOT open the tape measure case. Spring motor is under tension, and opening may cause injury.

293

# She)

## **12-Piece Electrician Tool Set**



Weight (lbs.)

92003			17
	Cat. No.	Description	
	D213-9NETP	9" high-leverage side-cutting pliers – fish tape pulling	
	D248-8	8" high-leverage diagonal-cutting pliers	
	D203-8	8" heavy duty long-nose pliers – side-cutting	
	D502-10	10" pump pliers	
	11045	wire stripper/cutter	_

DZ40-0	o mynrieverage diagonar-cutting phers
D203-8	8" heavy duty long-nose pliers – side-cutting
D502-10	10" pump pliers
11045	wire stripper/cutter
916-7.5ME-RE	metric/english power - return rule - magnetic tip
603-4	No. 2 profilated phillips tip scewdriver – 4" round shank
605-4	1/4" cabinet tip cushion-grip screwdriver – 4" heavy duty round shank
661	No.1 square-recess tip screwdriver – 4" round shank
662	No. 2 square-recess tip cushion-grip screwdriver – 4" (102 mm) round-shank
5719	19 Pocket Tool Pouch

All dimensions are in inches and (millimeters) unless otherwise specified.

Powerline™ web work belt

**AWARNING:** The tool belt provided in this kit is NOT an occupational protective belt.

**AWARNING:** NOT insulated. Do NOT use these tools on or near live electrical circuits.

**AWARNING:** Do NOT use screwdrivers to pry or chisel.

**AWARNING:** Always wear approved eye protection.

**AWARNING:** Do NOT open the tape measure case. Spring motor is under tension, and opening may cause injury.

294

5705

Cat. No. Set Contains