



Wiha. Premium Tools
for Professionals.

Wiha Flag Handle and Offset Screwdriver.


TORX® Driver.



370 TORX® driver with flag handle.

Blade: Chrome-vanadium steel, through hardened, black finish.
Handle: Wiha flag handle.
Application: For high torque transfer with small screws, especially when replacing indexable inserts on milling heads.

Order-No.	✳	⌘	●	⌘	⌘	⌘
03724 6	T5	35	2.0	19.0	67	10
03725 3	T6	35	2.0	19.0	67	10
03726 0	T7	35	2.5	19.0	67	10
03727 7	T8	40	2.5	19.0	72	10
03728 4	T9	40	3.0	23.5	74	10
03729 1	T10	40	3.0	23.5	74	10
03730 7	T15	45	3.5	28.0	80	10
03731 4	T20	45	4.0	28.0	80	10



New

370 VB TORX® driver set with flag handle.

Black finish, in small bench stand, 7-pcs.

Extra: Small, stable metal bench stand to stand tip symbols printed to scale.

Order-No.	✳	⌘	⌘	⌘	⌘
25625 8	Bench stand equipped				1
370	T6x35	T7x35	T8x40	T9x40	
	T10x40	T15x45	T20x45		

Offset Screwdriver.



207 Slotted offset screwdriver. With handle.

Blade: Chrome-vanadium steel, through hardened, chrome plated.
Standards: Produced according to DIN 5200.
Application: To work in tight work spaces.

Order-No.	⌀	⌀	⌘	⌘	●	⌘
00373 9	3.5	0.6	90	8.5	3.5	10
00374 6	4.0	0.8	100	9.0	4.0	10
00375 3	5.5	1.0	125	10.5	5.5	10
00376 0	6.5	1.2	125	13.5	6.5	10
00377 7	8.0	1.2	150	17.0	8.0	10
00378 4	10.0	1.6	175	24.0	9.0	10
00379 1	12.0	2.0	200	27.0	10.0	5

• Additional sizes to DIN dimensions.



161 Phillips offset screwdriver. With handle.

Blade: Chrome-vanadium steel, through hardened, chrome plated.
Standards: Produced according to DIN 5208.
Application: To work in tight work spaces.

Order-No.	⊕	⊕	⌘	⌘	●	⌘
00144 5	PH 1 + 2	125	14.5	5.5	10	831-153
00145 2	PH 2 + 3	150	21.0	8.0	10	831-165
00146 9	PH 3 + 4	200	25.0	10.0	10	



224 Pozidriv offset screwdriver. With handle.

Blade: Chrome-vanadium steel, through hardened, black finish.
Standards: Produced according to DIN 5208.
Application: To work in tight work spaces.

Order-No.	⊕	⊕	⌘	⌘	●	⌘
00432 3	PZ 1 + 2	125	14.5	5.5	10	831-213
00433 0	PZ 2 + 3	150	21.0	8.0	10	831-220
00434 7	PZ 3 + 4	200	25.0	10.0	10	