## Wiha SYSTEM 6.

A Real Multi-tasker.



Colour-coded ChromTop® tips for maximum clarity.

Are you looking for a versatile and compact tool system for your toolcase or for on the road? Then our SYSTEM 6 system with its 6 mm reversible blades and corresponding handles is the right solution for you. The broad product range provides every user with the right tool. Just choose under the large selection of handles and reversible blades for the relevant tool or for one of the SYSTEM 6 sets.

- The Starter Sets in the practical canvas pouches are equipped with the most commonly used slotted, Phillips and hex reversible blades. Max. 11 additional blades can be added. Therefore you receive an individual and variable tool system that you can expand.
- The Professional Sets are the perfect solution if you are looking for a professional, high-quality universal-set in a rugged metalbox.
- The practical sets in roll-up pouches made of artificial leather are especially handy and compact, therefore ideal for traveling.

The Wiha SYSTEM 6 reversible blade systems are high-quality industrial products, made with state-of-the-art materials and finished to the highest standard of workmanship. The 150 mm long reversible blades are made of high-quality chrome-vanadiummolybdenum steel, and are through hardened and chromeplated. The handles, made for different applications are especially, ergonomically designed and guarantee optimal force-transmission.


The Wiha SYSTEM 6 system provides the right tool for every application – ideal for industry, trade and the ambitious handy man.



# Wiha SYSTEM 6:

- Flexible & versatile tools in industrial quality
- Expandable individual tool system
- Ergonomic handles for almost every application
- Colour-coded blades made of high-quality, tough-but-flexible chrome-vanadium-molybdenum steel, through-hardened, chrome-plated
- Wiha ChromTop<sup>®</sup> tips ensure a perfect fit every time

The Wiha SYSTEM 6 range is the compact allrounder for different applications.



The new SoftFinish® telescopic handle with click-stop ball clamping for a secure hold and rapid blade change.

#### SYSTEM 6 Handles.

0	Of Nite Solffinite*delesses
NEW	
284	SYSTEM 6 SoftFinish <sup>®</sup> -telescopic Handle.
	Ergonomic Multi-component Handle with Roll-off Protection.
Handle:	With 6 mm hex retainer for all SYSTEM 6 reversible blades and adapters.
	Enables adjustable blade length from 42-114 mm.
	Click-stop ball clamp guarantees a secure hold and rapid blade exchange
Application:	Versatile for general applications in the workshop and factory.

Order-No.	0		÷.		£
<b>30372</b> 3	6.0	115	36	1	9.60

#### SYSTEM 6 Handles.



481 M01	SYSTEM 6 Magnetic Handle.
	With Integrated Magnetising/Demagnetising Zone.
Handle:	With built-in magnetiser/ demagnetiser.
	With hex bolster for additional torque.
	Use in combination with SYSTEM 6 reversible blades.
Application:	For magnetising/ demagnetising SYSTEM 6 reversible blades.

Order-No.	0		+	<b>—</b>	£
27625 6	6.0	110	33	5	8.90



NEW

**27624** 9



SB 284 SYSTEM 6 SoftFinish®-telescopic Handle. Blister Packed.

Order-No.	0		+	-	£
30404 1	6.0	122	36	1	10.45





SYSTEM 6 Topra Ratchet. For all SYSTEM 6 Reversible Blades and 1/4" Bits.

With anti-clockwise rotation, clockwise rotation and locked position.

ation:	For best	user	comfort	and	high	torque	transfer.	
--------	----------	------	---------	-----	------	--------	-----------	--

Order-No.	0	- 1		_
<b>03767</b> 3	6.0	100	85	5



	Dissipative Handle, ESD-safe.							
Handle:	Ergonomic multi-component handle with roll-off protection.							
	Made of static dissipative material, surface resistance 1 mOhm - 1 gOhm.							
	Use in combination with SYSTEM 6 reversible blades.							
Standards:	DIN EN 61340-5-1/ 61340-5-2.							
Application:	For working on electrostatically sensitive components.							
Order-No.	• ➡ ➡ <b></b>							

			Surce
	<b>÷</b>	£ 🚍	Wiha
122	36	5 8.1	) theref

Safety Notice: ESD screwdrivers are non-insulated, efore not suitable for working on live parts.

6.0

53

## Wiha SYSTEM 6.

A Real Multi-tasker.

#### SYSTEM 6 Reversible Blades.

284 Blade:					le Blade		through hards	anad	284 Blade:				versible Blade	enum steel, throu	ah harda	anod
biaue:	chron	ne-plated re-coded	ł.		,	ienum steel,	through harde	eneu,	Diaue:	chrom	e-plated		romTop® tips.	enum steel, throu	gnnarue	enea,
Order-No.	Ð	Ð	⊖;	⊖;		<b>e</b> t	-	£	Order-No.	۲	۲	$\equiv$	•1		-	£
<b>27627</b> 0	3.5	4.5	0.6	0.8	150	6.0	5	4.35	00654 9	T6	T8	150	6.0		5	4.
<b>00629</b> 7	4.0	6.0	0.8	1.0	150	6.0	5	4.35	<b>00655</b> 6	T7	Т9	150	6.0		5	4.8
<b>00630</b> 3	5.5	6.5	1.0	1.2	150	6.0	5	4.35	<b>00656</b> 3	T10	T15	150	6.0		5	4.8
	-						-		<b>00657</b> 0 <b>00658</b> 7	T20 T30	T25 T40	150 150	6.0 6.0		5 5	4.8 4.8
284	SVST	EM 6 C	ombino	d Slotte	od-Dhillir	os Reversib	le Blade	$\mathbf{\nabla}$								
Blade:							through harde	ened,		_					-	
		ne-plated		т	R					OVET					_	
	Colou	ir-coded	Wiha Ci	nrom loj	o® tips.				284				mper Resistan th Locking Pin	t Reversible Bla	de.	
Order-No.	$\oplus$	Ð	⊖;	$\overline{\longrightarrow}$				£	Blade:					 enum steel, throu	gh harde	ened,
<b>00665</b> 5	4.0	PH1	0.8	150	6.0		5	4.35			e-plated					
<b>00666</b> 2	6.0	PH2	1.0	150	6.0		5	4.35					omTop <sup>®</sup> tips.			
00667 9	6.5	PH3	1.2	150	6.0		5	4.35		With b	orehole	in the bla	de tip.			
		_			_		-		Order-No.	۲	۲	$\overline{\longrightarrow}$	<b>•</b> 1			£
	0.000			1.5.2.4.4.4					<b>27630</b> 0	T6H	T8H	150	6.0		5	5.
284			•		le Blade				27631 7	T7H	T9H	150	6.0		5	5.
Blade:	0			anadiun	n-molybd	lenum steel,	through harde	ened,	27632 4	T10H	T15H	150	6.0		5	5.2
		ne-plated Ir-coded		romTo	n® tins				<b>27633</b> 1 <b>27634</b> 8	T20H T30H	T25H T40H	150 150	6.0 6.0		5 5	5.1 5.1
	00100	ii coucu		101110	up3.				270340	13011	14011	100	0.0		5	
Order-No.	$\oplus$	Ð	$\overline{\longrightarrow}$				-	£								
<b>00631</b> 0	PH1	PH2	→ 150	6.0			5	4.35		CENTRY		******				<b>A</b>
			150 150	_			5 5		284					de		F
00631 0 27628 7	PH1	PH2		6.0				4.35 4.35	284	SYSTE	EM 6 Tri	-Wing®	Reversible Bla / Screws.	de.		F
00631 0 27628 7	PH1 PH2	PH2 PH3	150	6.0 6.0				4.35	284 Blade:	SYSTE For Tri	EM 6 Tri -Wing <sup>®</sup>	-Wing <sup>®</sup> Security	Reversible Bla / Screws.	<b>de.</b> enum steel, throu	gh harde	Æ
00631 0 27628 7	PH1 PH2	PH2 PH3	150 Dzidriv F	6.0 6.0 Reversi	ble Blad		5	4.35 4.35		SYSTE For Tri High q chrome	EM 6 Tri -Wing <sup>®</sup> uality ch e-plated	-Wing <sup>®</sup> Security rome-vai	Reversible Bla / Screws. nadium-molybd		gh harde	Æ
00631 0 27628 7	PH1 PH2 SYST High o	PH2 PH3	150 Dzidriv F	6.0 6.0 Reversi				4.35 4.35		SYSTE For Tri High q chrome	EM 6 Tri -Wing <sup>®</sup> uality ch e-plated	-Wing <sup>®</sup> Security rome-vai	Reversible Bla / Screws.		gh harde	Æ
00631 0 27628 7	PH1 PH2 SYST High o chrom	PH2 PH3	150 Dzidriv F nrome-va I.	6.0 6.0 Reversi anadiun	n-molybd		5	4.35 4.35		SYSTE For Tri High q chrome	EM 6 Tri -Wing <sup>®</sup> uality ch e-plated	-Wing <sup>®</sup> Security rome-vai	Reversible Bla / Screws. nadium-molybd		gh harde	
00631 0 27628 7	PH1 PH2 SYST High o chrom	PH2 PH3	150 Dzidriv F nrome-va I.	6.0 6.0 Reversi anadiun	n-molybd		5	4.35 4.35	Blade:	SYSTE For Tri High q chrome Colour	EM 6 Tri -Wing <sup>®</sup> uality ch e-plated -coded	-Wing <sup>®</sup> Security rome-vai	Reversible Bla / Screws. nadium-molybd romTop® tips.			£
00631 0 27628 7 284 3lade: Order-No.	PH1 PH2 SYST High of chron Colou	PH2 PH3	150 Dzidriv F nrome-va I. Wiha Cł	6.0 6.0 Reversi anadiun	n-molybd		5 through harde	4.35 4.35 ened, £	Blade: Order-No. 27637 9 27638 6	SYSTE For Tri High q chrome Colour	EM 6 Tri -Wing <sup>®</sup> uality ch e-plated -coded & TW1 TW3	-Wing <sup>®</sup> Security rome-var Wiha Chr 150 150	Reversible Bla / Screws. nadium-molybd omTop <sup>®</sup> tips.			£ 5.: 5.:
00631 0 27628 7 284 3lade: Order-No. 00632 7	PH1 PH2 SYST High of chron Colou	PH2 PH3	150 Dzidriv F nrome-va i. Wiha Cł T50	6.0 6.0 Reversi anadiun nrom Top	n-molybd		5 through harde	4.35 4.35 ened, £ 4.35	Blade: Order-No. 27637 9	SYSTE For Tri High q chroma Colour	EM 6 Tri -Wing <sup>®</sup> uality ch e-plated -coded & TW1	-Wing <sup>®</sup> Security rome-var Wiha Chr	Reversible Bla / Screws. nadium-molybd omTop® tips. •1 6.0		<b></b> 5	£ 5.: 5.:
00631 0 27628 7 284 Blade:	PH1 PH2 SYST High of chron Colou	PH2 PH3	150 Dzidriv F nrome-va I. Wiha Cł	6.0 6.0 Reversi anadiun nrom Toj	n-molybd		5 through harde	4.35 4.35 ened, £	Blade: Order-No. 27637 9 27638 6	SYSTE For Tri High q chrome Colour Colour	EM 6 Tri -Wing <sup>®</sup> uality ch e-plated -coded & TW1 TW3	-Wing <sup>®</sup> Security rome-var Wiha Chr 150 150	Reversible Bla / Screws. hadium-molybd omTop® tips. •1 6.0 6.0		5 5	£ 5.: 5.:
00631 0 27628 7 284 Blade: Order-No. 00632 7	PH1 PH2 SYST High of chron Colou	PH2 PH3	150 Dzidriv F nrome-va i. Wiha Cł T50	6.0 6.0 Reversi anadiun nrom Top	n-molybd		5 through harde	4.35 4.35 ened, £ 4.35	Blade: Order-No. 27637 9 27638 6 27639 3	SYSTE For Tri High q chrome Colour © TW0 TW2 TW4	EM 6 Tri -Wing <sup>®</sup> uality ch e-plated -coded W1 TW1 TW3 TW5	-Wing <sup>®</sup> Security rome-var Wiha Chr 150 150 150	Reversible Bla / Screws. nadium-molybd comTop® tips. 6.0 6.0 6.0 6.0	enum steel, throu	5 5	£ 5.: 5.:
00631 0 27628 7 284 Blade: Order-No. 00632 7	PH1 PH2 SYST High of chron Colou	PH2 PH3	150 Dzidriv F nrome-va i. Wiha Cł T50	6.0 6.0 Reversi anadiun nrom Top	n-molybd		5 through harde	4.35 4.35 ened, £ 4.35	Blade: Order-No. 27637 9 27638 6 27639 3	SYSTE For Tri High q chroma Colour © TW0 TW2 TW4	EM 6 Tri -Wing <sup>®</sup> uality ch e-plated -coded -coded TW1 TW3 TW5	-Wing <sup>®</sup> Security rome-var Wiha Chr 150 150 150	Reversible Bla       / Screws.       nadium-molybd       om Top® tips.       •1       6.0       6.0       6.0	enum steel, throu	5 5	£ 5.: 5.:
00631 0 27628 7 284 Blade: Order-No. 00632 7	PH1 PH2 SYST High of chron Colou	PH2 PH3	150 Dzidriv F nrome-va i. Wiha Cł T50	6.0 6.0 Reversi anadiun nrom Top	n-molybd		5 through harde	4.35 4.35 ened, £ 4.35	Blade: Order-No. 27637 9 27638 6 27639 3	SYSTE For Tri High q chrome Colour © TW0 TW2 TW4	EM 6 Tri -Wing <sup>®</sup> uality ch e-plated -coded -coded TW1 TW3 TW5	-Wing <sup>®</sup> Security rome-var Wiha Chr 150 150 150 150	Reversible Bla / Screws. nadium-molybd comTop® tips. 6.0 6.0 6.0 Reversible Bla	enum steel, throu	5 5	£ 5 5
00631 0 27628 7 284 Blade: Order-No. 00632 7	PH1 PH2 SYST High of chron Colou	PH2 PH3	150 Dzidriv F nrome-va i. Wiha Cł T50	6.0 6.0 Reversi anadiun nrom Top	n-molybd		5 through harde	4.35 4.35 ened, £ 4.35	Blade: Order-No. 27637 9 27638 6 27639 3	SYSTE For Tri High q chromm Colour © TW0 TW2 TW4	EM 6 Tri -Wing <sup>®</sup> uality ch e-plated -coded - TW1 TW3 TW5 EM 6 To rq-Set <sup>®</sup>	-Wing <sup>®</sup> Security rome-var Wiha Chr 150 150 150 150	Reversible Bla / Screws. nadium-molybd omTop® tips. 1 6.0 6.0 6.0 Reversible Bla y Screws.	enum steel, throu	5 5 5	£ 5.: 5.: 5.:
00631 0 27628 7 284 Blade: Order-No. 00632 7	PH1 PH2 SYST High of chron Colou	PH2 PH3	150 Dzidriv F nrome-va i. Wiha Cł T50	6.0 6.0 Reversi anadiun nrom Top	n-molybd		5 through harde	4.35 4.35 ened, £ 4.35	Blade: Order-No. 27637 9 27638 6 27639 3	SYSTE For Tri High q chrome Colour © TW0 TW2 TW4 SYSTE For To High q	EM 6 Tri -Wing <sup>®</sup> uality ch e-plated -coded - TW1 TW3 TW5 EM 6 To rq-Set <sup>®</sup>	-Wing <sup>®</sup> Security rome-var Wiha Chr 150 150 150 rq-Set <sup>®</sup> Security rome-var	Reversible Bla / Screws. nadium-molybd omTop® tips. 1 6.0 6.0 6.0 Reversible Bla y Screws.	enum steel, throu	5 5 5	£ 5 5 5
00631 0 27628 7 284 Blade: Order-No. 00632 7 27629 4	PH1 PH2 SYST High C chron Colou PZ1 PZ2 25 SYST	PH2 PH3 EM 6 P4 quality ch he-plated r-coded PZ2 PZ3	150 Dividriv F arome-va t. Wiha Ch 150 150	6.0 6.0 6.0 8 Reversi anadium nromToj 6.0 6.0 6.0	n-molybd o® tips.	lenum steel,	5 through harder 5 5 5	4.35 4.35 ened, £ 4.35 4.35	Blade: Order-No. 27637 9 27638 6 27639 3	SYSTE For Tri High q chrome Colour © TW0 TW2 TW4 SYSTE For To High q chrome	EM 6 Tri -Wing <sup>®</sup> uality ch e-plated -coded -coded TW1 TW3 TW5 EM 6 To rq-Set <sup>®</sup> uality ch e-plated	-Wing <sup>®</sup> Security rome-var Wiha Chr 150 150 150 150 rq-Set <sup>®</sup> Security rome-var	Reversible Bla / Screws. nadium-molybd omTop® tips. 1 6.0 6.0 6.0 Reversible Bla y Screws.	enum steel, throu	5 5 5	£ 5 5 5
00631 0 27628 7 284 3lade: 0rder-No. 00632 7 27629 4	PH1 PH2 SYST High of chron Colou PZ1 PZ2 SYST High of	PH2 PH3 EM 6 P quality ch he-plated r-coded PZ2 PZ3 PZ3 CEM 6 C quality ch	150 Dividriv F arome-va t. Wiha Ch 150 150	6.0 6.0 6.0 8 Reversi anadium nromToj 6.0 6.0 6.0	n-molybd o® tips.	lenum steel,	5 through harder 5 5	4.35 4.35 ened, £ 4.35 4.35	Blade: Order-No. 27637 9 27638 6 27639 3 27639 3 284 Blade:	SYSTE For Tri High q chrome Colour TW0 TW2 TW4 SYSTE For To High q chrome Colour	EM 6 Tri -Wing <sup>®</sup> uality ch e-plated -coded -coded TW1 TW3 TW5 EM 6 To rq-Set <sup>®</sup> uality ch e-plated -coded	-Wing <sup>®</sup> Security rome-var Wiha Chr 150 150 150 150 rq-Set <sup>®</sup> Security rome-var	Reversible Bla / Screws. nadium-molybd omTop® tips. 1 6.0 6.0 6.0 Reversible Bla y Screws. nadium-molybd omTop® tips.	enum steel, throu	5 5 5	£ 5 5 5
00631 0 27628 7 284 Blade: Order-No. 00632 7 27629 4	PH1 PH2 SYST High of chron Colou PZ1 PZ2 SYST High of chron	PH2 PH3 EM 6 P quality ch ne-plateour- coded PZ2 PZ3 EM 6 C quality ch ne-plateour-	150 Dirome-va Miha Cł 150 150 0mbined nrome-va Mi	6.0 6.0 Reversi anadiun norm Top 6.0 6.0 6.0	n-molybd o <sup>®</sup> tips. oint Hex n-molybd	lenum steel,	5 through harder 5 5 5	4.35 4.35 ened, £ 4.35 4.35	Blade: Order-No. 27637 9 27638 6 27639 3 284 Blade: Order-No.	SYSTE For Tri High q chrome Colour WW0 TW2 TW4 SYSTE For To High q chrome Colour	EM 6 Tri -Wing <sup>®</sup> uality che e-plated -coded W1 TW1 TW3 TW5 EM 6 To rq-Set <sup>®</sup> uality che e-plated -coded W	-Wing <sup>®</sup> Security rome-var Wiha Chr 150 150 150 rq-Set <sup>®</sup> Security rome-var Wiha Chr	Reversible Bla / Screws. nadium-molybd omTop® tips. 1 6.0 6.0 6.0 Reversible Bla y Screws. nadium-molybd omTop® tips.	enum steel, throu	5 5 5	£ 5.3.5.5.5.7 C ened, £
00631 0 27628 7 284 Blade: 00632 7 27629 4 27629 4 284 Blade:	PH1 PH2 SYST High & chron Colou € PZ1 PZ2 SYST High & chron Colou	PH2 PH3 EM 6 P quality ch he-plateo r-coded PZ2 PZ3 EM 6 C quality ch he-plateo r-coded	150 Dirome-va Miha Cl 150 150 150 Dirombined arome-va Miha Cl Wiha Cl	6.0 6.0 Reversi anadiun arom Top 6.0 6.0 6.0 4 Ballp anadiun arom Top	n-molybd o <sup>®</sup> tips. oint Hex n-molybd o <sup>®</sup> tips.	lenum steel,	5 through harded 5 5 5	4.35 4.35 ened, £ 4.35 4.35	Blade: Order-No. 27637 9 27638 6 27639 3 27639 3 284 Blade:	SYSTE For Tri High q chrome Colour TW0 TW2 TW4 SYSTE For To High q chrome Colour	EM 6 Tri -Wing <sup>®</sup> uality ch e-plated -coded -coded TW1 TW3 TW5 EM 6 To rq-Set <sup>®</sup> uality ch e-plated -coded	-Wing <sup>®</sup> Security rome-var Wiha Chr 150 150 150 150 rq-Set <sup>®</sup> Security rome-var	Reversible Bla / Screws. nadium-molybd omTop® tips. 1 6.0 6.0 6.0 Reversible Bla y Screws. nadium-molybd omTop® tips.	enum steel, throu	5 5 5	£ 5.3 5.3 5.3 5.3 5.3 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
00631 0 27628 7 284 Blade: Order-No. 00632 7 27629 4 284 Blade: Extra:	PH1 PH2 SYST High & chron Colou € PZ1 PZ2 SYST High & chron Colou The b	PH2 PH3 EM 6 P quality ch he-plated r-coded PZ2 PZ3 EM 6 C quality ch he-plated r-coded allpoint e	150 Dirome-va Miha Cl 150 150 150 Dirombined arome-va Miha Cl Wiha Cl	6.0 6.0 Reversi anadiun arom Top 6.0 6.0 6.0 4 Ballp anadiun anadiun	n-molybd o <sup>®</sup> tips. oint Hex n-molybd o <sup>®</sup> tips.	-Hex Rever lenum steel,	5 through harded 5 5 5 sible Blade. through harded	4.35 4.35 ened, £ 4.35 4.35 4.35	Blade: Order-No. 27637 9 27638 6 27639 3 284 Blade: Order-No. 27635 5	SYSTE For Tri High q chrome Colour WW0 TW2 TW4 SYSTE For To High q chrome Colour	EM 6 Tri -Wing <sup>®</sup> uality che -coded -coded TW1 TW3 TW5 EM 6 To rq-Set <sup>®</sup> uality che -coded -coded -coded	-Wing <sup>®</sup> Security rome-var Wiha Chr 150 150 150 rq-Set <sup>®</sup> Security rome-var Wiha Chr ↓ 150	Reversible Bla / Screws. hadium-molybd omTop® tips. 1 6.0 6.0 6.0 Reversible Bla y Screws. hadium-molybd omTop® tips. 1 6.0	enum steel, throu	5 5 5 9 9 9 9 9 9 9 9 9 9 9 9	£ 5 5 5 5 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2
00631 0 27628 7 284 Blade: Order-No. 00632 7 27629 4 284 Blade: Extra: Order-No.	PH1 PH2 SYST High & chron Colou € PZ1 PZ2 SYST High & chron Colou The b	PH2 PH3 EM 6 P quality ch he-plated r-coded PZ2 PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ FZ PZ3 FZ FZ FZ FZ FZ FZ FZ FZ FZ FZ FZ FZ FZ	150 Dirome-va Wiha Cf 150 150 0 0 0 0 0 0 0 0 0 0 0 0 0	6.0 6.0 Reversi anadiun aromTop 6.0 6.0 6.0 4 Ballp anadiun aromTop the user	n-molybd o <sup>®</sup> tips. oint Hex n-molybd o <sup>®</sup> tips.	-Hex Rever lenum steel,	5 through harded 5 5 5 sible Blade. through harded through harded	4.35 4.35 ened, £ 4.35 4.35 4.35 ened, ened,	Blade: Order-No. 27637 9 27638 6 27639 3 284 Blade: Order-No. 27635 5	SYSTE For Tri High q chrome Colour WW0 TW2 TW4 SYSTE For To High q chrome Colour	EM 6 Tri -Wing <sup>®</sup> uality che -coded -coded TW1 TW3 TW5 EM 6 To rq-Set <sup>®</sup> uality che -coded -coded -coded	-Wing <sup>®</sup> Security rome-var Wiha Chr 150 150 150 rq-Set <sup>®</sup> Security rome-var Wiha Chr ↓ 150	Reversible Bla / Screws. hadium-molybd omTop® tips. 1 6.0 6.0 6.0 Reversible Bla y Screws. hadium-molybd omTop® tips. 1 6.0	enum steel, throu	5 5 5 9 9 9 9 9 9 9 9 9 9 9 9	£ 5 5 5 6 ened,
00631 0 27628 7 284 Blade: Order-No. 00632 7 27629 4 284 Blade: Extra: Order-No. 00635 8	PH1 PH2 SYST High of chron Colou € PZ1 PZ2 25 SYST High of chron Colou The b	PH2 PH3 EM 6 P quality ch ne-plated r-coded PZ2 PZ3 EM 6 C quality ch ne-plated r-coded allpoint c 2.5	150 Dirome-va Wiha Cf 150 150 Dirombined prombined prome-va t. Wiha Cf biological Wiha Cf biological Wiha Cf 150 150 150 150 150 150 150 150	6.0 6.0 6.0 Arceversi anadiun aromTop 6.0 6.0 4 Ballp anadiun aromTop the user 6.0	n-molybd o <sup>®</sup> tips. oint Hex n-molybd o <sup>®</sup> tips.	-Hex Rever lenum steel,	5 through harded 5 5 5 sible Blade. through harded through harded through harded 5 5	4.35 4.35 ened, £ 4.35 4.35 ened, ened, £	Blade: Order-No. 27637 9 27638 6 27639 3 284 Blade: Order-No. 27635 5	SYSTE For Tri High q chrome Colour WW0 TW2 TW4 SYSTE For To High q chrome Colour	EM 6 Tri -Wing <sup>®</sup> uality ch e-plated -coded TW1 TW3 TW5 EM 6 To rq-Set <sup>®</sup> uality ch e-plated -coded COded TS4	-Wing <sup>®</sup> Security rome-var Wiha Chr 150 150 150 rq-Set <sup>®</sup> Security rome-var Wiha Chr ↓ 150	Reversible Bla / Screws. hadium-molybd omTop® tips. 1 6.0 6.0 6.0 Reversible Bla y Screws. hadium-molybd omTop® tips. 1 6.0	enum steel, throu	5 5 5 9 9 9 9 9 9 9 9 9 9 9 9	£ 5.3 5.3 5.3 5.3 5.3 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
00631 0 27628 7 284 Blade: Order-No. 00632 7 27629 4 284 Blade: Extra: Order-No.	PH1 PH2 SYST High & chron Colou € PZ1 PZ2 SYST High & chron Colou The b	PH2 PH3 EM 6 P quality ch he-plated r-coded PZ2 PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ PZ3 FZ FZ FZ PZ3 FZ FZ FZ FZ FZ FZ FZ FZ FZ FZ FZ FZ FZ	150 Dirome-va Wiha Cf 150 150 0 0 0 0 0 0 0 0 0 0 0 0 0	6.0 6.0 Reversi anadiun aromTop 6.0 6.0 6.0 4 Ballp anadiun aromTop the user	n-molybd o <sup>®</sup> tips. oint Hex n-molybd o <sup>®</sup> tips.	-Hex Rever lenum steel,	5 through harded 5 5 5 sible Blade. through harded through harded	4.35 4.35 ened, £ 4.35 4.35 4.35 ened, ened,	Blade: Order-No. 27637 9 27638 6 27639 3 284 Blade: Order-No. 27635 5	SYSTE For Tri High q chrome Colour WW0 TW2 TW4 SYSTE For To High q chrome Colour	EM 6 Tri -Wing <sup>®</sup> uality ch e-plated -coded TW1 TW3 TW5 EM 6 To rq-Set <sup>®</sup> uality ch e-plated -coded COded TS4	-Wing <sup>®</sup> Security rome-var Wiha Chr 150 150 150 rq-Set <sup>®</sup> Security rome-var Wiha Chr ↓ 150	Reversible Bla / Screws. hadium-molybd omTop® tips. 1 6.0 6.0 6.0 Reversible Bla y Screws. hadium-molybd omTop® tips. 1 6.0	enum steel, throu	5 5 5 9 9 9 9 9 9 9 9 9 9 9 9	£ 5.3 5.3 5.3 5.3 5.3 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
00631 0 27628 7 284 Blade: Order-No. 00632 7 27629 4 284 Blade: Extra: Order-No. 00635 8 00636 5	PH1 PH2 SYST High of chron Colou PZ1 PZ2 SYST High of chron Colou The b	PH2 PH3 EM 6 P quality ch ne-plated r-coded PZ2 PZ3 EM 6 C quality ch ne-plated r-coded allpoint c 2.5 3	150 Dirome-va Wiha Cf 150 150 Dirombined prombined prome-va Wiha Cf 150 150 150 150 150 150 150 150	6.0 6.0 6.0 anadiun aromTop 6.0 6.0 d Ballp anadiun aromTop the user 6.0 6.0	n-molybd o <sup>®</sup> tips. oint Hex n-molybd o <sup>®</sup> tips.	-Hex Rever lenum steel,	5 through harded 5 5 5 sible Blade. through harded through harded through harded through harded	4.35 4.35 ened, £ 4.35 4.35 4.35 ened, £ 4.35 4.35	Blade: Order-No. 27637 9 27638 6 27639 3 284 Blade: Order-No. 27635 5	SYSTE For Tri High q chrome Colour WW0 TW2 TW4 SYSTE For To High q chrome Colour	EM 6 Tri -Wing <sup>®</sup> uality ch e-plated -coded TW1 TW3 TW5 EM 6 To rq-Set <sup>®</sup> uality ch e-plated -coded COded TS4	-Wing <sup>®</sup> Security rome-var Wiha Chr 150 150 150 rq-Set <sup>®</sup> Security rome-var Wiha Chr ↓ 150	Reversible Bla / Screws. hadium-molybd omTop® tips. 1 6.0 6.0 6.0 Reversible Bla y Screws. hadium-molybd omTop® tips. 1 6.0	enum steel, throu	5 5 5 9 9 9 9 9 9 9 9 9 9 9 9	£ 5.3 5.3 5.3 5.3 5.3 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8

### SYSTEM 6 Reversible Blades.

£

4.80

4.80

4.80

4.80

4.80

£

5.20

5.20

5.20

5.20 5.20

 $\mathfrak{O}$ 

£

5.20

5.20 5.20

 $\mathbf{e}$ 

£


5.20 5.20

(Wiha)

54

#### SYSTEM 6 Bit Holder, Adapter.

7802			t Holder.	11 -	
Blade:			6.3 and E 6.3 (1/4") B lium steel, through hard		
	Bit ret	ainer ma	de of stainless steel with	h integrated permanent ma	agnet.
Order-No.	0	<b>→</b>	<b>—</b> 1	-	£
<b>03882</b> 3	1/4	164	6.0	5	10.00
~					
		121223			
7803	SYST	EM 6 Ad	lapter Blade.		$\cup$
	Suital	ble for 1	/4" Square Nuts.		
Blade:	Chron	ne-vanac	lium steel, through hard	lened, chrome-plated.	
	1//" c	auare dr	ive with ball retainer.		
	1/4 3	iquai o ui			
Order-No.		·	<b>•</b> 1	<b>—</b>	£
Order-No. 03883 0		164		5	~
	۲		<b>e</b> t	5	£ 8.90
	۲		<b>e</b> t	5	~
	۲		<b>e</b> t	5	~
03883 0	1/4	164	<b>e</b> t	5	~
03883 0	© 1/4	164	●1 6.0 :tension Blade.	5	~
03883 0 0 C	1/4 1/4 SYST Suital Chron	164 EM 6 Ex ble for B ne-vanao	●1 6.0 ttension Blade. lades. lium steel, through hard	lened, chrome-plated.	~
03883 0 0 C	1/4 1/4 SYST Suital Chron	164 EM 6 Ex ble for B ne-vanao	€t 6.0 ttension Blade. lades.	lened, chrome-plated.	~
	1/4 1/4 SYST Suital Chron	164 EM 6 Ex ble for B ne-vanao	●1 6.0 ttension Blade. lades. lium steel, through hard	lened, chrome-plated.	~



Suitable for every use: the blades can be quickly combined, extended and interchanged.

### Wiha Info

#### Did you already know?

TORX<sup>®</sup> Tamper Resistant screwdrivers can also be used for TORX<sup>®</sup> screws, but not vice versa.

#### SYSTEM 6 Starter Sets.



N E W 281 T6 Blade: Handle:	SYSTEM 6 Reversible Blades Set, 6 pcs. Slotted/ Phillips/ Hex/ Ballpoint Hex. High quality chrome-vanadium-molybdenum steel, thro chrome-plated. Colour-coded Wiha ChromTop <sup>®</sup> tips. SYSTEM 6 SoftFinish <sup>®</sup> -telescopic Handle. For adjustable blade lengths from 42-114 mm. Especially for dry and general applications	ough harder	ned,
Application:	Especially for dry and general applications.		
Extra:	In durable canvas storage pouch.		
Order-No.	Series		£
27715 4	281 T6	1	30.60

Order-No.	Selles					£
27715 4	281 T6				1	30.60
	284	SYSTEM 6 So	oftFinish®-teles	scopic handle		
$\oplus$ $\oplus$	284	3.5 - 4.5	4.0 - 6.0	5.5 - 6.5		
$\oplus \oplus$	284	PH1 - PH2				
• •	284	5 - 5				



281ESD T6	SYSTEM 6 Reversible Blades Set, 6 pcs. Slotted/ Phillips/ Hex/ Ballpoint Hex.
Blade:	High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated. Colour-coded Wiha ChromTop <sup>®</sup> tips.
Handle:	SYSTEM 6 SoftFinish <sup>®</sup> ESD Handle. Made of static dissipative material, surface resistance 1 mOhm - 1 gOhm.
Extra:	In durable canvas storage pouch.
Order-No	Sorios 📻 🗲

Order-No.	Series					£
<b>27716</b> 1	281ESD T6				1	29.90
	281ESD	SYSTEM 6 S	SoftFinish® ESE	) handle		
0	D 284	3.5 - 4.5	4.0 - 6.0	5.5 - 6.5		
<b>e</b> e	₽ 284	PH1 - PH2				
•	284	5 - 5				

## Wiha SYSTEM 6.

A Real Multi-tasker.

#### SYSTEM 6 Magnetic Set.



481 T6	SYSTEM 6 Reversible Blades Set, 6 pcs.
	Slotted/ Phillips/ Hex/ Ballpoint Hex.
Blade:	High quality chrome-vanadium-molybdenum steel, through hardened,
	chrome-plated.
	Colour-coded Wiha ChromTop <sup>®</sup> tips.
Handle:	SYSTEM 6 Magnetic Handle.
	With built-in magnetiser/ demagnetiser.
Extra:	In durable canvas storage pouch.

Order-No.	Series					£
27717 8	481 T6				1	31.50
	481 M01	SYSTEM 6 N	lagnetic handle			
D D	284	3.5 - 4.5	4.0 - 6.0	5.5 - 6.5		
<b>+ +</b>	284	PH1 - PH2				
• •	284	5 - 5				

#### SYSTEM 6 Professional Sets.




Order-No.	Selles			-		£
<b>00623</b> 5	281 B11				1	63.00
	284	SYSTEM 6 Sof	ftFinish®-telesco	pic handle		
$\oplus$ $\oplus$	284	4.0 - 6.0	5.5 - 6.5			
<b>+ +</b>	284	PH1 - PH2				
* *	284	PZ1 - PZ2				
، ک	284	T10 - T15	T20 - T25	T30 - T40		
• •	284	4 - 4	5 - 5	6 - 6		

### Wiha Info

#### SYSTEM 6 Magnetic.

The ideal set for magnetising or demagnetising screwdriver blades and similar tools made of steel.





282 B11-1	SYSTEM 6 Reversible Blades Set, 11 pcs.
	Slotted/ Phillips/ Pozidriv/ TORX <sup>®</sup> / Hex/ Ballpoint Hex.
Blade:	High quality chrome-vanadium-molybdenum steel, through hardened,
	chrome-plated.
	Colour-coded Wiha ChromTop® tips.
Handle:	SYSTEM 6 Topra Ratchet.
	With anti-clockwise rotation, clockwise rotation and locked position.
Application:	For best user comfort and high torque transfer.
Extra:	Supplied in a robust metal box.

Order-No.	Series					£
03773 4	282 B11-1				1	72.60
	282	SYSTEM 6 To	pra ratchet			
0 (	D 284	4.0 - 6.0	5.5 - 6.5			
<b>e</b> (	Ð 284	PH1 - PH2				
+ (	€ 284	PZ1 - PZ2				
۲	284	T10 - T15	T20 - T25	T30 - T40		
•	284	4 - 4	5 - 5	6 - 6		

Downloaded from Elcodis.com electronic components distributor

56 Wiha

#### SYSTEM 6 Security and Topra Set.



Order-No.	Series			=		Ł
<b>27714</b> 7	281 B11 01				1	10.00
	284	SYSTEM 6 So	ftFinish <sup>®</sup> -telesc	opic handle		
Ø Ø	9 284	TW0 - TW1	TW2 - TW3	TW4 - TW5		
•	9 284	TS2 - TS4	TS6 - TS8			
۵ ک	9 284	T6H - T8H	T7H - T9H	T10H - T15H	H	
		T20H - T25H	T30H - T40H			



SB 282 S12-2 SYSTEM 6 Topra Set, 12 pcs. With 1/4" Bit Holder and 10 Bits. Handle: SYSTEM 6 Topra Ratchet. For best user comfort and high torque transfer. Extra: Blister Packed.

Order-No.	Series					£
<b>05672</b> 8	SB 282 S1	SB 282 S12-2				33.50
	282	SYSTEM 6	Topra ratchet			
-	7802	164x1/4				
Ð	7010 Z	4.5x25	5.5x25	6.5x25	8.0	<25
Ð	7011 Z	PH1x25	PH2x25	PH3x25		
۲	7015 Z	T10x25	T15x25	T20x25		

#### SYSTEM 6 Sets in Pouches.



	Slotted/ Phillips/ Pozidriv/ TORX <sup>®</sup> / Hex/ Ballpoint Hex.
Blade:	High quality chrome-vanadium-molybdenum steel, through hardened,
	chrome-plated.
	Colour-coded Wiha ChromTop <sup>®</sup> tips.
Handle:	SYSTEM 6 SoftFinish <sup>®</sup> -telescopic Handle.
	For adjustable blade lengths from 42-114 mm.
Application:	Especially for dry and general applications.
Extra:	In roll-up pouch made of black artificial leather, extra tough.

Order-No.	Series			4	_	£
03591 4	281 T11				1	57.00
	284	SYSTEM 6 Sc	oftFinish <sup>®</sup> -telesc	opic handle		
D C	284	4.0 - 6.0	5.5 - 6.5			
<b>+ +</b>	284	PH1 - PH2				
* *	284	PZ1 - PZ2				
۲	284	4 - 4	5 - 5	6 - 6		
۲	284	T10 - T15	T20 - T25	T30 - T40		



U106 T8	SYSTEM 6 Nut Driver Set, 8 pcs.									
	Nut Driver.									
Blade:	Chrome-vanadium steel, through hardened, electro-plated.									
Handle:	SYSTEM 6 SoftFinish <sup>®</sup> Handle.									
Extra:	In roll-up pouch made of black artificial leather, extra tough.									
Order-No.										£
27712 3	U106 T8 1									48.30
	281 SYSTEM 6 SoftFinish <sup>®</sup> handle									
0		5.0	5.5	6.0	7.0	8.0	10.0	13.0		



U106 T12



#### Nut Driver. Blade: Chrome-vanadium steel, through hardened, electro-plated. Handle: SYSTEM 6 SoftFinish® Handle. Extra: In roll-up pouch made of black artificial leather, extra tough Order-No. £ U106 T12 **27713** 0 1 69.90 281 SYSTEM 6 SoftFinish® handle 0 4.0 4.5 5.0 5.5 6.0 7.0 8.0 9.0 10.0 11.0 13.0