

## Weldy Hot Air Tool


The Weldy Pro and Plus are compact, light-weight heat guns. They are designed for use with all types of heatshrinkable tubing and shapes. The Weldy Pro has an adjustable temperature range from 100°C to 550°C, whilst the Weldy Plus gives a maximum 650°C. For ease-of-use the Plus also includes a handy LCD display to show air temperature and application.

The Triac-S is specifically designed for long running bench work. It features a high temperature element protected by thermal cut-off and a stay cool nozzle. The temperature range is from ambient to 600°C. Nozzle accessories are available upon request.



Weldy Pro.

Weldy Plus.



Triac S Hot Air Tool.

Technical Table

Article-No.	Type	Air Flow l/min	Temp. °C	Wattage	Operational Voltage	Weight (Kg)
391-00407	<b>Triac-S</b>	230 max.	20-700	1600 W	230-240 V	1.3
391-00409	<b>Sieve reflector 50mm</b>	-	-	-	-	-
391-00410	<b>Sieve reflector 35mm</b>	-	-	-	-	-
391-00411	<b>Solder sleeve reflector</b>	-	-	-	-	-
391-00501	<b>Weldy Plus</b>	200-550	80-650	2000 W	230-240 V	0.62
391-00502	<b>Weldy Pro</b>	250-500	100-550	1800 W	230-240 V	0.57
391-00503	<b>Overlap welding nozzle</b>	-	-	-	-	-
391-00504	<b>Reduction nozzle</b>	-	-	-	-	-
391-00505	<b>Reflector nozzle</b>	-	-	-	-	-
391-00506	<b>Wide slot nozzle</b>	-	-	-	-	-
391-00507	<b>Solder sleeve reflector</b>	-	-	-	-	-
391-00508	<b>Welding nozzle</b>	-	-	-	-	-