

DC-AC Inverters

**POWER
SOLVE**

www.powersolve.co.uk

PSI600 Series
600 Watts



Features

- Solid State Design
- Compact and Light Weight
- High Efficiency up to 90%
- Thermal Protection
- On/Off Switch
- 12V, 24V or 48V Input
- 230 VAC Output (115 VAC Optional)

Electrical Specification

Input	See table
Output	230 VAC, 115 VAC Optional
Output Waveform	Quasi Sine Wave
Output Frequency	50Hz, 60Hz for 115V Versions
Efficiency	Up to 90%
Low Battery Alarm	11 VDC \pm 0.5 VDC 12V Input 22 VDC \pm 0.5 VDC 24V Input 44 VDC \pm 0.5 VDC 48V Input
Low Battery Shutdown	10.5 VDC \pm 0.5 VDC 12V Input 21 VDC \pm 0.5 VDC 24V Input 42 VDC \pm 0.5 VDC 48V Input
Thermal Protection	60 \pm 10°C
Overload Protection	By thermal shutdown
Short Circuit Protection	Via input fuse
Input Polarity Protection	Via input fuse
Dimensions	280 x 180 x 60mm
Weight	2.4 Kilo
Input Connector	900mm flying lead with croc clips
Output Socket	Stock items UK or Euro 3 Pin (/EU)
Cooling	Integral fan
Safety	CE & E Mark

MODEL	DC INPUT	INPUT FUSE	STANDBY CURRENT	OUTPUT POWER (continuous)	OUTPUT POWER (Peak)
PSI600/12	10.5-15 VDC	4 x 20A	0.9A Typical	600 Watts	900 Watts
PSI600/24	21.5-30 VDC	2 x 20A	0.5A Typical	600 Watts	900 Watts
PSI600/48	42.5-58 VDC	20A	0.5A Typical	600 Watts	900 Watts

NOTE:

For European output socket add /EU to part number. Example PSI600/12/EU.
For 115 VAC output option consult sales office.

Powersolve Electronics Ltd, Units 8, 9 and 12 The Paddock, Hambridge Road, Newbury, Berks RG14 5TQ
Tel: 01635 521858 Fax: 01635 523771 Email: sales@powersolve.co.uk