
2006 Retail Price Catalog



Prices effective January 1, 2006 LRT Group, Inc.

16815 S.W. 5th Way Weston, FL 33326 United States of America 1-877-729-5769 1-954-384-7656

This Kroy Price List is CONFIDENTIAL information & may not be reproduced or distributed without permission from Kroy LLC

Table of Contents

General Information	1
General Return Policy	2
Warranty Information	3
Important Notice	4
Label Printers & Supplies	
K5100 & K4100 Industrial Printers	5
K3100-PC	6
K-Series Supplies	7-8
K4350 Industrial Printer	9
K4350 Printer Supplies	10
K225 Printer & K225/K227 Supplies	11
TM650 Supplies	12
DuraType 244RS/240SE Supplies	13-14
K750 Supplies	15
K182 Supplies	16
360/460 Supplies	17
80/190 Impact	18
Express	19

General Information

Kroy216-426-5600 Corporate Fax Number 24 hours a day216-426-5601

Customer Support DepartmentMonday - Friday 8:00 am to 5:00 pm EST

Toll Free 800-729-5769

216-426-5555

Sales Department.....800-776-5769

Sales Orders (Only) Fax Number800-776-6616 International Sales Orders Fax Number216-426-5556

Credit Department Fax Number216-881-1910

AddressKroy LLC

3830 Kelley Avenue Cleveland, OH 44114

Wire Transfer Instructions National City Bank, Cleveland, Ohio

Credit to Kroy LLC

Account Number 657474315

ABA No. 041000124

Remittance AddressKroy LLC

Box 92342

Cleveland, OH 44193

Manufacturing and DistributionKroy LLC

3830 Kelley Avenue Cleveland, OH 44114

Domestic Terms and Conditions: Minimum Order \$75.00 Net International Terms and Conditions: Minimum Order \$500.00 per invoice Freight is F.O.B. Cleveland, OH 44114

General Return Policy

General Return

Requests for Authorization to return Kroy merchandise must be made to the Kroy Customer Support Department in Cleveland, Ohio. Approved returns are to be accompanied by a Return Materials Authorization number (RMA number) clearly marked on the outside of all packages. To expedite processing, Kroy's customer service department will forward a Kroy Return Identification Label for this purpose. This number will only be issued by Kroy's Customer Support Department. Only authorized returns displaying an RMA number on the outside of its package will be accepted at Kroy's factory. Handling fees, freight, and transportation charges are to be prepaid.

All authorized returns will be assessed a 15% restocking fee. This fee for service will be based on the invoice amount of the returned merchandise. **The restocking fee will not apply if returned merchandise is replaced immediately with like-product.** A replacement of like-product will be invoiced and sent to customer. Freight charges will be paid by Kroy and added to the customer's bill.

Requests to return Kroy merchandise must be made within thirty (30) days of invoice date and received by Kroy within sixty (60) days of invoice date. Failure to conform to this timetable will constitute forfeiture of the return privilege. Discontinued merchandise, special order merchandise, seasonal merchandise, and promotional merchandise will not be accepted for return.

Kroy merchandise is expected to be returned in original factory packaging, free from any markings and labels, with all components,materials and packing intact. Credit will be reduced for any components missing from machine packages (i.e. batteries, battery chargers, power cords, manuals etc.). Opened and/or used products will be deemed unacceptable and returned at shipper's expense.

Defective Merchandise

All defective Kroy merchandise returns require an RMA number and are subject to verification for defect.

Defective tape cartridges should be returned to Kroy with an explanation of the defects discovered in each cartridge (tape binding, voids, ribbon rewind, not feeding, etc.). These explanations are helpful to maintain constant improvement in Kroy manufacturing.

Expired tape cartridges, discontinued Kroy products, empty cartridges, and untested defective tape cartridges will not be accepted by Kroy as defective.

Note: Please verify that the customer's machine is cleaned and properly maintained (print pad, cut blade, wire guides, thermal head, drive roller, and print roller should be evaluated). These parts will have significant influence on optimum print quality.

Kroy reserves the right to discontinue return privileges to any reseller or customer who engages in excessive or unauthorized return transactions. Questions regarding Kroy's Return Policy should be directed to Corporate Kroy Sales Managers or Customer Support Representatives.

Warranty Information

Warranty

Kroy LLC ("Kroy") warrants, to the original retail purchaser only, that Kroy products sold hereunder are free from defects in material and workmanship for a period of TWELVE (12) MONTHS from the date of original retail purchase. Software (on exchange basis only) and printheads are warranted for a period of NINETY (90) DAYS from the date of original purchase.

If you discover a defect Kroy will, at its option, repair, replace or refund your purchase price of the Kroy product or component at no charge, provided it is returned during the applicable warranty period, transportation charges prepaid, to an authorized Kroy Reseller. You must include your name, address, telephone number, a description of the problem and a copy of a bill of sale as proof of date of original purchase, with each product or component returned for warranty service.

This warranty applies only to products manufactured by or for Kroy, which can be identified by the KROY[®] trademark, trade name or logo affixed to them. Kroy does not warrant any products that are not Kroy Products. This warranty does not apply if the product has been damaged by accident, abuse, improper installation, failure to adhere to Kroy Instruction Manual, misuse or misapplication, modification without the written permission of Kroy, or if any serial number has been removed or defaced.

THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL KROY BE RESPONSIBLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY BREACH OF WARRANTY, STRICT LIABILITY IN TORT, OR UNDER ANY OTHER LEGAL THEORY (INCLUDING LOST PROFITS, DOWNTIME, GOODWILL, DAMAGE TO OTHER EQUIPMENT AND PROPERTY, AND ANY COSTS OF RECOVERING, REPROGRAMMING OR REPRODUCING ANY PROGRAM OR DATA STORED IN OR USED WITH KROY PRODUCTS).

No Kroy Reseller, agent or employee is authorized to make any modification, extension or addition to this warranty.

K5100, K4100, K3100-PC, K3000-PC, K2000-PC, K2500, K2000, TM650, TM600, K750, K180, K182, K225, Kroy DuraType Series, Kroy 360, Kroy 460, Kroy 360 PC, Kroy 460 PC, Kroy 80, Kroy 80K, Kroy 80KE, Kroy 190, Kroy 290, Kroy XL, Kroy 24, Kroy Krafter and Kroy Color Plus are trademarks of Kroy, Inc. Other trademarks are the property of their respective owners.

Important Notice

See the listing below for discontinued printers and parts that will no longer be available.

Description	Part#
K182 Label Printer	2478800
K227 Label Printer	2554300
DuraType 244RS Printer	2383211
DuraType 240SE Printer	2285001
K3000-PC Printer	2554400
K3000-PC AC Adapter	2556600
240 General Purpose Black/Blue	2227531
240 General Purpose White/Blue	2227532
240 General Purpose Black/Green	2227539
240 General Purpose White/Orange	2227549
240 Industrial White/Blue	2357532
K-Series Industrial Red/Clear	2438604
K750 .25 x 26' Black/Red	2526406
K750 .75 x 26' Black/Yellow	2526709
360/460 .75 x 80' White/Transparent	2262702
360/460 .75 x 80' Black/Translucent	2262706
360/460 .75 x 80' Red/White	2262718
80/190 .50 x 50' Black/Translucent	1273801
80/190 .50 x 50' Black/White	1273805
80/190 .50 x 50' Black/White	1273820

Important Product Notice

The K3100-PC supercedes model K3000-PC

Functionally identical to K3000-PC

K3100-PC uses common AC adapter with K5100 and K4100 models

NOTE: Use of K3000-PC AC adapter with K3100-PC will permanently damage printer

Available February 1, 2006

New part number is: 2564000 for K3100-PC

K5100 & K4100

K5100 Handheld Label & Wire-Marking Printer

- Thermal transfer print technology
- Auto sizing text feature
- Prints 6- 72 point at 300 dpi resolution
- Two line x 16 character LCD display
- Use stand alone or with your PC
- · Downloadable and scaleable fonts
- On-board memory to store label formats
- Flash upgradeable firmware
- Internal battery charger
- · Real time clock with time/date stamping ability

- 10 resident bar codes including Code 39 and Code 128
- Multi-language prompts including English and Spanish
- Alpha/Numeric sequencing (A-Z, 1-999)
- Repeat function allows up to 999 copies
- Built-in cutter and feed control to eliminate waste
- Print styles include frame, bold, italic, underline and mirror
- Rotate feature for landscape or portrait mode
- · Vertical and horizontal print formats
- · Audible key clicks and error messages
- Print speeds up to 2 ips (inches per second)

K5100 includes:

K5100 Printer, Owner's Manual, AC Adapter, Power Cord and Serial Cable. **Printers do not come with supply cartridge. Batteries not included.**

K5100 Printer & Accessories

		SRP
K5100 Printer	2561000	\$399.00
(6) Premium NiCd Batteries	2449300	\$39.95
AC Adapter (100-240V, 50-60HZ)	2563000	\$89.95
Serial Cable	2558800	\$32.95
Carrying Case	2563900	\$79.95
Thermal Printhead Cleaning Kit (25)	2559000	\$16.95



K4100 Desktop Label Printer

- Thermal transfer print technology
- Two line x 16 character LCD display
- Auto sizing text feature
- Prints 6- 72 point at 300 dpi resolution
- Use stand alone or with your PC
- Downloadable and scaleable fonts
- On-board memory to store label formats and fonts
- Flash upgradeable firmware
- Real time clock with time/date stamping ability


- 10 resident bar codes including Code 39 and Code 128
- Multi-language prompts including English and Spanish
- Alpha/Numeric sequencing (A-Z, 1-999)
- Repeat function allows up to 999 copies
- Built-in cutter and feed control to eliminate waste
- Print styles include frame, bold, italic, underline and mirror
- Rotate feature for landscape or portrait mode
- Vertical and horizontal print formats
- Audible key clicks

K4100 includes:

K4100 Printer, Owner's Manual, AC Adapter, Power Cord and Serial Cable. *Printers do not come with supply cartridge.*

K4100 Printer & Accessories

		SRP
K4100 Printer	2562000	\$299.00
AC Adapter (100-240V, 50-60HZ)	2563000	\$89.95
Serial Cable	2558800	\$32.95
Carrying Case	2562900	\$79.95
Thermal Printhead Cleaning Kit (25)	2559000	\$16.95



K3100-PC

K3100-PC Companion Label Printer (supercedes K3000-PC)

- Functionally identical to K3000-PC
- Uses common AC Adapter as the K5100/K4100 models
- Thermal transfer print technology
- Resolution of 300 DPI
- Customize labels using fonts and graphics from your PC
- KLDS Software provides easy to use label templates
- Print labels from Microsoft Word and Excel
- On-board memory to store label formats and fonts
- · Real time clock with time/date stamping ability

- 25 resident bar codes including Code 39 and Code 128
- Supports baud rates up to 115,200 bps
- Alpha/Numeric sequencing (A-Z, 1-999)
- Repeat function allows up to 999 copies
- Built-in cutter and feed control to eliminate waste
- Print styles include frame, bold, italic, underline and mirror
- Rotate feature for landscape or portrait mode
- · Vertical and horizontal print formats
- Print speeds up to 2 ips (inches per second)

K3100-PC includes:

K3100-PC Printer, Owner's Manual, AC Adapter with Power Cord ,Serial Cable, KLDS Software and Printer Driver Diskette. *Printers do not come with supply cartridge.*

K3100-PC Printer & Accessories

	SRP
K3100-PC Printer256400	\$199.00
AC Adapter (100-240V, 50-60HZ)256300	\$89.95
Serial Cable255880	32.95
Thermal Printhead Cleaning Kit (25)255900	\$16.95

NOTE: Use of K3000-PC AC adapter with K3100-PC will permanently damage printer.



Resident Bar Codes

K3100-PC

- Code 39 (supports ratios of 2:1 and 3:1)
- Extended Code 39
- Codabar (supports ratios of 2:1, 3:1 and modulus 10 and 16 check digits)
- Interleaved 2 of 5 (supports ratios of 2:1 and 3:1 and modulus10 check digit)
- EAN/JAN-8, EAN/JAN-13
- UPC-A, UPC-E (11 digit)
- PDF-417
- MSI-Plessey, Maxicode
- Code 49

- Postnet Zip +4
- Code 93
- Extended 93
- UCC 128
- HIBC
- UPC-E-0-System (6 digit)
- UPC-E-1-System (6 digit)
- Code 128 Auto
- Code 128 A, B, C
- Code 16K Auto
- Code 16K A, B, C

K5100 and K4100

- Code 39 (supports ratios of 2:1 and 3:1)
- Code 128
- Codabar (supports ratios of 2:1, 3:1 and modulus 10 and 16 check digits)
- Interleaved 2 of 5 (supports ratios of 2:1 and 3:1 and modulus 10 check digit)
- EAN-8, EAN-13, EAN supplemental
- UPC-A, UPC-E, UPC supplemental
- PDF-417
- MSI-Plessey
- Check digit calculation where applicable


K-Series Supplies

(For use in K2000-PC, K3000-PC, K3100-PC, K2000, K2500, K5100, K4100 only)

Polyester Industrial Supply

2.0 mil pressure sensitive polyester and thermal transfer resin ribbon in a cartridge • Up to 7 year exterior life; Chemical, water, UV light resistant • Operating temperature range of -40º to 320ºF (-40º to 160ºC) • High performance label stock ideal for smooth, flat surfaces.

WxL	SRP
.375" x 40' Cartridge Supply	.\$32.95
.50" x 40' Cartridge Supply	\$32.95
.80" x 40' Cartridge Supply	.\$32.95
1" x 40' Cartridge Supply	.\$34.95



		4	
Industrial UV & Chemical Resistant Cartridge Supply	.375" x 40'	Industrial UV & Chemical Resistant Cartridge Supply	1" x 40'
Black image on clear	2560101	Black image on clear	2438601
Black image on white		Black image on white	2438616
Black image on yellow	2560143	Black image on yellow	2438643
		Black image on green	2438639
Industrial UV & Chemical Resistant		Black image on red	2438631
Cartridge Supply	.50" x 40'	Black image on blue	2438635
B	0.40700.4	Black image on gold	2438626
Black image on clear		Black image on matte silver	2438621
Black image on white		White image on black	2438620
Black image on yellow		White image on blue	
White image on black		White image on red	
White image on clear	2487902	White image on green	
		White image on clear	
Industrial UV & Chemical Resistant Cartridge Supply	.8" x 40'	Red image on white	
<u> </u>		Blue image on white	2438617
Black image on clear			
Black image on white	2438716		
Black image on vellow			

1" Laminated Polyester Label Supply

2.0 mil pressure sensitive polyester and thermal transfer wax ribbon in a cartridge. Laminate protects from scratching and abrasion.

		SRP
Black image on clear	2437901	\$36.95
Black image on white	2437916	
Black image on yellow	2437943	

Component & Terminal Block Die Cut Labels

Black on White - W x L	# Labels	SRP
.375" x 1.8125"2438508	120	\$29.95
.50" x 1"2438504	174	\$29.95
.50" x 1.50"2438506	140	\$29.95
1" x 1"2438510	174	\$29.95
1" x 2"2438511	120	\$29.95
1" x 4"2438503	82	\$29.95

Tamper Evident Label Supply

3.0 mil polyester pressure sensitive that leaves a white residue with the word "VOID" if the label is removed.

		SRP
1" x 40' Black on white	2483801	\$41.95
.50" x 40' Black on white	2487970	\$34.95

K-Series Supplies

(For use in K2000-PC, K3000-PC, K3100-PC, K2000, K2500, K5100, K4100 only)

Cast Vinyl Industrial Supply

2.0 mil pressure sensitive vinyl and thermal transfer resin ribbon in a cartridge • Up to 10 year exterior life; Chemical, water, UV light resistant • Operating temperature range of -50° to 180°F (-45.5° to 82°C) • Excellent conformability to curved or irregular surfaces.

	.50" x 40'	1" x 40'	W x L SRP
Black image on clear	2558301	2558101	.50" x 40'\$32.95
Black image on white	2558316	2558116	1" x 40'\$34.95
Black image on silver		2558121	
Black image on blue	2558331	2558131	
Black image on red	2558335	2558135	
Black image on yellow	2558343	2558143	

Self-Laminating Wire Wrap Supply

4.0 mil translucent vinyl with a white printable area and thermal transfer resin ribbon in a cartridge • Excellent to professionally mark wires and cables • Laminated tail protects text • Chemical, water, UV light resistant • Aggressive permanent adhesive • Operating temperature range of -40° to 176°F (-40° to 80°C)

Size W x L	Printable Area	Fits Wire	# Labels	Part #	SRP
1" x .50" (25mm x 12mm)	1" x .25"	16 - 22	277	2556708	\$29.95
1" x .75" (25mm x 19mm)	1" x .375"	10 - 16	250	2556704	\$29.95
1" x 1" (25mm x 25mm)	1" x .375"	10 - 12	227	2556707	\$29.95
1" x 1.25" (25mm x 31.75mm)	1" x .50"	8 - 12	170	2556702	\$29.95
1" x 2.50" (25mm x 65mm)	1" x .75"	6 - 10	119	2556703	\$29.95
1" x 4" (25mm x 101mm)	1" x 1"	4 - 6	83	2556701	\$29.95
1" x 6" (25mm x 152mm)	1" x 1.50"	0 - 4	61	2556705	\$29.95

Polyolefin Shrink Tube Length 110'


Flexible polyolefin tubing and thermal transfer resin ribbon in a cartridge • Shrink ratio 3:1 • Operating temperature range of -67° to 275°F (-55°C to 135°C) with up to 347°F for short duration and low recovery temperature of 194°F • All tubing is flame resistant; Chemical and water resistant • Meets Military Specification MIL-DTL-23053/5C Class 1 and 3, UL-224 VW-1 rating. Ideal for wire marking an electrical insulation of light wire harness assemblies.

CDD

		SRP
1/8" (3.2mm) Black on white	2470001	\$29.95
3/16" (4.8mm) Black on white	2470011	\$30.95
1/4" (6.4mm) Black on white	2470021	\$32.95
3/8" (9.6mm) Black on white	2470031	\$34.95
1/2" (12.8mm) Black on white	2470041	\$36.95
1/8" (3.2mm) Black on yellow	2470002	\$29.95
3/16" (4.8mm) Black on yellow	2470012	\$30.95
1/4" (6.4mm) Black on yellow	2470022	\$32.95
3/8" (9.6mm) Black on yellow	2470032	\$34.95
1/2" (12.8mm) Black on yellow	2470042	\$36.95

K4350 Industrial Printer

K4350 Industrial Printer



K4350 - 300 DPI resolution • Thermal transfer and direct thermal print technology • Connects to your personal computer • Accompanied by Labelview XLT Software • Versatile connectivity - serial & parallel • Customize labels using the fonts and graphics from your PC • Plug and play with most Windows platforms • IMB internal flash and 2MB DRAM • Print continuous and die cut media • Media minimum 1/8" to maximum of 4" • Internal and external supply feed • Black mark sensor • Print bar codes including Code 39 and Code 128 • Alpha/Numeric sequencing (A-Z, 1-999) • Built-in cutter and feed control to eliminate waste • Print speeds up to 2 ips (inches per second)

K4350 Includes: (1) Printer, (1) Universal Power Supply, (1) Serial Cable, (1) Standard Supply Holder (max OD 8"), (1) 3" Core Insert, Automatic Cutter, Software and Drivers. *Printers do not come with media.*

K4350 Printer & Accessories

		SRP
K4350 Printer	.K4350CPTR	\$599.00
Shrink tube supply holder	2559300	\$97.95
Universal power supply	K4350PS	\$99.95
Thermal printhead cleaning kit (25)	2559000	\$16.95

Black Thermal Transfer Ribbons (coated side out)

Resin Ribbon - Ideal for synthetic facestocks. Exceptional abrasion and chemical resistance.

Width	1" Core Length 985'	Rolls Per Case	SRP
2.43"	92-BLK-PR243U	5	\$29.50
4.33"	92-BLK-PR443LL	5	\$49.94

K4350 Printer Supplies

Self-Laminating Wire Wrap Rolls

4.0 mil translucent vinyl with a white printable area on a 3" core • Excellent to professionally mark wires and cables • Laminated tail protects text • Chemical, water, UV light resistant • Aggressive permanent adhesive • Operating temperature range of -40° to 176°F (-40° to 80°C).

WxL	Printable Area	Fits Wire/Cable	Part #	Labels/Roll	SRP Price/Roll
.50" x 1.50"	.50" x .80"	16 -22	97-VRAP-0476W	975	\$22.95
.75" x 1.75"	.75 x .50"	10 -16	97-VRAP-0676W	850	\$44.95
1" x 1"	1" x .35"	0 - 4	97-VRAP-1176W	1400	\$51.95
1" x 1.25"	1" x .50"	10 -12	97-VRAP-0276W	1000	\$43.95
1" x 1.50"	1" x .50"	6 -10	97-VRAP-0576W	650	\$28.95
1" x 2.25"	1" x .75"	6 - 10	97-VRAP-0776W	650	\$46.95
1" x 2.5"	1" x .75"	10 - 16	97-VRAP-0376W	600	\$45.95
1" x 4"	1" x 1"	0 - 4	97-VRAP-0176W	375	\$45.95
2" x 3.75"	1.97" x 1"	0 - 4	97-VRAP-0976W	375	\$95.95
2" x 6"	1.97" x 1.50"	0 - 4	97-VRAP-0876W	250	\$99.95

Shrink Tube Reels Length 100'

Flexible polyolefin tubing on a reel • Shrink ratio 3:1 • Operating temperature range of -67° to 275°F (-55°C to 135°C) with up to 347°F for short duration and low recovery temperature of 194°F • All tubing is flame resistant; Chemical and water resistant • Meets Military Specification MIL-DTL-23053/5C Class 1 and 3, UL-224 VW-1 rating. Ideal for wire marking an electrical insulation of light wire harness assemblies.

Tube Color	Tube Width ID* After Recovery	Wall Thickness After Recovery	Part #	SRP
1/8" White	.043"	.024"	98-WT31-0342	\$124.95
1/8" Yellow	.043"	.024"	98-YT31-0342	\$124.95
3/16" White	.063"	.026"	98-WT31-0442	\$136.95
3/16" Yellow	.063"	.026"	98-YT31-0442	\$136.95
1/4" White	.083"	.028"	98-WT31-0642	\$146.95
1/4" Yellow	.083"	.028"	98-YT31-0642	\$146.95
3/8" White	.122"	.031"	98-WT31-0942	\$169.95
3/8" Yellow	.122"	.031"	98-YT31-0942	\$169.95
1/2" White	.165"	.033"	98-WT31-1242	\$197.95
1/2" Yellow	.165"	.033"	98-YT31-1242	\$197.95
3/4" White	.248"	.039"	98-WT31-1942	\$263.95
3/4" Yellow	.248"	.039"	98-YT31-1942	\$263.95
1" White	.327"	.048"	98-WT31-2542	\$349.95
1" Yellow	.327"	.048"	98-YT31-2542	\$349.95

^{*}ID - Inside Diameter

K225/K227

K225 Label Printer



K225 - Connects to PC printer • Works with MS DOS, Windows 3.1, 95 and 98 • Prints labels up to 2 1/8" • Horizontal or vertical • Prints flush top, bottom, left or center • Background printing (windows) • Dithering (translates color and gray scale of images) • Direct thermal, high resolution • Prints one label, multiple labels or entire mailing list • Electronic address book saves/organizes mailing lists • Multiple fonts available on one label • Customize labels with text and graphics, including TrueType® • POSTNET to complete bulk mailings • Icons may be assigned for frequently used formats. Two- year warranty.

K225 includes: (1) Printer, (1) Roll of Labels, (1) AC Adapter, (1) Serial

Interface Cable, Software, Driver Diskettes

Part # SRP * **K225**.....2479200 \$79.00

* While Quantities Last

K225/K227 Label Supply

	Part #	SRP
White Standard Label (1 1/8" x 3 .5") (260 x 2 Rolls)	. 2479300	\$14.95
White Shipping Label (2 1/8" x 4") (220 x 1 Roll)	. 2479400	\$14.95
White Diskette Label (2 1/8" x 2 .75") (320 x 1 Roll)	2479500	\$14.95
Clear Standard Label (1 1/8" x 3 .5") (260 x 1 Roll)	2479600	\$19.95

K227 Label Supply

	Part #	SRP
Zip Disk Label (2" x 2 3/8") (380 x 1 Roll)	2554500	\$14.95

TM650 Supplies

(Supplies for the use in TM650 and TM600 only)

TM650 Shrink Tube Supply

Tube Size 100"/Cartridge	SRP
1/8" (3.2mm)	.\$31.95
3/16" (4.8mm)	.\$32.95
1/4" (6.4mm)	.\$33.95

Tube Size 100"/Cartridge

Black on White		Black on Yellow	
1/8" (3.2mm)	2404201	1/8" (3.2mm)	2404202
3/16" (4.8mm)	2404210	3/16" (4.8mm)	2404211
1/4" (6.4mm)	2404220	1/4" (6.4mm)	2404221

TM650 Industrial Label Supply

.50" x 50'		SRP
Black image on clear	2464401	\$35.95
Black image on white	2464416	
*Black image on red	2464435	
Black image on yellow	2464443	

^{*} While Quantities Last

TM650 Typestyle Cards

For use on the Industrial Tape Supply Only.

Fonts Similar to:		SRP
Helvetica Medium 24 pt	2226429	\$59.95
Helvetica Bold 36 pt	2226440	\$59.95

TM650 Accessories

	SRP
AC Adapter (120V)2476800	\$24.95
Thermal Printhead Cleaning Kit (25)2559000	\$16.95

DuraType® 244RS/240SE

General Purpose Label Supply

SRP \$32.95

.50" x 50'	
Black image on clear	2227501
White image on clear	2227502
Blue image on clear	2227503
Red image on clear	2227504
Black image on white	2227516
Blue image on white	2227517
Red image on white	2227518
Green image on white	2227519

.50" x 50'	
White image on black	2227520
Black image on matte silver	2227521
*Black image on gold	2227526
Black image on red	2227535
Mhita imaga an rad	0007506

*White image on green2227540 Black image on yellow2227543 Architectural and Engineering2227553

* While Quantities Last

Industrial Label Supply

SRP \$37.95

.50" x 50'	
Black image on clear	2357501
White image on clear	2357502
Black image on white	2357516
White image on black	2357520
Black image on matte silve	r2357521
*Black image on gold	2357526

Black image on red	2357535
White image on red	2357536
*Black image on green	2357539
*White image on green	2357540
Black image on yellow	2357543

Badge Label Supply For Laminated Badges

SRP \$36.95

.50" x 50'

*Black image on clear	2360401
*Black image on white	2360402

* While Quantities Last

^{*} While Quantities Last

DuraType® 244RS/240SE

Typestyle Cards

All Cards	SRP \$59.9									
Fonts Similar to:	6 pt.	8 pt.	10 pt.	12 pt.	14 pt.	16 pt.	18 pt.	24 pt.	30 pt.	36 pt.
Calligraphy							2418807	2418808	2418809	
Helvetica Regular	2226401	2226402	2226403	2226404	2226405	2226406	2226407	2226409	2226472	2226410
Helvetica Medium	2226421	2226422	2226423	2226424	2226425	2226426	2226427	2226429	2226471	2226430
Helvetica Bold							2226437	2226439	2226474	2226440
Condensed Vertical Helvetic	ca Medium.					2226456		2226459	2226460	
Times Roman	2226511	2226512	2226513	2226514	2226515	2226516	2226517	2226519	2226541	2226520
Times Roman	2226542 ((10/12 pt.)	2226543	(6/8/12 pt.)						

Bar Code Symbology Cards

	SRP		SRP
3 of 9 Bar Code2315800	\$59.95	EAN 8/132315806	\$59.95
I 2 of 52315803	\$59.95	CODABAR2315807	\$59.95
UPC-A2315804	\$59.95	3 of 9 High Density2315815	\$59.95

240 Line Accessories

AC Adapter (120V)2476800 \$24.95 Thermal Printhead Cleaning Kit (25)....2559000 \$16.95

K750

K750 Label Supplies

1" Label Supply

SRP \$21.95

1" x 26'

Black image on clear	2526801
Black image on white	2526804
Black image on yellow	2526809
Black image on blue	2526811
White image on red	

.375" Label Supply

SRP \$17.95

.375" x 26'

Black image on clear	.2526501
Black image on yellow	.2526509
Black image on blue	.2526511

.75" Label Supply

SRP \$21.95

.75" x 26'

Black image on clear tape	.2526701
Black image on white tape	.2526704
Red image on white tape	.2526705
Black image on red tape	.2526706
White image on red tape	.2526714

.25" Label Supply

SRP \$17.95

.25" x 26'

Black image on red2526406

.50" Label Supply

SRP \$17.95

.50" x 26'

Black image on clear	2526601
Black image on white	2526604
Black image on red	2526606
White image on red	2526614

K182

K182 General Purpose Label Supply

.50" x 25'	SRP
Black image on clear 2479105	\$15.95
Black image on white2479118	
Black image on red 2479109	
Black image on blue 2479110	
Black image on yellow 2479111	

K182 Accessories

		Part #	SRP
AC Adapter	(120V)	2476800	\$24.95

360/460

360/460 Label Supplies with Black Ribbon

Transparent (Clear Background)

	onr
50" x 80'	\$67.95
75" v 00'	\$76 O

	.50" x 80'	.75" x 80'
Black image on clear	2262801	2262701
A & E Black image on clear	2262853	2262753

Translucent (Matte Background)

SRP	
.50" x 80'\$67.95	
	.50" x 80
*Black image on translucent	2262806

* While Quantities Last

Labeling (Opaque Background)

	SRP	
.50" x 80'	\$67.95	
.75" x 80'	\$76.95	
	.50" x 80	' .75" x 80'
Black image on white	2262816	2262716
*Black image on silver		2262721

* While Quantities Last

360/460 Label Supplies with Color Ribbon

Transparent (Clear Background)

	SRP
.50" x 80'	\$70.95

*White image on clear.....2262802

* While Quantities Last

Labeling (Opaque Background)

SRP		
.50" x 80'\$70.95		
.75" x 80'\$79.95		
	.50" x 80'	.75" x 80'
*Blue image on white		2262717
*White image on black	2262820	2262720

^{*} While Quantities Last

360/460 DT Architectural & Engineering Supply

.50" x 80'

(For use on 360 DT/460 DT printer only)

SRP.50" x 80'\$74.95
.75" x 80'\$83.95

.50" x 80' .75" x 80' *Black image on clear.....2372753 2372953

* While Quantities Last

80/190 Impact

80/190 Label Supplies

Repositionable Adhesive

SRP \$37.95

Diazo

*Black image on translucent1273804

Photo Quality

*Black image on clear.....1273810

* While Quantities Last

Express

Tape Supply for The Merlin Express®, GBC StyleWriter™ or Chartpak 1000™ Manufactured by Varitronics

Express Label Supplies

Multi-Purpose

SRP \$47.95

.50" x 80'	
Black image on clear	.2141501
*White image on clear	.2141502
Black image on translucent	.2141506

* While Quantities Last

Labeling

SRP \$47.95

.50" x 80'	
Black image on white	2141516
*Blue image on white	2141517
*Red image on white	2141518
*White image on black	2141520

* While Quantities Last

Multi-Purpose Tape Supply

Architectural & Engineering

SRP \$47.95

Labeling	.50" x 80'
Black image on clear	2141553

Cross Reference

Tape Supply for The Merlin Express®, GBC StyleWriter™ or Chartpak 1000™ manufactured by Varitronics competitive impact labeling machines.

Varitronics part #

Kroy part #

Black image on clear	(.50" x 80') 2141501	(.50" x 75') 4-1179-00
White image on clear	2141502	4-1179-03
Black image on translucent	2141506	4-1121-00
Labeling Tape Supply	Kroy part # (.50" x 80')	Varitronics part # (.50" x 75')
Black image on white	2141516	4-1178-00
Blue image on white	2141517	4-1178-02
Red image on white	2141518	4-1178-01
White image on black	2141520	4-1178-04
Architectural and Engineering Black image on clear	2141553	4-2229-00
S .		