

Boomerang, reflector for Ostar 6chip LEDs



OSRAM
www.osram.com

- Specially designed for ostar-os 6chip series of LEDs.
- Special care taken to make a uniform white or warm white illumination. Lenses work well with other colors, too.
- Lens material optical grade metallized ABS. Allows use of high current and temperature conditions
- Best available optical efficiency, up to 85%.

LENS TYPES

NAME	ORDERING CODE	FWHM Angle
BOOMERANG	C10437_Boomerang-reflector	±14° x ±15°

© Ledil Oy – PRELIMINARY - Subject to change without prior notice


Ledil Oy
Tehdaskatu 13
FIN-24100 SALO, Finland

www.ledil.com
email: ledil@ledil.com
FAX: +358-2-733 8001


2009-10-07

MEASUREMENT DATA

Boomerang reflector with ostar 6chip silicon LED (horizontal)



Boomerang reflector with ostar 6chip silicon LED (vertical)



EULUMDAT & IES FILES AVAILABLE BY REQUEST


© Ledil Oy – PRELIMINARY - Subject to change without prior notice

Ledil Oy
 Tehdaskatu 13
 FIN-24100 SALO, Finland

www.ledil.com
 email: ledil@ledil.com
 FAX: +358-2-733 8001

2009-10-07

DRAWINGS



Material: ABS metallized

This drawing is our property.
It can't be reproduced
or communicated without
our written agreement.



Ledil Oy
Tehdaskatu 13
FIN-24100 SALO
Finland

DRAWING TITLE		Boomerang-reflector	
DRAWN BY RM	DATE 21.11.2007	SIZE A4	DRAWING NUMBER 10437
CHECKED BY HH	DATE 21.11.2007	SCALE 1:1	REV 0.1
DESIGNED BY HH	DATE 21.11.2007	WEIGHT (g)	SHEET 1/1

© Ledil Oy - PRELIMINARY - Subject to change without prior notice

Ledil Oy
Tehdaskatu 13
FIN-24100 SALO, Finland

www.ledil.com
email: ledil@ledil.com
FAX: +358-2-733 8001

2009-10-07