

Neon Indicators

(Neon, LED and Filament Lamps) - Page 1 of 5



Colours and voltages

Neon	Red, Amber, Green, Clear. 100/130V (marked 110V), 200/250V
LED	(marked 230V)
Filament lamp	Red, Yellow, Green 2.0/2.2V. Resistors for other voltages available. Red, Amber, Green, Clear and Blue. 6V, 12/14V, 24/28V.

To create a catalogue no.:

Refer to the 2 columns below (terminal & type).















Then state:

Lens colour, voltage and whether neon, LED or filament lamp.

• [*Additional Information / Temperature Rating Details](#)

UL file E63363 CSA file LR29381

TERMINALS	TYPE	DIMENSIONS
C 6.3 	(C)0145 AA 	 ∅ 5.8mm 3.0mm max. T85 °C *T125 °C
L W	(C)1041 OO 	∅ 6.3 mm 6.3mm max. T85 °C
L W	(L)1045 OO 	∅ 6.3 mm 10.0mm max. T85 °C Chrome bezel available
L W	(L)0245 OO 	∅ 7.1mm 6.3mm max. T85 °C Chrome bezel available

<p>L </p>	<p>L 2950 00</p>  <p></p>	<p> 8.0mm</p> <p> 0.8-1.6mm max.</p> <p> T85 °C</p>	<p>Chrome bezel available</p> 
<p>L </p> <p>C  6.3</p>	<p>(L) 0195 BB</p>  <p></p>	<p> 8.0mm</p> <p> 0.8-3.0mm max.</p> <p> T85 °C</p>	