
ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY.

REVISIONS			DOC. NO. SPC-F004 * Effective: 12/21/98 * DCP No: 680					
DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
948	A	RELEASED	HYD	6/26/00	JC	11/22/00	סוכ	12/1/00



SPECIFICATIONS:

1. Volts: 130

2. AMPS: 0.192

3. Watts: 25

4. Lumens: 244

5. Filament: C-8

6. Life: 1000 Hours

SPC-FOD4.DWG

RISCLADIENT
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION
AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE COMMITTIONS OF USE ARE
BEYOND OUR CONTROL THE USER STALL DETERMINE THE SUTABILITY OF THE PRODUCT FOR THE
NIENDED LIBE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH. SPC TECHNOLOGY DRAWING TITLE: DRAWN BY: DATE: UNLESS OTHERWISE T 6- 1/2 DOUBLE CONTACT BAYONET BASE LAMP HISHAM ODISH 6/26/00 SPECIFIED, DIMENSIONS ARE CHECKED BY: DATE: ELECTRONIC FILE SIZE FOR REFERENCE JOHN COLE 11/22/00 25T6-1/2DC-130V Α 16N7529.DWG Α PURPOSES ONLY. APPROVED BY: DATE: U.O.M.: INCHES NTS SCALE: SHEET: 1 OF 1 12/1/00 DANIEL CAREY