


Ladder Rack System



Industry Standards

Painted and Plated Straight Sections:

UL/cULus Classified for Equipment Grounding and Load

Curved Sections and Splice Kits:

UL/cULus Classified for Equipment Grounding

cULus Bonding & Grounding

- Classified as suitable for an equipment ground conductor
 CSA C22.2 No. 126.1-02 Section 5.2.8 Load Destruction Test
- Two grounding jumper kits required per each splice kit on painted ladder rack sections

cULus Load Testing

- Load capacity per 10 support lengths is 369.2 lbs; safety factor of 1.5X
 - CSA C22.2 No. 126.1-02 Section 5.1 Electrical Continuity Test

Application

The Ladder Rack System conveniently routes cables via a modular pathway through unused space on the floor, wall or ceiling while keeping cables accessible for easy maintenance. A variety of straight and curved sections are highly adaptable and can accommodate virtually any room layout.

Features

- · Section cross members welded on 9-in. (229-mm) centers
- Accessory adjustable cross members
- Butt-splice kits and junction-splice kits
- Each model is boxed or bagged

Specifications

- Straight and curved sections made of 1-1/2-in. steel
- Sections available in 6-, 12-, 18- and 24-in. (152-, 305-, 457- and 610-mm) widths
- Steel connecting and mounting hardware

Finish

- Available in three finishes:
- ANSI 61 gray polyester powder paint
- RAL 9005 black polyester powder paint
- Plated

Accessories


Touch-up Paint





Cable Runway System and Accessories

Ladder Rack Straight Sections (cULus Classified)




Supports cable on straight runs. Made of 1-1/2 in. x 3/8 in. (38 mm x 8 mm) 16 gauge tubular steel with a painted or plated finish. Nominal installed length is 10 ft. (3.05 m). Each section is 9 ft. 11-1/2 in. (3.03 m) long with cross members welded at 9-in. (229-mm) intervals.

Bulletin: DCR

| Catalog Number | Finish | W (in.) | W (mm) | |
|----------------|--------|---------|--------|--|
| LSS6G | Gray | 6.00 | 152 | |
| LSS6BLK | Black | 6.00 | 152 | |
| LSS6GZ | Plated | 6.00 | 152 | |
| LSS12G | Gray | 12.00 | 305 | |
| LSS12BLK | Black | 12.00 | 305 | |
| LSS12GZ | Plated | 12.00 | 305 | |
| LSS18G | Gray | 18.00 | 457 | |
| LSS18BLK | Black | 18.00 | 457 | |
| LSS18GZ | Plated | 18.00 | 457 | |
| LSS24BLK | Black | 24.00 | 610 | |

Ladder Rack Curved Sections (cULus Classified)



Provide a vertical change in direction. They are made of 1-1/2 in. x 3/8 in. (38 mm x 8 mm) tubular steel with a painted or plated finish. Cross members are welded on the inside (inside bends) or outside (outside bends) of the section. Connect to straight section with butt-splice kits. Designed for category 5e, 6, 6A and fiber optic cable.

Bulletin: DCR

| Catalog Number | Finish | Vertical Bend Type | W (in.) | W (mm) | |
|----------------|--------|--------------------|---------|--------|--|
| LIB6G | Gray | Inside | 6.00 | 152 | |
| LIB6BLK | Black | Inside | 6.00 | 152 | |
| LIB6GZ | Plated | Inside | 6.00 | 152 | |
| LIB12G | Gray | Inside | 12.00 | 305 | |
| LIB12BLK | Black | Inside | 12.00 | 305 | |
| LIB12GZ | Plated | Inside | 12.00 | 305 | |
| LIB18G | Gray | Inside | 18.00 | 457 | |
| LIB18BLK | Black | Inside | 18.00 | 457 | |
| LIB18GZ | Plated | Inside | 18.00 | 457 | |
| LIB24BLK | Black | Inside | 24.00 | 610 | |
| LOB6G | Gray | Outside | 6.00 | 152 | |
| LOB6BLK | Black | Outside | 6.00 | 152 | |
| LOB6GZ | Plated | Outside | 6.00 | 152 | |
| LOB12G | Gray | Outside | 12.00 | 305 | |
| LOB12BLK | Black | Outside | 12.00 | 305 | |
| LOB12GZ | Plated | Outside | 12.00 | 305 | |
| LOB18G | Gray | Outside | 18.00 | 457 | |
| LOB18BLK | Black | Outside | 18.00 | 457 | |
| LOB18GZ | Plated | Outside | 18.00 | 457 | |
| LOB24BLK | Black | Outside | 24.00 | 610 | |

90-Degree Horizontal E-Bend Section (cULus Classified)



Provide a 90-degree horizontal change in cable runway direction. Made of 1-1/2 in. x 3/8 in. (38 mm x 8 mm) tubular steel with a painted or plated finish. Connect to straight sections with butt-splice kits. Designed for category 5e, 6, 6A and fiber optic cable. Bulletin: DCR

| Catalog Number | Finish | W (in.) | W (mm) | |
|----------------|--------|---------|--------|--|
| L90HB12G | Gray | 12.00 | 305 | |
| L90HB12BLK | Black | 12.00 | 305 | |
| L90HB12GZ | Plated | 12.00 | 305 | |
| L90HB18G | Gray | 18.00 | 457 | |
| L90HB18BLK | Black | 18.00 | 457 | |
| L90HB18GZ | Plated | 18.00 | 457 | |
| L90HB24BLK | Black | 24.00 | 610 | |

Butt-Splice Kit (cULus Classified)




Joins straight ladder rack sections, inside and outside bends, and 90-degree horizontal e-bends. Each kit connects one section to another. Includes mounting hardware.

Bulletin: DCR

| Catalog Number | Finish | Kit Qty. |
|----------------|--------|----------|
| LBSKG | Gray | 2 |
| LBSKB | Black | 2 |
| LBSK | Plated | 2 |

Adjustable Butt-Splice Kit (cULus Classified)



87561765

Provides a change in up-and-down direction of the cable runway. It can be adjusted to any angle from 0 to 90 degrees. Made of steel with a painted or plated finish. Each kit connects one ladder rack section to another. Includes mounting hardware. Bulletin: DCR

| Catalog Number | Finish | Kit Qty. | |
|----------------|--------|----------|--|
| LABSKG | Gray | 2 | |
| LABSKB | Black | 2 | |
| LABSK | Plated | 2 | |







Cable Runway System and Accessories

Catalog Number

Catalog Number

LAJSKG


LAJSKB

LAJSK

LRP

LRPB

Junction Splice Kit (cULus Classified)



Connects two straight ladder rack sections at a 90-degree angle. Made of steel with a painted or plated finish. Each kit connects one section to another. Includes mounting hardware.

Bulletin: DCR

| Catalog Number | Finish | Kit Qty. | |
|----------------|--------|----------|--|
| LJSKG | Gray | 2 | |
| LJSKB | Black | 2 | |
| LJSK | Plated | 2 | |

Finish

Gray

Black

Plated

Finish

Plated

Black


Kit Qty.

Kit Qty.

2


2

Adjustable Junction Splice Kit (cULus Classified)



87561767

Retaining Post Kit



Provides extra ladder rack capacity. Mounts onto rack side stringer. Post is unthreaded 1/2-in. tube. Kit components are plated steel. Includes post cap and mounting hardware.

The L-Bracket Kit supports power or other cables that need to be separated from the main cable run.

Made of steel with a painted or plated finish. Mounts onto ladder rack stringer. Includes mounting

at any junction angle. Made of steel

with a painted or plated finish. Each

kit connects one section to another.

Includes mounting hardware.


Bulletin: DCR

hardware.

Bulletin: DCR

Bulletin: DCR

L-Bracket Kit



Radius Drop Kit

87561770

Mounts over ladder rack cross member to provide bending radius when dropping cable. Includes cable spools to separate cable and all mounting hardware. Made of extruded aluminum.

Bulletin: DCR

| | | Cable | Cable | |
|----------------|--------|-------------|-----------|------|
| | | Runway | Runway | Kit |
| Catalog Number | Finish | Width (in.) | Width(mm) | Qty. |
| LRD6G | Gray | 6.00 | 152 | 1 |
| LRD6BLK | Black | 6.00 | 152 | 1 |
| LRD12G | Gray | 12.00 | 305 | 1 |
| LRD12BLK | Black | 12.00 | 305 | 1 |
| LRD18G | Gray | 18.00 | 457 | 1 |
| LRD18BLK | Black | 18.00 | 457 | 1 |
| LRD24BLK | Black | 24.00 | 610 | 1 |

Stringer Radius Drop Kit



Mounts over ladder rack stringer to provide bending radius when dropping cable. Includes cable spools to separate cable and all mounting hardware. Made of extruded aluminum. Bulletin: DCR

| Catalog Number | Finish | Kit Qty. | |
|----------------|--------|----------|--|
| LSRDG | Gray | 1 | |
| LSRDBLK | Black | 1 | |




| Catalog Number | Finish | Kit Qty. |
|----------------|--------|----------|
| LLBG | Gray | 1 |
| LLBB | Black | 1 |
| LLB | Plated | 1 |



Cable Runway System and Accessories


Ceiling Support Kit



or as a kit. Six-foot-long, 5/8-in. diameter rod is threaded for easy tension adjustment. Made of plated steel. Requires surface mounting hardware (not included). Bulletin: DCR

Supports ladder rack from ceiling. Components available separately

| | | | Kit |
|----------------|--------|------------------------------|------|
| Catalog Number | Finish | Description | Qty. |
| LCK | Plated | Kit includes one each: | 1 |
| | | - LTR Threaded Rod | |
| | | - 5/8-in. nuts (4) | |
| | | - LRWBK Rack Runway Bracket | |
| | | - LCBK Ceiling Bracket | |
| LTR | Plated | 5/8-in. x 6-ft. Threaded Rod | 1 |
| LRWBK | Plated | Rack Runway Brackets (10) | 1 |
| | | 5/8-in. nuts (20) | |
| LRWBKB | Black | Rack Runway Brackets (10) | 1 |
| | | 5/8-in. nuts (20) | |
| LCBK | Plated | Ceiling Brackets (10) | 1 |
| | | 5/8-in nuts (20) | |
| LCBKB | Black | Ceiling Brackets (10) | 1 |
| | | 5/8-in nuts (20) | |
| LRWSBK | Plated | Rack-to-Runway Brackets (10) | 1 |
| | | Slip-On | |
| | | 5/8 in. nuts (2) | |
| LRWSBKB | Black | Rack-to-Runway Brackets (10) | 1 |
| | | Slip-On | |
| | | 5/8 in. nuts (2) | |




Foot Kit



Secures ladder rack to floor, ceiling or wall. Made of steel with a painted or plated finish. One kit secures one ladder rack section. Requires surface mounting hardware (not included). Bulletin: DCR

| Catalog Number | Finish | Kit Qty. | |
|----------------|--------|----------|--|
| LFKG | Gray | 2 | |
| LFKB | Black | 2 | |
| LFK | Plated | 2 | |

Rack-to-Runway Mounting Plate Kit



87561774

Secures ladder rack to the top of equipment racks. Made of steel with a painted or plated finish. The plate is designed for mounting either parallel or perpendicular to the rack. Includes mounting hardware.

Bulletin: DCR

| Fits Ladder | | | |
|-------------|---|---|---|
| Width | Finish | Kit Qty. | |
| 6, 12 | Gray | 1 | |
| 6, 12 | Black | 1 | |
| 6, 12 | Plated | 1 | |
| 12, 18 | Gray | 1 | |
| 12, 18 | Black | 1 | |
| 12, 18 | Plated | 1 | |
| 18, 24 | Black | 1 | |
| | Width 6, 12 6, 12 12, 12 12, 18 12, 18 12, 18 12, 18 | Width Finish 6, 12 Gray 6, 12 Black 6, 12 Plated 12, 18 Gray 12, 18 Black 12, 18 Black 12, 18 Black 12, 18 Black | Width Finish Kit Qty. 6, 12 Gray 1 6, 12 Black 1 6, 12 Plated 1 12, 18 Gray 1 12, 18 Black 1 12, 18 Black 1 12, 18 Black 1 |








Cable Runway System and Accessories


Vertical Wall Bracket



Secures ladder rack section to wall or other flat surface. Made of steel with a painted or plated finish. Requires surface mounting hardware (not included).

| Catalog Number | Finish | Kit Qty. | |
|----------------|--------|----------|--|
| LVWBG | Gray | 2 | |
| LVWBB | Black | 2 | |
| LVWB | Plated | 2 | |

Triangle Support Bracket Kit




Supports ladder rack from wall. Bracket is made of steel with painted or plated finish. Brackets have predrilled mounting holes for two sizes of ladder rack. Includes one J-Bolt Kit.

Bulletin: DCR

Bulletin: DCR

| Fits Cal | | | | Fits Cable | ble | |
|----------------|-------|-----|--------|------------|----------|--|
| Catalog Number | A in. | Amm | Finish | Runway | Kit Qty. | |
| LTSB12G | 0.00 | | Gray | 6, 12 | 1 | |
| LTSB12BLK | 0.00 | | Black | 6, 12 | 1 | |
| LTSB12GZ | 0.00 | | Plated | 6, 12 | 1 | |
| LTSB18G | 0.00 | | Gray | 12, 18 | 1 | |
| LTSB18BLK | 0.00 | | Black | 12, 18 | 1 | |
| LTSB18GZ | 0.00 | | Plated | 12, 18 | 1 | |
| LTSB24BLK | 24.00 | 610 | Black | 12, 18, 24 | 1 | |

Modular Triangle Support Bracket Kit



Secures and supports ladder rack to wall. Design features three bracket support arms that easily attach to each other with quick-release pins and fold down to ease assembly. Each model accomodates two ladder rack widths. Kit includes one modular bracket assembly, three quick-release pins and two J-bolts with washers and nuts. Bracket made of painted steel with plated hardware. Bulletin: DCR

| DU | ше | eur | 1: L | 乀 |
|----|----|-----|------|---|
| | | | | |

| | | Fits Cable | |
|----------------|--------|------------|----------|
| Catalog Number | Finish | Runway | Kit Qty. |
| LMTSB12B | Black | 6, 12 | 1 |
| LMTSB18B | Black | 12, 18 | 1 |
| LMTSB24B | Black | 18, 24 | 1 |

Wall Angle Support



Supports ladder rack from wall or other flat surface. Made of 2-in. x 2-in. 10 gauge steel angle with painted or plated finish. Includes two J-bolts, nuts and screws.

Bulletin: DCR


| | | L | R | S | |
|----------------|--------|--------|--------|--------|----------|
| Catalog Number | Finish | in./mm | in./mm | in./mm | Kit Qty. |
| LWASK6G | Gray | 8.00 | 6.00 | 6.38 | 1 |
| | | 203 | 152 | 162 | |
| LWASK6BLK | Black | 8.00 | 6.00 | 6.38 | 1 |
| | | 203 | 152 | 162 | |
| LWASK6GZ | Plated | 8.00 | 6.00 | 6.38 | 1 |
| | | 203 | 152 | 162 | |
| LWASK12G | Gray | 14.00 | 12.00 | 12.38 | 1 |
| | | 356 | 305 | 314 | |
| LWASK12BLK | Black | 14.00 | 12.00 | 12.38 | 1 |
| | | 356 | 305 | 314 | |
| LWASK12GZ | Plated | 14.00 | 12.00 | 12.38 | 1 |
| | | 356 | 305 | 314 | |
| LWASK18G | Gray | 20.00 | 18.00 | 18.38 | 1 |
| | | 508 | 457 | 467 | |
| LWASK18BLK | Black | 20.00 | 18.00 | 18.38 | 1 |
| | | 508 | 457 | 467 | |
| LWASK18GZ | Plated | 20.00 | 18.00 | 18.38 | 1 |
| | | 508 | 457 | 467 | |
| LWASK24BLK | Black | 26.00 | 24.00 | 24.38 | 1 |
| | | 660 | 610 | 619 | |





Cable Runway System and Accessories

Corner Support Bracket Kit



Provides additional support for 90-degree ladder rack junction. Made of steel with a painted or plated finish. Bulletin: DCR

| Catalog Number | Finish | Kit Qty. | |
|----------------|--------|----------|--|
| LCSKG | Gray | 1 | |
| LCSKB | Black | 1 | |
| LCSK | Plated | 1 | |


End Cap Kit



Provides protective covering for ends of ladder rack. Made of black vinyl. Bulletin: DCR

| 12 | Catalog Number | Kit Qty. |
|----|----------------|----------|
| | LEC | 2 |

Runway Termination Kit



Provides a solid termination when the last section of ladder rack ends away from a wall. Made of steel with a painted or plated finish. Bulletin: DCR

| | | Fits Cable | |
|----------------|--------|------------|----------|
| Catalog Number | Finish | Runway | Kit Qty. |
| LRTK12G | Gray | 12 | 1 |
| LRTK12B | Black | 12 | 1 |
| LRTK12 | Plated | 12 | 1 |
| LRTK18G | Gray | 18 | 1 |
| LRTK18B | Black | 18 | 1 |
| LRTK18 | Plated | 18 | 1 |
| LRTK24B | Black | 24 | 1 |


Movable Cross Member



Supports cable at drop locations between welded cross members. Made of steel with a painted or plated finish. For maximum cable protection, use with radius drop kit. Includes hardware for secure mounting to ladder rack stringers. Bulletin: DCR

| | | | | Kit |
|----------------|--------|---------|--------|------|
| Catalog Number | Finish | W (in.) | W (mm) | Qty. |
| LMCM12G | Gray | 12.00 | 305 | 1 |
| LMCM12BLK | Black | 12.00 | 305 | 1 |
| LMCM12GZ | Plated | 12.00 | 305 | 1 |
| LMCM18G | Gray | 18.00 | 457 | 1 |
| LMCM18BLK | Black | 18.00 | 457 | 1 |
| LMCM18GZ | Plated | 18.00 | 457 | 1 |
| LMCM24BLK | Black | 24.00 | 610 | 1 |

Rack-to-Wall Kit



Includes one section of straight ladder rack (cULus Classified) and everything needed to fasten the ladder section to an open frame rack and to the wall. Ladder is 54-in. (1372mm) long by 12-in. (305-mm) wide. All parts have a black painted finish. Order open frame rack separately.

Bulletin: DOFR2

| Catalog Number | Description | | |
|----------------|---|--|--|
| E45RUBKIT | Each Rack-to-Wall Kit includes one: | | |
| | - LSS12BLK [54-in. (1372-mm) long] Ladder Rack* | | |
| | - LWASK12BLK Wall Angle Support with j-bolts | | |
| | - LRRMPBLK Rack-to-Runway Mounting Kit | | |
| | - LEC End Cap Kit | | |
| | | | |

* Ladder Rack is cULus Classified








Cable Runway System and Accessories


Runway Elevation Kit




Elevates ladder rack 3 or 6 in. (76 or 152 mm) above rack-to-ladder mounting plate. Use on any width ladder rack. Kit includes two brackets and all mounting hardware. Made of heavy plated steel.

| let | | | |
|------|-------|-------|--|
| | | | |
| | | | |
| | ~ | · · · | |

| Catalog Number | A (in.) | A (mm) | Finish | Kit Qty. |
|----------------|---------|--------|--------|----------|
| LEK3 | 3.00 | 76 | Plated | 1 |
| LEK3B | 3.00 | 76 | Black | 1 |
| LEK6 | 6.00 | 152 | Plated | 1 |
| LEK6B | 6.00 | 152 | Black | 1 |
| LEK12 | 12.00 | 305 | Plated | 1 |
| LEK12B | 12.00 | 305 | Black | 1 |



Runway Overhead 12-in. Stack Kit



Allows stacking any width of ladder rack runways 12 in. (305 mm) above each other. Each kit contains two complete stacking brackets with all necessary hardware. Use one kit at least every 5 ft. (1.5 m). Brackets and fasteners made of plated steel. Bulletin: DCR

| Catalog Number | Finish | Includes | Kit Qty. |
|----------------|--------|-------------------------|----------|
| LST12 | Plated | 2 brackets and hardware | 1 |
| LST12B | Black | 2 brackets and hardware | 1 |

Runway Center Support Kit




Threaded rod and bracket supports center of ladder rack from ceiling. Kit includes heavy-duty ladder rack cross member, 5/8-in. threaded rod, two J-bolts, protected sleeve and 5/8-in. nut. Use one kit at least every 5 ft. (1.5 m). Made of plated steel. Bulletin: DCB

| 21 | чH | et | Fi. | n | • | n | <u>(</u>) | υ. |
|----|-----|----|-----|---|---|---|------------|----|
| Jυ | 111 | C | | | • | | | 11 |
| | | | | | | | | |

| | | Fits Cable | |
|----------------|--------|------------|----------|
| Catalog Number | Finish | Runway | Kit Qty. |
| LCSK6 | Plated | 6 | 1 |
| LCSK12 | Plated | 12 | 1 |
| LCSK18 | Plated | 18 | 1 |
| LCSK24 | Plated | 24 | 1 |

Spool Divider Kit



Spools separate cables to improve cable management and to control cable-to-cable distances. Spool and bracket attach to ladder rack cross member and can be located anywhere across the width. Kit includes ten 4-in.-tall spools, brackets and all necessary hardware. Spool made of black plastic and bracket made of plated steel. Bulletin: DCR


| Catalog Number | Finish | Kit Includes |
|----------------|----------------------|-------------------|
| LCRDSK | Black plastic spool; | 10 spools, |
| | plated steel bracket | 10 brackets and |
| | | mounting hardware |





Cable Runway System and Accessories

Insulated Ground Jumper Kit




Fastens across splices to provide a secure ground between sections of ladder rack. Made of #6 AWG x 7 strand wire with green THW insulation and two-hole compression lugs mounted on each end. Includes fasteners.

Bulletin: DBG

| | | L | |
|----------------|----------------|--------|--|
| Catalog Number | Conductor Type | in./mm | |
| DGJ | #6-7 Stranded | 12.00 | |
| | | 305 | |

cULus requires 2 kits per splice on all painted ladder sections

J-Bolt Kit




Connects ladder rack to top of cabinet or to auxiliary support channel. Each kit includes two sizes of J-bolts and makes one support connection. Kit components are plated steel. Includes mounting hardware.

Each kit contains: (2) J-Bolts, 5/16 in. (2) Nuts, 5/16 in. (2) Washers, 5/16 in. (2) Lock Washers, 5/16 in. (2) Plates

Bulletin: DCR

| Catalog Number | J (in.) | J (mm) | Finish |
|----------------|---------|--------|--------|
| LJBK | 3.5 | 89 | Plated |
| LJBK5 | 5.00 | 127 | Plated |
| LJBK6 | 6.00 | 152 | Plated |
| LJBK7 | 7.00 | 178 | Plated |



8 Subject to change without notice PH (763) 422-2661 • FX (763) 422-2588 • hoffmanonline.com © 2010 Pentair Technical Products

Spec-00069 |