



















<b>art. no.</b>			25 K/W ⊗ SOT 32	
<b>FK 209 SA</b>				
<b>art. no.</b>			18 K/W ⊗ CB (SOT 32 + TO 220)	
<b>FK 210 SA</b>				
<b>art. no.</b>			21 K/W ⊗ SOT 32	
<b>FK 213 SA</b>				
<b>art. no.</b>			15 K/W ⊗ CB (SOT 32 + TO 220)	
<b>FK 214 SA</b>				
<b>art. no.</b>			24 K/W ⊗ TO 220	
<b>FK 231 SA 220</b>				
<b>art. no.</b>			24 K/W ⊗ SOT 32	
<b>FK 239 SA 32</b>				

The heatsinks FK 209 ... 214 are available without hole pattern as well, e.g. FK 209 SA

**material:** aluminium

**surface treatment:** black anodised

Retaining springs for transistors	→ A 111 - 116	Mounting material for semiconduct.	→ E 34 - 38
Heatsinks for D PAK	→ C 17	Mounting pads	→ E 36
GEL thermal conductive foil	→ E 7	Mounting pads for transistors	→ E 37
Insulator caps	→ E 40	Mounting parts for heatsinks	→ E 39 - 40

**C 6**

A

B

**C**

D

E

F

G

H

I

K

L

M

N