



SPC
TECHNOLOGY

ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY.
SPC-F005.DWG

REVISIONS

DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
			VEE	11-08-10	JAG	14-08-10	XXX	25-08-10

DOC. NO. SPC-F005 * Effective: 7/8/02 * DCP No: 1398



Electrical Characteristics:

Primary


Pri #1 115V ±15% REQ: (50.60)HZ
Pri #2 115V ±15% REQ: (50.60)HZ

Secondary


Series : 24.0V at 100mARMS
Parallel : 12.0V at 200mARMS

Transformer Isolation:

Pri/Pri : 500V
Pri/Sec : 2500V
Sec/Sec : 500V
Wind/Core : 2500V



Dimensions : Inches



Part Number Table

Description	Part Number
Transformer	SPC20959

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:

VEE

DATE:

11-08-10

CHECKED BY:

JAG

DATE:

14-08-10

APPROVED BY:

XXX

DATE:

25-08-10

DRAWING TITLE:

Transformer

SCALE:

NTS

U.O.M.:

INCHES [mm]

DISCLAIMER:
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

SIZE: XXX
DWG. NO.: XXX

ELECTRONIC FILE: 44N3630

SCALE: NTS

SHEET: 1 OF 1

REV: A