






SPC
TECHNOLOGY

ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY.
SPC-F005.DWG

REVISIONS		DOC. NO. SPC-F005	Effective: 7/8/02	DCP No: 1398				
DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
			VEE	13-08-10	JAG	18-08-10	XXX	27-08-10



Pri Leads:
22 GA UL10115 105C PVC

Lead Length:
6.000" ±0.500"


Strip Length:
0.500" ±0.125"

Electrical Characteristics:

Primary:
117V ±15%, Frequency = (50.60) HZ

Secondary:
12.0v at 2.0ARMS
Regulation: 14.8% (Approx)

Transformer Isolation:
Pri/Sec 1500V
Wind/Core 1500V



Part Number Table

Description	Part Number
Control and Filament Transformer	SPC20981

Dimensions : Inches

TOLERANCES:

DISCLAIMER:
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
VEE	13-08-10
CHECKED BY:	DATE:
JAG	18-08-10
APPROVED BY:	DATE:
XXX	27-08-10

DRAWING TITLE:		SCALE:		SHEET:	
Control and Filament Transformer		NTS		1 OF 1	
SIZE	DWG. NO.	ELECTRONIC FILE	REV		
XXX	XXX	81n5372	A		