

Conductive Box

Features:

- Black conductive polypropylene box with hinged lid
- 228x126x40mm (external dims)
- Supplied empty



These boxes are made of conductive polypropylene with a surface resistivity of approximately 5×10^3 ohm per square and a volume resistivity of about 10^4 ohm cm providing an excellent shield against electrostatic fields as defined in IEC 61340-5. They are suitable for primary packaging of electrostatic sensitive devices that do not have a built-in power source.

Product Code:	Description:	Size:	Additional Notes:
1687884	Conductive Box	228x126x40mm - Internal Dims 230x130x42mm - External Dims	Ref 025-0051

Disclaimer: This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No license is granted for the use of it other then for information purposes in connection with the products to which it relates. No license of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage ensiting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. SPC Multicomp is the registered trademark of the Group. © Premier Farnell plc 2008.

http://www.farnell.com http://www.newark.com http://www.cpc.co.uk

