

Corex Coax Stripper

For Cables with a Jacket diameter of 2.54 to 7.62 mm

Features:

- Complete cable strip
- Easy cutter adjustment
- Simple rotary cutting motion
- Colour coded cassettes
- Pre-set strip lengths

Image representative of type only



Part Number	Description	mm ² (AWG) or other
603995-2	2 step cable stripper for Comercial BNC connectors and RG 58 / 59 / 62 cable. 6.8 mm outer jacket strip length. Spare Cassete Blue, PN 603996-2	RG 58 / 59 / 62 Cable Ø5.0-6.5mm
947489-1	3 step cable stripper for Commercial BNC connectors. 7.5 mm outer jacket & 3.5 mm dielectric strip lengths. Spare Cassete Brown PN 947490-1	RG 58 / 59 / 62 Cable Ø5.0-6.5mm
603995-5	3 step cable stripper for Dual Crimp BNC connectors. 5.5 mm outer jacket & 5.5 mm dielectric strip lengths Spare Cassete Black PN 603996-4	RG 58 / 59 / 62 Cable Ø5.0-6.5mm
603995-6	3 step cable stripper for Dual Crimp Commercial BNC connectors and RG; 174, 179, 188 & 316 cable. 6.8 mm outer jacket & 2.5 mm dielectric strip lengths. Spare Cassete White PN 603996-5	RG; 174, 179, 188 & 316 Cable Ø2.5-3.0mm
603995-1	2 step cable stripper for Single crimp BNC connectors and RG 195 / 180 cable. 6 mm outer jacket strip length. Spare Cassete Red, PN 603996-1	RG 195 / 180 Cable Ø3.0-5.0mm
603995-3	2 step cable stripper for UHF connectors and RG 6 & Belden 8281. 12 mm outer jacket strip length. Spare Cassete Yellow, PN 603996-3	RG 6 & Belden 8281 Cable Ø6.4-7.0mm

JackKnack

2119000-1 ideally used in conjunction with the TE Mod Jack tool

Features:

- Cable jacket stripper
- JackKnack clamp
- Cable filler shear
- Wire placement tool
- Ergonomic lightweight design

Image representative of type only



Coax Cable Stripper

1490490-1

Features:

3 Blades designed to strip RG 6, 58 and 59 cable in one step
Replaceable Blade Cartridges

Image representative of type only

Rotary Cable Stripper

606700-1

Features:

Works on cables up to 25 mm diameter
Circular + Straight Strip
Supplied with spare blade

Image representative of type only

Automatic Wire Stripper

734185-1

Features:

Works on PVC, THHN and THHW cable 0.08 - 6.0 (28-10)
Adjustable stripping length
Ergonomic non-slip handles
Built-in cutter

Image representative of type only

Die-cast Automatic Wire Stripper

Features:

- Adjustable strip length
- Automatic cut-depth
- Non-slip handles

Image representative of type only



Part Number	Description	mm ² (AWG) or other
1-1579002-2	for PVC, THHN and THHW cable (includes blades) Spare Blade set 3-1579005-7	0.08 - 6.0 (28-10)
4-1579002-2	for SOLARLOK Cable (includes blades) Spare Blade set 1579006-7	2.5 - 6.0 (14-10)

Small Wire Cutters

1116571-1

Used primarily when lacing / installing the tool-less Mod Jack

Image representative of type only

Features:

- Cuts wire flush
- Spring loaded handles



KT 80 Cutting Tool

654061-1 - Ideal for cutting Ribbon Cable

Features:

- Up to 64 conductors of 0.5mm² by 81.5mm wide
- Clean undistorted cut
- Built-in Guide ensures square cut

Image representative of type only



Replaceable:

- Blade 658654-1
- Anvil 658563-1

Cable Tie Gun

734587-1 - for Cable Ties 2.2 - 4.8 mm and thickness up to 1.6 mm

Features:

- Automatic cut-off
- Adjustable tension setting

Image representative of type only



Non-impact Punch-down Tool

Tools without impact assist

Features:

- Rubber palm grip
- Blade Storage area in the side of the Tool
- Accepts all Twist & Lock Blades

Image representative of type only



Part Number	Description	mm ² (AWG) or other
1583236-1	Tool with 110 Blade	0.08 - 0.34 (28-24)

Impact Punch-down Tool

Tools with impact assist

Features:

- Rubber palm grip
- Spare blade storage
- Adjustable Hi / Low impact setting
- Accepts all standard twist & Lock blades

Image representative of type only



Part Number	Description	mm ² (AWG) or other
1583608-1	Tool with 110 Blade	0.08 - 0.34 (28-24)

Premium Impact Punch-down Tool

Tools with impact assist

Image representative of type only

Features:

Integral spot light
 Non-slip cushioned grip
 Pick hook and spudger
 Spare blade storage
 Adjustable impact force
 Accepts all standard twist & Lock blades



Part Number	Description	mm ² (AWG) or other
1375308-1	Tool with 110 Blade 1375309-1 Spare 110 Blade	0.08 - 0.34 (28-24)
1375308-4	Tool with 066 / 110 Blade 1375310-1 Spare 066 / 110 Blade	0.08 - 0.34 (28-24)

Professional Hand Tool

2-231652-0 - Base Tool without Die-set

Image representative of type only

Features:

Interchangeable Dies for all but 10 posn. plugs
 Terminates both strain reliefs and inserts contacts in one motion
 Ratchet mechanism ensures complete crimp cycle
 Cuts, strips and terminates
 Compatible with many other leading brand products
 AMP plugs are UL approved when terminated using this tool



Part Number	Description	mm ² (AWG) or other
2-231652-8	Complete tool for MODULAR PLUG connectors	4 & 6 Posn Line
853400-8	Die-set for MODULAR PLUG connectors Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	4 & 6 Posn Line
2-231652-3	Complete tool for MODULAR PLUG connectors	4 Posn Hand-set
853400-3	Die-set for MODULAR PLUG connectors Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	4 Posn Hand-set
2-231652-6	Complete tool for MODULAR PLUG connectors	6 Position off-set Flat, Oval & Round - Solid & Stranded
2-231652-7	Complete tool for MODULAR PLUG connectors	6 posn Long Body Flat, Oval & Round - Solid & Stranded
853400-7	Die-set for MODULAR PLUG connectors - Flat oval & Round - Solid or Stranded Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	6 Posn Long Body Flat, Oval & Round - Solid or Stranded
853400-6	Die-set for MODULAR PLUG connectors - Flat oval & Round - Solid or Stranded Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	6 Posn off-set Flat, Oval & Round - Solid or Stranded
3-231652-0	Complete tool for MODULAR PLUG connectors	8 Posn High Performance CAT 5 Cable
1-853400-0	Die-set for MODULAR PLUG connectors - CAT 5 cable Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	8 Posn High Performance CAT 5 cable
2-231652-1	Complete tool for MODULAR PLUG connectors	8 Posn Long Body
853400-1	Die-set for MODULAR PLUG connectors Use in Hand Tool Frame 2-231652 or Economy Tool 1490496-1	8 Posn Long Body

where listed, only popular tools show - please use our online search for the latest information:

<http://www.tooling.tycoelectronics.com/europe/Handtools.asp>

Mod Jack Tool

Tool & Lacing Fixture combinations for rear entry cable Jacks.

Image representative of type only

Features:

- Buit-in cable stripper
- Terminates and cuts all conductors in one go
- Very small breakouts can be achieved
- Comes in a convenient Draw-string Pouch

Can be used on CAT 3 , 5 & 6 cable with:
 Rear cable entry 110 SL Series Jacks
 Rear cable entry AMP TWIST 6S SL Jacks



Part Number	Description	mm ² (AWG) or other
1673956-1	Lacing Fixture for rear cable entry 110 SL series Jacks. Use in Base Tool & Pouch 1725150-3	0.2 (24) stranded 0.2-0.4 (24-22) solid
1725150-1	Base tool, Pouch & Lacing Fixture 1673956-1 for rear cable entry 110 SL series Jacks	0.2 (24) stranded 0.2-0.4 (24-22) solid
1725150-3	Base tool & Pouch for rear cable entry AMP TWIST 6S SL series Jacks. NO Lacing Fixture required	0.2 (24) stranded 0.2-0.4 (24-22) solid

Crimping Kit for Modular Plugs

Features:

- 2-231652-0 Professional hand Tool
- 231662-1 Blade Replacement Kit
- Screw Driver
- Rhobust plastic Carry Case
- Dies for specified Plug types

Image representative of type only



Part Number	Description	mm ² (AWG) or other
1-231666-0	Standard Kit for Shielded & Non-shielded Plugs	4, 6 & 8 Posn. Line
1-231666-3	Professional Kit for Shielded & Non-shielded Plugs	4, 6 & 8 Posn. Line 6 Posn. Long Body 4 Posn. Telephone Plug
1-231666-1	Standard Kit for Shielded & Non-shielded Plugs	4-6, 8 Posn. 4 Posn. Handset

Tone Generator

1490531-1

1673606-1 - includes 1490531-1 plus Tone Tracer 1490533-1 in handy Two Pocket Pouch

Image representative of type only

Features:

Three built-in tones

Auto off

Separate talk battery for increased voltage and power for test sets

Modular Jack allows multiple cord sets to be used for different applications



Tone Tracer

1490533-1

1673606-1 - includes 1490533-1 plus Tone Generator 1490531-1 in handy Two Pocket Pouch

Image representative of type only

Features:

Detection without direct cable or wire contact

Ergonomically shaped

Can be used with any Tone Generator

Replacement quick change tips available



4-Pair Tester

1490530-1

Image representative of type only

Features:

Tests for opens, shorts, mis-wires, reversals and split pairs

Auto on/off

Battery low indicator



SUPER CHAMP II

Tools for service & repair

Features:

Made from high quality special steel for long life
Fitted with plastic comfort handles

Image representative of type only



Part Number	Description	mm ² (AWG) or other
169111-1	Open Barrel Terminals 'F' crimp Crimp widths; 2.2, 2.4, 2.8, 3.2, 3.8 & 4.8mm Wire strippers for 0.5-0.75, 1.0, 1.5, 2.5, 4 & 6mm	0.4 - 6.0 (22-10)
169060-8	PIDG, PLASTI-GRIP - All Types Bolt cutters for 3, 3.5, 4 & 5mm bolts Wire strippers for 0.5-0.75, 1.0, 1.5, 2.5, 4 & 6mm	0.26 - 6.6 (24-10)

SUPER CHAMP FT

720781-3 - for service & repair with Bulkhead Series and PIDG & PLASTIGRIP Terminals

Image representative of type only

Features:

Made from high quality special steel for long life
Fitted with plastic comfort handles

Bulkhead Series Terminals

0.3 mm²
0.5 - 0.85 mm²
1.25 - 2.0 mm²

PIDG & PLASTIGRIP
RBY 0.5 - 6mm² (22-10)
General wire strippers



CRIMPAC CG

734372-1 - Base Tool without dies

Image representative of type only

Features:

- Toggle lever handle force adjuster with quick release
- Cable cutting device 0.5 - 6 mm² (21-10)
- Wire stripping device 0.5 - 6 mm² (21-10)



Part Number	Description	mm ² (AWG) or other
825582-2	Complete tool for CI-2; MATE-N-LOK 3.5; Standard TIMER AMLIVERSAL Logo	0.5 - 5.3 (20-10)
825582	Complete tool for CI-2; MATE-N-LOK 3.5; Standard TIMER	0.5 - 5.3 (20-10)
825508-5	Complete tool for PIDG & PLASTI-GRIP Terminals	0.5 - 6.0 (20-10)
734481-1	Die-set for PIDG, PLASTI-GRIP - All Types Use in Hand Tool Frame 734372-1	0.6 - 6.0 (22-10)

Die-set - SDE for Fibre Optic Connectors

SDE Dies allow Hand or Powered options

Features:

- Use in:
- SDE PRO-CRIMPER III Hand Tool 354940-1
- SDE PEW 12 Hand Tool 9-1478240-0
- SDE DA Hand Tool 1213745-1
- SDE BATTERY TOOL (Kit) 1725837-2 for shoulder dies
- SDE 626 Head 679304-1 + accessories
- SDE Electric Terminator 1490076-2
- SDE Bench Press Adapter 1579000-8 + Press 1481004-7

Image representative of type only



Part Number	Description	mm ² (AWG) or other
91900-1	HTS Fibre Optic contact HD-LWL series	

Dual Purpose Butterfly Tool

Mass termination tool for AMP CHAMP products

Image representative of type only

Features:

- Mass terminates and shears all wires in a single action
- Can be fixed by screws to a bench
- Supplied in a carrying case



Part Number	Description	mm ² (AWG) or other
229378-1	Standard tool for AMP CHAMP	14, 24, 36 & 50 Posn
231880-1	Standard tool for AMP CHAMP	64 Posn

where listed, only popular tools show - please use our online search for the latest information:

<http://www.tooling.tycoelectronics.com/europe/Handtools.asp>