



REVISIONS PART NO. REV DESCRIPTION ECN# DRAWN DATE CHECKD DATE APPRVD DATE MC32594 Α RELEASED 26/02/09 Suresh 26/02/09 Farnell 12/03/09 Veena





Specifications:

Current rating : 1.0A ac/dc. Voltage rating : 30V ac/dc. Maximum contact resistance : $20m\Omega$.

: 1000MΩ. Minimum insulation resistance Withstanding voltage : 750V ac for one minute.

Tin plated on solder tail.

RoHS

Compliant

Operating temperature range : -40°C to +105°C. Material and Finish: Insulator : PBT. Contact : Phosphor bronze. Plating : Gold plated on contact area Shell : Brass, nickel plated.

Dimensions : Millimetres

oup or	TOLERANCES:	DRAWN BY:	DATE:	DRAWI	NG TITLE:						
ith-	UNLESS OTHERWISE	Veena	26/02/09	ĺ		USB Socket - Type A, Double Row, R/A					
is	SPECIFIED,	CHECKED BY:	DATE:	SIZE	DWG NO.		N 44 0004 0 4 0	ELEC	TRONIC FIL	.E	REV
	DIMENSIONS ARE FOR REFERENCE	Suresh	26/02/09	A			M10001940	1696535-TDS_DWG		Α	
of mit	PURPOSES ONLY.	APPROVED BY:	DATE:								
ce.		Farnell	12/03/09	SCAL	E: NTS	U.O.M.: mm			SHEET:	1 OF	2



PART NO.			REVISIONS							
	ECN#	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE	
MC32594	-	Α	RELEASED	Veena	26/02/09	Suresh	26/02/09	Farnell	12/03/09	

PCB Layout 4-Ø2.30 ±0.08 8-Ø0.90 ± 0.08 12.0 7.0 13.14

Dimensions : Millimetres

Part Number Table

Description	Part Number				
Socket, USB, PCB, R/A, Type A, Double	MC32594				

http://www.farnell.com

http://www.newark.com

http://www.cpc.co.uk

This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to It. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied in the believed to be accurate just the Group assumes no responsibility for its accuracy or believed to be accurate but the Group assumes no responsibility for its accuracy or data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or onitted. Liability for loss or damage resulting from any relance on the Information or use of It (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for detain or personal Injury resulting from its negligence.

up r	TOLERANCES:	DRAWN BY:	DATE:	DRAWI	NG TITLE:					
UNLESS OTHERWISE SPECIFIED,	Veena	26/02/09	USB Socket - Type A, Double Row, R/A							
	SPECIFIED, DIMENSIONS ARE	CHECKED BY:	DATE:	SIZE	DWG NO.	M10001940		FLFC	TRONIC FILE	REV
		Suresh	26/02/09	Δ				1696535-TDS DWG		Α
		APPROVED BY:	DATE:							
nit		ANTINOVED BI:		CCAL	ALE: NTS		110M		CHEET 2 OF	- ^
e. 09.		Farnell	12/03/09	SCAL	E: NIS	U.O.M.: mm			SHEET: 2 OF	2