



PART NO.

2211S-04G

REVISIONS								
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	Veena	01/8/08	Suresh	01/8/08	G. C	15/8/08







		2.54 x ((Conta	cts -1)	±0.1	_
		2.54 ±0	0.05		<u>ф1.10</u>	7
\perp	丌	· ж	<u></u>	\forall	$\overline{}$	X
Ψ-	Ÿ	γ-Ψ	Ψ	Ψ	Ψ	W
		PCB	Lay	out		

Dimensions : Millimetres

Specifications:

 $\begin{tabular}{lll} Current rating & : 3A ac/dc. \\ Voltage rating & : 250V ac/dc. \\ Maximum contact resistance & : <math>20m\Omega. \\ Minimum insulation resistance & : 1000M\Omega. \\ \end{tabular}$

Withstanding voltage : 600V ac for one minute.

Operating temperature range : -40°C to +105°C.

Material and Finish:

Insulator : High temperature plastic (PBT).

Insulator colour : Black.

Contact : Copper alloy.

Plated : Gold plated.

Inside as sheet and its contents (the "information") belong to the Premier Farmet Loroup (the "Coroup") or are licensed oit. No licenso is granted for the use of it other than for any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the produce of the produce of the produce of the produce of the Information or contribution of the Information or use of it (including liability resulting from regiligence or where the Group waver of the possibility of the Sort change arising its excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence.

SFO MULTICOMP is the registered trademark of the Group. © Premisr Farmel jut 2008.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

TOLERANCES:

DRAWN BY:	DATE:	DRAWING TITLE:			
Veena	01/08/08				
CHECKED BY:	DATE:	SIZE	DWG NO		
Suresh	01/08/08	Α			
APPROVED BY:	DATE:	<u> </u>			
G.Cook	15/08/08	SCALE: NTS			

E:	DRAW	ING IIILE:							
8	Single Row Right Angle - 4 Way								
E:	SIZE	DWG NO.		ELECTRONIC FILE					
8	Α		M10001416	22118	wg	Α			
E: 18	SCALE: NTS		U.O.M.: mm		SHEET:	1	OF	2	



PART NO.


2211S-04G

	REVISIONS								
E	:CN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
	-	Α	RELEASED	Veena	01/8/08	Suresh	01/8/08	G. C	15/8/08
\perp									

Part Number Table

Description	Part Number
Header, 1 Row, Vertical, 4 Way	2211S-04G

Part Number Explanation:



Number of Positions Plated

: 04 = 4 Positions.

: G = Gold Plated.

http://www.farnell.com

http://www.newark.com

http://www.cpc.co.uk

TOLERANCES: UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
Veena	01/08/08
CHECKED BY:	DATE:
Suresh	01/08/08
APPROVED BY:	DATE:
G.Cook	15/08/08

DRAWING TITLE:										
Single Row Right Angle - 4 Way										
	SIZE A	DWG NO.	M10001416		TRONIC FILE-XXG-F1_		wG	REV A		
	SCALE: NTS		U.O.M.: mm		SHEET:	2	OF	2		