6365

ASS'Y PROC. A



ASS'Y PROC. C



ASS'Y PROC. D



ASS'Y. PROC. E
SEE NOTE 7



SEE ASS'Y. PROCEDURE C
FOR PC BOARD HOLE LAYOUT



HOSING OPTION C SHOWN

NOTES:

1. TERMINALS MUST CONFORM TO SOLDERABILITY SPEC. ES-152.
2. PARTS CONFORM TO PRODUCT SPEC 08-50.
3. HOUSING MATERIAL: NYLON. UL LISTED
5. TERMINAL TAIL CENTERLINES ARE TO BE WITHIN (.30)/.012 OF EACH OTHER.
6. TERMINAL PULL OUT FORCE: 4 LBS MIN.
7. SEE SMES-42329-*** FOR KINK PIN INFORMATION.
8. FINISH: SEE SDES-88
   (909) *OVERALL HOT TIN DIP: .00254 MICROMETERS MIN
   (228) SELECT GOLD: .00076 MICROMETERS MIN.
   *SELECT IN: .00254 MICROMETERS MIN.
   OVERALL NICKEL UNDERPLATE: .00127 MICROMETERS MIN.
   *THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC". CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH TIN/LEAD PLATINGS.

A-6365- * * N * * * - *

VOID LOCATION

PACKAGING CODE
BLANK = PER PK-6365-001

PLATING

ASS'Y. PROC.
A=RIGHT ANGLE
C=TOP ENTRY
D=TOP ENTRY WITH HOOKS CUT OFF
E=TOP ENTRY WITH KINKED PINS

HOUSING NO.
A=6365-N
HOOKS & FLUX SHIELD
B=6365-AN
HOOKS
C=6365-BN
HOOKS & RAMP
D=6365-NBK
HOOKS,FLUX SHIELD,DYED

TERMINAL NO.
A=6441-B-1(*), BRASS
B=6441-B-2(*), BRASS
C=6441-C-1(*), PHOS BRONZE

NO. OF CKTS.

NO. OF CKTS.	DIM. A	DIM. B
1		(3.86) .152
2	(3.96 ± .13) .156 ± .005	(7.82) .308
3	(7.92 ± .13) .312 ± .005	(11.79) .464
4	(11.89 ± .13) .468 ± .005	(15.75) .620
5	(15.85 ± .13) .624 ± .005	(19.71) .776
6	(19.81 ± .13) .780 ± .005	(23.67) .932
7	(23.77 ± .25) .936 ± .010	(27.64) 1.088
8	(27.74 ± .25) 1.092 ± .010	(31.60) 1.244
9	(31.70 ± .25) 1.248 ± .010	(35.56) 1.400
10	(35.66 ± .25) 1.404 ± .010	(39.52) 1.556
11	(39.62 ± .25) 1.560 ± .010	(43.48) 1.712
12	(43.59 ± .25) 1.716 ± .010	(47.45) 1.868
13	(47.55 ± .25) 1.872 ± .010	(51.41) 2.024
14	(51.51 ± .36) 2.028 ± .014	(55.37) 2.180
15	(55.47 ± .36) 2.184 ± .014	(59.33) 2.336



HOUSING OPTION A AND D



HOUSING OPTION B

ENTER DESCRIPTION
EC NO: UCP2005-1551 2005/01/27
DRWN:KSAMIEC 2005/01/27
CHKD: 2005/01/31
APPR:YMARGULI
DESCRIPTION
REV
AB1

QUALITY SYMBOLS
▼=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .010
2 PLACES	± 0.25	± .014
1 PLACE	± 0.36	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: IN/MM
SCALE: 1:1
DESIGN UNITS: INCH
THIRD ANGLE PROJECTION

DRAWN BY: GUZIK DATE: 12/10/87
CHECKED BY: PATEL DATE: 12/10/87
APPROVED BY: LENZ DATE: 12/10/87

TITLE: P.C. TAIL HOUSING ASSEMBLY .156 CL

molex MOLEX INCORPORATED

MATERIAL NO.: ENTER PART
DOCUMENT NO.: SDA-6365
SHEET NO.: 1 OF 00
SIZE: C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

tb_frame_C_P_ME_T
Rev. D 2004/04/02

Downloaded from Elcodis.com electronic components distributor

6365

ENG. NO.	HOUSING NO.	TERMINAL NO.	DIM. C	EDP ON SHT. / COL.
A-6365-ABNA(P909)-•	6365-AN-•	6441-B-1(P909)C	(3.94) / .155	3 / 1
A-6365-CBNA(P909)-•	6365-AN-•	6441-B-1(P909)C	(3.18) / .125	3 / 2
A-6365-AANA(P909)-•	6365-N-•	6441-B-1(P909)C	(3.94) / .155	3 / 3
A-6365-ACNA(P909)-•	6365-BN-•	6441-B-1(P909)C	(3.94) / .155	3 / 4
A-6365-ADNA(P909)-•	6365-NBK-•	6441-B-1(P909)C	(3.94) / .155	4 / 1
A-6365-ABNA(102)-•	6365-AN-•	6441-B-1(102)C	(3.94) / .155	4 / 2
A-6365-AANA(102)-•	6365-N-•	6441-B-1(102)C	(3.94) / .155	4 / 3
A-6365-ACNA(P228)-•	6365-BN-•	6441-B-1(P228)C	(3.94) / .155	4 / 4
A-6365-CBNA(P228)-•	6365-AN-•	6441-B-1(P228)C	(3.18) / .125	5 / 1
A-6365-DBNA(P909)-•	6365-AN-•	6441-B-1(P909)C	(3.18) / .125	5 / 2
A-6365-CBNB(P909)-•	6365-AN-•	6441-B-2(P909)C	(4.50) / .177	5 / 3
A-6365-AANC(501)-•	6365-N-•	6441-C-1(501)C	(4.42) / .174	5 / 4
A-6365-CCNC(501)-•	6365-BN-•	6441-C-1(501)C	(3.18) / .125	6 / 1
A-6365-ABNC(P909)-•	6365-AN-•	6441-C-1(P909)C	(4.42) / .174	6 / 2
A-6365-CBNA(501)-•	6365-AN-•	6441-B-1(501)C	(3.18) / .125	6 / 3
A-6365-DBNA(501)-•	6365-AN-•	6441-B-1(501)C	(3.18) / .125	6 / 4
A-6365-CCNC(P909)-•	6365-BN-•	6441-C-1(P909)C	(3.18) / .125	7 / 1
A-6365-CCNA(P909)-•	6365-BN-•	6441-B-1(P909)C	(3.18) / .125	7 / 2

LTR.	REVISIONS
AB	SEE SHEET 1
AA11	SEE SHEET 1

DIMENSIONS SHOWN (METRIC) INCH
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1/2°

	INCH	METRIC
3 PLACE	±	
2 PLACE	±	±
1 PLACE		±

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DRWG. BY GUZIK | CHK'D. BY PATEL
APP'D. BY LENZ | SCALE ±

▽ = 0 ▼ = 0 REVISE ONLY ON CAD SYSTEM

TITLE
HOUSING ASS'Y P.C.TAIL
(3.96)/.156 ℄
TRIFURCON ASSEMBLY

MOLEX INCORPORATED
LISLE, ILL. 60532 U.S.A.

SHEET NO. 2 | DATE 12/10/87

PART NO. SEE CHART | DRWG. NO. SDA-6365

FILE NAME S6365X2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIV. KK | SIZE C

Downloaded from Elcodis.com electronic components distributor

6365

A-6365-ADNA(P909)-*			A-6365-ABNA(102)-*			A-6365-AANA(102)-*			A-6365-ACNA(P228)-*		
PART NO.	ENG. NO (SUFFIX ONLY)	VOID CKT.	PART NO.	ENG. NO (SUFFIX ONLY)	VOID CKT.	PART NO.	ENG. NO (SUFFIX ONLY)	VOID CKT.	PART NO.	ENG. NO (SUFFIX ONLY)	VOID CKT.
	-AD1A(P909)			-AB1A(102)			-AA1A(102)			-AC1A(P228)	
	-AD2A(P909)			-AB2A(102)			-AA2A(102)			-AC2A(P228)	
26-16-5039	-AD3A(P909)			-AB3A(102)			-AA3A(102)		26-29-2032	-AC3A(P228)	
26-16-5049	-AD4A(P909)			-AB4A(102)			-AA4A(102)		26-29-2042	-AC4A(P228)	
26-16-5059	-AD5A(P909)			-AB5A(102)		26-16-5056	-AA5A(102)		26-29-2052	-AC5A(P228)	
26-16-5069	-AD6A(P909)		26-16-6063	-AB6A(102)		26-16-5068	-AA6A(102)		26-29-2062	-AC6A(P228)	
26-16-5079	-AD7A(P909)		26-16-6073	-AB7A(102)			-AA7A(102)		26-29-2072	-AC7A(P228)	
26-16-5089	-AD8A(P909)		26-16-6083	-AB8A(102)			-AA8A(102)		26-29-2082	-AC8A(P228)	
26-16-5099	-AD9A(P909)			-AB9A(102)		26-16-5098	-AA9A(102)		26-29-2092	-AC9A(P228)	
26-16-5109	-AD10A(P909)		26-16-6103	-AB10A(102)			-AA10A(102)		26-29-2102	-AC10A(P228)	
	-AD11A(P909)			-AB11A(102)			-AA11A(102)		26-29-2112	-AC11A(P228)	
26-16-5129	-AD12A(P909)			-AB12A(102)		26-16-5128	-AA12A(102)		26-29-2122	-AC12A(P228)	
	-AD13A(P909)			-AB13A(102)			-AA13A(102)		26-29-2132	-AC13A(P228)	
	-AD14A(P909)			-AB14A(102)		26-16-5148	-AA14A(102)		26-29-2142	-AC14A(P228)	
26-16-5159	-AD15A(P909)			-AB15A(102)			-AA15A(102)		26-29-2152	-AC15A(P228)	
				-AB4A(102)-2	2	26-16-5057	-AA5A(102)-2	2			
			26-16-6061	-AB6A(102)-2	2	26-16-6093	-AA9A(102)-3	3			
				-AB14A(102)-2	2	S 26-16-6142	-AA14A(102)-2	2			
			26-16-6075	-AB7A(102)-5	5						
			26-16-6115	-AB11A(102)-5	5						
			26-16-6064	-AB6A(102)-1	1						
			26-16-6148	-AB14A(102)-8	8						
			26-16-6148	-AB14A(102)-8	8						

COLUMN NO. 1	CON'T. IN COLUMN NO.	SHEET NO.	COLUMN NO. 2	CON'T. IN COLUMN NO.	SHEET NO.	COLUMN NO. 3	CON'T. IN COLUMN NO.	SHEET NO.	COLUMN NO. 4	CON'T. IN COLUMN NO.	SHEET NO.

LTR.	REVISIONS	LTR.	REVISIONS
	SEE SHEET 1		SEE SHEET 1
	SEE SHEET 1	AB	SEE SHEET 1
	SEE SHEET 1	AA8	SEE SHEET 1
	SEE SHEET 1	AA5	SEE SHEET 1
	SEE SHEET 1	W1	SEE SHEET 1
	SEE SHEET 1	T2	SEE SHEET 1
	SEE SHEET 1	T	SEE SHEET 1

DIMENSIONS SHOWN (METRIC) INCH
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1/2°

	INCH	METRIC
3 PLACE	±	
2 PLACE	±	±
1 PLACE		±

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DRWG. BY GUZIK | CHK'D. BY PATEL
APP'D. BY LENZ | SCALE :

▽ = 0 ▼ = 0 REVISE ONLY ON CAD SYSTEM

TITLE
HOUSING ASS'Y P.C. TAIL
(3.96)/.156 ℄
TRIFURCON ASSEMBLY

MOLEX INCORPORATED
LISLE, ILL. 60532 U.S.A.

SHEET NO. 4 | DATE 12/10/87

PART NO. SEE CHART | DRWG. NO. SDA-6365

FILE NAME S6365X4

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIV. KK | SIZE C

Downloaded from Elcodis.com electronic components distributor