



DO NOT SCALE
DIMENSIONS IN mm

METRIC



NOTES:

- ① CONNECTOR IS DESIGNED FOR FLAT RIBBON CABLE ON 1,27 CENTERS. FOR CABLE REQUIREMENTS SEE APPLICATION SPECIFICATION 114-19008.
- ② INDICATION OF FIRST CABLE POSITION REFERRING TO CORRESPONDING CONTACT POSITION.
- ③ SOLDER-TINES FOR 0,8^{+0,1} DIA. HOLES.



86,36	78,74	64	6-216093-4
81,28	73,66	60	6-216093-0
68,58	60,96	50	5-216093-0
60,96	53,34	44	4-216093-4
55,88	48,26	40	4-216093-0
48,26	40,64	34	3-216093-4
38,10	30,48	26	2-216093-6
30,48	22,86	20	2-216093-0
25,40	17,78	16	1-216093-6
22,86	15,24	14	1-216093-4
17,78	10,16	10	1-216093-0
12,70	5,08	6	216093-6
DIM. "B" REF.	DIM. "A" REF.	NR. OF POS.	PARTNUMBER

B1	REVISED PER ET00-0023-04	D. C.	C. T.	09FEB2004
B	-	-	-	22MAY1989
LTR.	REVISION RECORD	DR.	CHK.	DATE

CUSTOMER DRAWING
FOR REFERENCE ONLY
WILL NOT BE UPDATED

DR. V. R. VERBEET. DATE 22-8-'88
CHK. R. VERSTIJNEN. DATE 23-8-'88
APP. L. v. SDEST. DATE 23-8-'88

③ CONTACTS	PHOSPHORBRONZE	3,0-5,1µm TIN
② HOUSING AND COVER	THERMOPLASTIC POLYESTER	GREY
① HOUSING		
COMPONENT NAME	MATERIAL	PLATING / COLOUR
tyco Electronics		
AMP ITALIA S.p.A. Corso F.lli Cervi, 15 COLLEGNO (TORINO)		
RELEASED FOR PUBLICATION 22-8, 1988		
© COPYRIGHT 1988 BY AMP-HOLLAND B. V. ALL INTERNATIONAL RIGHTS RESERVED. AMP PRODUCTS MAY BE COVERED BY U. S. AND FOREIGN PATENTS AND/OR PATENTS PENDING.		
AMP-LATCH 2,54 DIL-PLUG CONNECTOR WITHOUT RETENTION LEGS.		
SIZE A3	SHEET 1 OF 1	DWG. No. C-216093
		REV. LTR. B1