


ALL RIGHTS RESERVED. NO PORTION OF THIS PUBLICATION, WHETHER IN WHOLE OR IN PART CAN BE REPRODUCED WITHOUT THE EXPRESS WRITTEN CONSENT OF SPC TECHNOLOGY.

REVISIONS					DOC. NO.	SPC-F005	Effective:	12/21/98	Doc No.	880
DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE		
129	A	RELEASED	DJC	7/6/98	JC	7/15/98	JMM	7/15/98		
770	B	REVISED DIMS., SPECS. & MATERIALS	SAS	06/03/99	JC	06/09/99	JC	06/09/99		



SPECIFICATIONS:

IMPEDANCE: NON CONSTANT
WORKING VOLTAGE: 335 VRMS @ SEA LEVEL
FREQUENCY RANGE: 0-300 MHz

6	SHELL	1	BRASS	NICKEL
5	DIELECTRIC	1	TEFLON	NONE
4	RETAINING RING	1	BRASS	NICKEL
3	DIELECTRIC	1	TEFLON	NONE
2	CONTACT	1	BRASS	GOLD
1	BODY	1	BRASS	NICKEL
ITEM	DESCRIPTION	QTY	MATERIAL	FINISH

DISCLAIMER
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

SPC-F005.DWG

DRAWN BY:	DATE:
DANIEL CAREY	7/6/98
CHECKED BY:	DATE:
JOHN COLE	7/15/98
APPROVED BY:	DATE:
JEFF MCVICKER	7/15/98



SPC TECHNOLOGY

DRAWING TITLE:			
MINI UHF MALE TO UHF FEMALE ADAPTER			
SIZE	DWG. NO.	ELECTRONIC FILE	
A	1509	92N3355.DWG	
SCALE:	NTS	U.O.M.: INCHES [mm]	SHEET: 1 OF 1