


NO	DESCRIPTION	DATE
1	BACKGROUND FORMAT UPDATED	05.02.02'
2	BACKGROUND FORMAT UPDATED	03.02.10'



1.0 ELECTRICAL

- 1.1 FREQUENCY RANGE: DC-900 MHz
- 1.2 NOMINAL IMPEDANCE: 50 OHM

2.0 MATERIALS

- 2.1 BODIES: BRASS PER JIS-C3604
- 2.2 CENTER CONTACT: BRASS PER JIS-C3604
- 2.3 INSULATION: TEFLON PER ASTM D1457 AND ASTM D1710

3.0 FINISHES AND OTHERS

- 3.1 SEE BELOW TABLE FOR DETAILS.

4.0 ENVIRONMENTAL

- 4.1 OPERATING TEMPERATURE RANGE: -55° C TO +125° C

NO	DESCRIPTION	MATERIAL	Q'TY	FINISH
5	INSULATION II	TEFLON	1	NONE
4	BODY	BRASS	1	NICKEL 100μ" MIN.
3	CENTER CONTACT	BRASS	1	GOLD
2	INSULATION I	TEFLON	1	NONE
1	WASHER	BRASS	1	NICKEL 100μ" MIN.

APPROVED by _____ DATE: _____

DESCRIPTION		FME JACK-BNC JACK	
製圖	DRAWN <i>Yoko</i>	TOLERANCE	品名 23-20 T.G.N
檢圖	CHECK <i>Jacky</i>	.X ±0.2 .XX ±0.1	ROHS COMPLIANT (50Ω) 日期 07.13.92' 版次 A-2
認定	APPROVAL <i>Lewis</i>	.XXX ±0.05 ANGLE ±5°	單位 mm(in) DWG.NO. 23-0052
		SCALE 4:1	佳楠精密電子股份有限公司 CHIN NAN PRECISION ELECTRONICS CO.,LTD.