


- NOTES:**
- ① MAT'L: COPPER
 - ② PLATING: ELECTRO TIN (.0003 MIN)
 - ③ TIN-PLATED BRASS FUNNEL FERRULE
 - ④ NYLON INSULATION (COLOR CODED RED)

STUD SIZES: (.005)

- 02 = .094
- 04 = .119
- 06 = .146
- 08 = .173
- 10 = .198
- 14 = .265
- 56 = .328
- 38 = .390



"UL" LISTING #E32244
 "CSA" LISTING #18689
 WIRE SIZE: 22-18 AWG²
 .25-1.5 MM²

ALL DIMENSIONS = $\frac{\text{INCHES}}{\text{MM}}$
 (MWID) = DENOTES MAXIMUM WIRE INSULATION DIAMETER

PART NUMBER	"W" MIN.	"C" MIN.	"L" MAX.	"ID" MIN.	AVAILABLE STUD SIZES	STOCK THICKNESS	REFERENCE		SCALE: NTS		TITLE:		
							DRAWN BY:	DATE	CHKD. BY:	ANG.	AVIKRIMP	800-SERIES	
AA-8109-	.187 4.75	.183 4.65	.727 18.47	.054 1.37	02, 04	.031 ±.001 .79		JJ	11-8-84	GG		SPADE TONGUE TERMINAL	
												AVIKRIMP	
												800-SERIES	
												DWG. NO. A	CUSTOMER DWG