

	13	12	11	10	9	8	7	6	5	4	3	2	1																																	
J	PART NO.	CARRIER STYLE	TAB SIZE	COLOR	A MAX	B MAX	C MIN	D MIN	E MWID	H NOMINAL				J																																
	19600-1300	LOOSE PIECE	.250 X .032	YELLOW	.960/24.38	.385/9.78	.245/6.22	.112/2.84	.170/4.31	N/A																																				
	19600-1302	LOOSE PIECE	.187 X .020	YELLOW	.880/22.36	.330/8.39	.245/6.22	.112/2.84	.170/4.31																																					
	19600-1304	LOOSE PIECE	.187 X .032	YELLOW	.880/22.36	.330/8.39	.245/6.22	.112/2.84	.170/4.31																																					
	19600-1306	TAPE MOUNT	.250 X .032	YELLOW	.960/24.38	.385/9.78	.245/6.22	.112/2.84	.170/4.31	56/14.2 (D)																																				
	19600-1307	TAPE MOUNT	.187 X .020	YELLOW	.880/22.36	.330/8.39	.245/6.22	.112/2.84	.170/4.31	.64/16.3																																				
I	19600-1308	TAPE MOUNT	.187 X .032	YELLOW	.880/22.36	.330/8.39	.245/6.22	.112/2.84	.170/4.31					I																																
H														H																																
G														G																																
F														F																																
E														E																																
D														D																																
C														C																																
B														B																																
A														A																																
	<p>PARTS ON TAPE (SCALE 2:1) (D)</p> <ol style="list-style-type: none"> <li>1. TERMINAL MATERIAL: BRASS</li> <li>2. TERMINAL PLATING: TIN</li> <li>3. INSULATION MATERIAL: NYLON</li> <li>4. MWID= MAXIMUM WIRE INSULATION DIAMETER.</li> <li>5. PARTS TO ACCEPT TWO 22, 20, 18 &amp; 16 OR A COMBINATION OF ANY TWO OF THESE WIRE GAUGES.</li> <li>6. PART IS RoHS COMPLIANT.</li> </ol>																																													
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td rowspan="2" style="width: 15%; vertical-align: top;">           ADD TAPE DIAG. DIMS            EC NO: WNA2008-0049            /DRAWN: THRODAHL 2008/02/14            CHKD: JMAJEL 2008/03/11            APPR: JMAJEL 2008/03/11         </td> <td rowspan="2" style="width: 10%; vertical-align: top;">           QUALITY SYMBOLS            ▽=0            ▽=0         </td> <td rowspan="2" style="width: 20%; vertical-align: top;">           GENERAL TOLERANCES (UNLESS SPECIFIED):            4 PLACES ±--- ±---            3 PLACES ±--- ±.005            2 PLACES ±0.13 ±.01            1 PLACE ±0.25 ±---            ANGULAR ±---°         </td> <td rowspan="2" style="width: 10%; vertical-align: top;">           DIMENSION STYLE            IN/MM         </td> <td rowspan="2" style="width: 10%; vertical-align: top;">           SCALE            10:1         </td> <td rowspan="2" style="width: 10%; vertical-align: top;">           DESIGN UNITS            INCH         </td> <td rowspan="2" style="width: 10%; vertical-align: top;">           THIRD ANGLE PROJECTION         </td> <td style="width: 10%;"></td> </tr> <tr> <td style="width: 10%;"></td> </tr> <tr> <td colspan="3" style="vertical-align: top;">           DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS         </td> <td colspan="2" style="vertical-align: top;">           DRAWN BY DATE            HEB            CHECKED BY DATE            RWD            APPROVED BY DATE            RWD         </td> <td colspan="2" style="vertical-align: top;">           TITLE            AVIKRIMP FIQD OVAL EXP. TWO(22,20,18, &amp; 16 AWG) .187 &amp; .250 TAB WIDTH         </td> <td style="vertical-align: top;">           MATERIAL NO.            SEE CHART         </td> </tr> <tr> <td colspan="3"></td> <td colspan="2" style="vertical-align: top;">           DOCUMENT NO.            SD-19600-1300         </td> <td colspan="2" style="vertical-align: top;">           SHEET NO.            1 OF 1         </td> <td style="vertical-align: top;">           SIZE            C         </td> </tr> <tr> <td colspan="8" style="text-align: center;">           THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION         </td> </tr> </table>													ADD TAPE DIAG. DIMS EC NO: WNA2008-0049 /DRAWN: THRODAHL 2008/02/14 CHKD: JMAJEL 2008/03/11 APPR: JMAJEL 2008/03/11	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED): 4 PLACES ±--- ±--- 3 PLACES ±--- ±.005 2 PLACES ±0.13 ±.01 1 PLACE ±0.25 ±--- ANGULAR ±---°	DIMENSION STYLE IN/MM	SCALE 10:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			DRAWN BY DATE HEB CHECKED BY DATE RWD APPROVED BY DATE RWD		TITLE AVIKRIMP FIQD OVAL EXP. TWO(22,20,18, & 16 AWG) .187 & .250 TAB WIDTH		MATERIAL NO. SEE CHART				DOCUMENT NO. SD-19600-1300		SHEET NO. 1 OF 1		SIZE C	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
ADD TAPE DIAG. DIMS EC NO: WNA2008-0049 /DRAWN: THRODAHL 2008/02/14 CHKD: JMAJEL 2008/03/11 APPR: JMAJEL 2008/03/11	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED): 4 PLACES ±--- ±--- 3 PLACES ±--- ±.005 2 PLACES ±0.13 ±.01 1 PLACE ±0.25 ±--- ANGULAR ±---°	DIMENSION STYLE IN/MM	SCALE 10:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION																																								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			DRAWN BY DATE HEB CHECKED BY DATE RWD APPROVED BY DATE RWD		TITLE AVIKRIMP FIQD OVAL EXP. TWO(22,20,18, & 16 AWG) .187 & .250 TAB WIDTH		MATERIAL NO. SEE CHART																																							
			DOCUMENT NO. SD-19600-1300		SHEET NO. 1 OF 1		SIZE C																																							
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																														
	13	12	11	10	9	8	7	6	5	4	3	2	1																																	